

PISTON						
Item Code	Item Description	Engine Name	Model Name	Bore Dia	OEM No	O.E. NUMBER
P021A01030139N	PISTON BARE W/O PIN ACME ADN 37 (STD) DIA.-80.00MM (2+1)	ACME	ADN 37	80.00		
P021A01030107N	PISTON BARE W/O PIN ACME ADN 37 (0.50MM) 2+1 (STD DIA.-80.00MM)	ACME	ADN 37	80.00		
P021A01030139N	PISTON BARE W/O PIN ACME ADN 37 (STD) DIA.-80.00MM (2+1)	ACME	ADN 37	80.00		
P021A09010142N	PISTON BARE W/O PIN AIREO M35 (STD) DIA.-109.54MM (3+1) FULLY TIN PLATED	AIREO	M35	109.54		
P021A09010142N	PISTON BARE W/O PIN AIREO M35 (STD) DIA.-109.54MM (3+1) FULLY TIN PLATED	AIREO	M35	109.54		
P021A02020143N	PISTON BARE W/O PIN AJIT 102 (STD) DIA.-102.00MM (3+2)	AJIT	102	102.00		
P021A02040184N	PISTON BARE W/O PIN AJIT 114.30 (STD) DIA.-114.30MM (3+2) SHORT TYPE	AJIT	114.30	114.30		
P021A02040143N	PISTON BARE W/O PIN AJIT 114.30,PETTER 25 H.P.,KIRLOSKAR 25 H.P. (STD) DIA.-114.30MM (3+2) LONG TYPE	AJIT	114.30	114.30		
P021A02060143N	PISTON BARE W/O PIN AJIT 95 (STD) DIA.-95.00MM (3+2)	AJIT	95	95.00		ROCKET PART # 13168
P021A02020104N	PISTON BARE W/O PIN AJIT 102 (0.010") 3+2 (STD DIA.-102.00MM)	AJIT	102	102.00		
P021A02020110N	PISTON BARE W/O PIN AJIT 102 (0.020") 3+2 (STD DIA.-102.00MM)	AJIT	102	102.00		
P021A02020116N	PISTON BARE W/O PIN AJIT 102 (0.030") 3+2 (STD DIA.-102.00MM)	AJIT	102	102.00		
P021A02020122N	PISTON BARE W/O PIN AJIT 102 (0.040") 3+2 (STD DIA.-102.00MM)	AJIT	102	102.00		
P021A02020128N	PISTON BARE W/O PIN AJIT 102 (0.050") 3+2 (STD DIA.-102.00MM)	AJIT	102	102.00		
P021A02020134N	PISTON BARE W/O PIN AJIT 102 (0.060") 3+2 (STD DIA.-102.00MM)	AJIT	102	102.00		
P021A02020143N	PISTON BARE W/O PIN AJIT 102 (STD) DIA.-102.00MM (3+2)	AJIT	102	102.00		
P021A02040185N	PISTON BARE W/O PIN AJIT 114.30 (0.020") 3+2 (STD DIA.-114.30MM) SHORT TYPE	AJIT	114.30	114.30		
P021A02040186N	PISTON BARE W/O PIN AJIT 114.30 (0.040") 3+2 (STD DIA.-114.30MM) SHORT TYPE	AJIT	114.30	114.30		
P021A02040184N	PISTON BARE W/O PIN AJIT 114.30 (STD) DIA.-114.30MM (3+2) SHORT TYPE	AJIT	114.30	114.30		
P021A02040104N	PISTON BARE W/O PIN AJIT 114.30,PETTER 25 H.P.,KIRLOSKAR 25 H.P. (0.010") 3+2 (STD DIA.-114.30MM) LONG TYPE	AJIT	114.30	114.30		
P021A02040110N	PISTON BARE W/O PIN AJIT 114.30,PETTER 25 H.P.,KIRLOSKAR 25 H.P. (0.020") 3+2 (STD DIA.-114.30MM) LONG TYPE	AJIT	114.30	114.30		

P021A02040122N	PISTON BARE W/O PIN AJIT 114.30,PETTER 25 H.P.,KIRLOSKAR 25 H.P. (0.040") 3+2 (STD DIA.-114.30MM) LONG TYPE	AJIT	114.30	114.30		
P021A02040143N	PISTON BARE W/O PIN AJIT 114.30,PETTER 25 H.P.,KIRLOSKAR 25 H.P. (STD) DIA.-114.30MM (3+2) LONG TYPE	AJIT	114.30	114.30		
P021A02060104N	PISTON BARE W/O PIN AJIT 95 (0.010") 3+2 (STD DIA.-95.00MM)	AJIT	95	95.00		ROCKET PART # 13168/1
P021A02060110N	PISTON BARE W/O PIN AJIT 95 (0.020") 3+2 (STD DIA.-95.00MM)	AJIT	95	95.00		ROCKET PART # 13168/2
P021A02060116N	PISTON BARE W/O PIN AJIT 95 (0.030") 3+2 (STD DIA.-95.00MM)	AJIT	95	95.00		ROCKET PART # 13168/3
P021A02060122N	PISTON BARE W/O PIN AJIT 95 (0.040") 3+2 (STD DIA.-95.00MM)	AJIT	95	95.00		ROCKET PART # 13168/4
P021A02060128N	PISTON BARE W/O PIN AJIT 95 (0.050") 3+2 (STD DIA.-95.00MM)	AJIT	95	95.00		ROCKET PART # 13168/5
P021A02060134N	PISTON BARE W/O PIN AJIT 95 (0.060") 3+2 (STD DIA.-95.00MM)	AJIT	95	95.00		ROCKET PART # 13168/6
P021A02060143N	PISTON BARE W/O PIN AJIT 95 (STD) DIA.-95.00MM (3+2)	AJIT	95	95.00		ROCKET PART # 13168
P021A04010143N	PISTON BARE W/O PIN ANDORIA S-231 (STD) DIA.-102.00MM (3+2)	ANDORIA	S-231	102.00		
P021A04010158N	PISTON BARE W/O PIN ANDORIA S-231 OR URSUS TRACTOR C-330 (STD) DIA.- 102.00MM (3+2) TECH	ANDORIA	S-231	102.00	OEM # 50106480	
P021A04020143N	PISTON BARE W/O PIN ANDORIA S-320 (18 H.P.) STD (DIA.-120.00MM) 3+2	ANDORIA	S-320 (18 H.P.)	120.00		
P021A04030139N	PISTON BARE W/O PIN ANDORIA S-321 (STD) DIA.-135.00MM (2+1)	ANDORIA	S-321	135.00	OEM # 172686	
P021A04010143N	PISTON BARE W/O PIN ANDORIA S-231 (STD) DIA.-102.00MM (3+2)	ANDORIA	S-231	102.00		
P021A04010158N	PISTON BARE W/O PIN ANDORIA S-231 OR URSUS TRACTOR C-330 (STD) DIA.- 102.00MM (3+2) TECH	ANDORIA	S-231	102.00	OEM # 50106480	
P021A04020110N	PISTON BARE W/O PIN ANDORIA S-320 (18 H.P.) 0.50MM (DIA.-120.00MM) 3+2	ANDORIA	S-320 (18 H.P.)	120.00		
P021A04020122N	PISTON BARE W/O PIN ANDORIA S-320 (18 H.P.) 1.00MM (DIA.-120.00MM) 3+2	ANDORIA	S-320 (18 H.P.)	120.00		
P021A04020143N	PISTON BARE W/O PIN ANDORIA S-320 (18 H.P.) STD (DIA.-120.00MM) 3+2	ANDORIA	S-320 (18 H.P.)	120.00		
P021A04030139N	PISTON BARE W/O PIN ANDORIA S-321 (STD) DIA.-135.00MM (2+1)	ANDORIA	S-321	135.00	OEM # 172686	
P021A07010143N	PISTON BARE W/O PIN ARMSTRONG SIDDELEY 14/22 H.P. (STD) DIA- 107.95MM (3+2)	ARMSTRON G SIDDELEY	14/22 H.P.	107.95		
P021A07010110N	PISTON BARE W/O PIN ARMSTRONG SIDDELEY 14/22 H.P. (0.020") 3+2 (STD DIA-107.95MM)	ARMSTRON G SIDDELEY	14/22 H.P.	107.95		
P021A07010122N	PISTON BARE W/O PIN ARMSTRONG SIDDELEY 14/22 H.P. (0.040") 3+2 (STD DIA-107.95MM)	ARMSTRON G SIDDELEY	14/22 H.P.	107.95		
P021A07010134N	PISTON BARE W/O PIN ARMSTRONG SIDDELEY 14/22 H.P. (0.060") 3+2 (STD DIA-107.95MM)	ARMSTRON G SIDDELEY	14/22 H.P.	107.95		

# AECO ENGINEERING CO.



P021A07010143N	PISTON BARE W/O PIN ARMSTRONG SIDDELEY 14/22 H.P. (STD) DIA-107.95MM (3+2)	ARMSTRONG SIDDELEY	14/22 H.P.	107.95		
P021A16010142N	PISTON BARE W/O PIN ARROW T-25 (STD) DIA.-105.00MM (3+1)	ARROW	T-25	105.00		
P021A16010143N	PISTON BARE W/O PIN ARROW T-25 (STD) DIA.-105.00MM (3+2) PLD	ARROW	T-25	105.00		PART # A144-10040216
P021A16010142N	PISTON BARE W/O PIN ARROW T-25 (STD) DIA.-105.00MM (3+1)	ARROW	T-25	105.00		
P021A16010143N	PISTON BARE W/O PIN ARROW T-25 (STD) DIA.-105.00MM (3+2) PLD	ARROW	T-25	105.00		PART # A144-10040216
P021A08010143N	PISTON BARE W/O PIN ASAA F-140 (STD) DIA.-140.00MM (3+2)	ASAA	F-140	140.00		
P021A08010143N	PISTON BARE W/O PIN ASAA F-140 (STD) DIA.-140.00MM (3+2)	ASAA	F-140	140.00		
P021A10010140N	PISTON BARE W/O PIN ATLAS COPCO ST35 DD,ST71 DD,ST95 DD (2 CYL.) STD (DIA.-130.00MM) 2 COMP.+ 2 OIL GROOVE (SMALL)	ATLAS COPCO	ST35 DD,ST71 DD,ST95 DD	130.00	OEM # 14041955	AE # 350213
P021A10010138N	PISTON BARE W/O PIN ATLAS COPCO ST35 DD,ST71 DD,ST95 DD (2 CYL.) STD (DIA.-220.00MM) 1 COMP. + 2 OIL GROOVE (BIG)	ATLAS COPCO	ST35 DD,ST71 DD,ST95 DD	220.00	OEM # 14041954	AE # 350214
P021A10010166N	PISTON BARE W/O PIN ATLAS COPCO ST35 DD/ST71 DD/ST95 DD (2 CYL.) SET OF 2 NOS. (1 BIG + 1 SMALL) OEM # (BIG) 14041954 & (SMALL) 14041955	ATLAS COPCO	ST35 DD/ST71 DD/ST95 DD	130.00,220.00	OEM # (BIG) 14041954 & (SMALL) 14041955	(BIG) AE # 350214 & (SMALL) AE # 350213
P021A10010140N	PISTON BARE W/O PIN ATLAS COPCO ST35 DD,ST71 DD,ST95 DD (2 CYL.) STD (DIA.-130.00MM) 2 COMP.+ 2 OIL GROOVE (SMALL)	ATLAS COPCO	ST35 DD,ST71 DD,ST95 DD	130.00	OEM # 14041955	AE # 350213
P021A10010138N	PISTON BARE W/O PIN ATLAS COPCO ST35 DD,ST71 DD,ST95 DD (2 CYL.) STD (DIA.-220.00MM) 1 COMP. + 2 OIL GROOVE (BIG)	ATLAS COPCO	ST35 DD,ST71 DD,ST95 DD	220.00	OEM # 14041954	AE # 350214
P021A10010166N	PISTON BARE W/O PIN ATLAS COPCO ST35 DD/ST71 DD/ST95 DD (2 CYL.) SET OF 2 NOS. (1 BIG + 1 SMALL) OEM # (BIG) 14041954 & (SMALL) 14041955	ATLAS COPCO	ST35 DD/ST71 DD/ST95 DD	130.00,220.00	OEM # (BIG) 14041954 & (SMALL) 14041955	(BIG) AE # 350214 & (SMALL) AE # 350213
P021B08080143N	PISTON BARE W/O PIN B.M.C 98 (4,6 CYL.) OR LEYLAND (STD) DIA.-98.00MM (3+2)	B.M.C	98	98.00	OEM # 96K570, 98800101, 86K949, 86K950, 86K1259, 96K570 & 98800100	AE # 350236
P021B08080143N	PISTON BARE W/O PIN B.M.C 98 (4,6 CYL.) OR LEYLAND (STD) DIA.-98.00MM (3+2)	B.M.C	98	98.00	OEM # 96K570, 98800101, 86K949, 86K950, 86K1259, 96K570 & 98800100	AE # 350236
P021B01000139N	PISTON BARE W/O PIN BAJAJ (STD) DIA.-61.00MM (2+1)	BAJAJ		61.00		

# AECO ENGINEERING CO.



P021B01030139N	PISTON BARE W/O PIN BAJAJ AVENGER (STD) DIA.-67.00MM (2+1)	BAJAJ	AVENGER	67.00		
P021B01060187N	PISTON BARE W/O PIN BAJAJ OPTIMA (STD) DIA.-63.50MM (2+1) COMP. HT.-23.50	BAJAJ	OPTIMA	63.50		
P021B01060188N	PISTON BARE W/O PIN BAJAJ OPTIMA (STD) DIA.-63.50MM (2+1) COMP. HT.-26.50	BAJAJ	OPTIMA	63.50		
P021B01040139N	PISTON BARE W/O PIN BAJAJ PULSAR 180 Dtsi,PULSAR 180 Ug3 (STD) DIA.-63.50MM (2+1)	BAJAJ	PULSAR 180 Dtsi,PULSAR 180 Ug3	63.50		
P021B01000139N	PISTON BARE W/O PIN BAJAJ (STD) DIA.-61.00MM (2+1)	BAJAJ		61.00		
P021B01030139N	PISTON BARE W/O PIN BAJAJ AVENGER (STD) DIA.-67.00MM (2+1)	BAJAJ	AVENGER	67.00		
P021B01060187N	PISTON BARE W/O PIN BAJAJ OPTIMA (STD) DIA.-63.50MM (2+1) COMP. HT.-23.50	BAJAJ	OPTIMA	63.50		
P021B01060188N	PISTON BARE W/O PIN BAJAJ OPTIMA (STD) DIA.-63.50MM (2+1) COMP. HT.-26.50	BAJAJ	OPTIMA	63.50		
P021B01040139N	PISTON BARE W/O PIN BAJAJ PULSAR 180 Dtsi,PULSAR 180 Ug3 (STD) DIA.-63.50MM (2+1)	BAJAJ	PULSAR 180 Dtsi,PULSAR 180 Ug3	63.50		
P021B04020139N	PISTON BARE W/O PIN BEDFORD 500 (STD) DIA.-115.89MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	BEDFORD	500	115.89		
P021B04010143N	PISTON BARE W/O PIN BEDFORD J4 (220),J6 (330) STD (DIA.-103.175MM) 3+2	BEDFORD	J4 (220),J6 (330)	103.175	OEM # 2716933 & 2716937	AE # 350083
P021B04020139N	PISTON BARE W/O PIN BEDFORD 500 (STD) DIA.-115.89MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	BEDFORD	500	115.89		
P021B04010143N	PISTON BARE W/O PIN BEDFORD J4 (220),J6 (330) STD (DIA.-103.175MM) 3+2	BEDFORD	J4 (220),J6 (330)	103.175	OEM # 2716933 & 2716937	AE # 350083
P021B05020142N	PISTON BARE W/O PIN BERLIET OR R.V.I. M 420,M 520,M 620 (STD) DIA.-120.00MM (3+1)	BERLIET	M 420,M 520,M 620	120.00		
P021B05040139Y	PISTON BARE W/O PIN BERLIET OR R.V.I. MIDR 623.56 (STD) DIA.-123.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING - WITHOUT BRASS BUSHES (FULLY TIN PLATED PISTON)	BERLIET	MIDR 623.56	123.00		YENMAK # 1316000
P021B05020142N	PISTON BARE W/O PIN BERLIET OR R.V.I. M 420,M 520,M 620 (STD) DIA.-120.00MM (3+1)	BERLIET	M 420,M 520,M 620	120.00		
P021B05040139Y	PISTON BARE W/O PIN BERLIET OR R.V.I. MIDR 623.56 (STD) DIA.-123.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING - WITHOUT BRASS BUSHES (FULLY TIN PLATED PISTON)	BERLIET	MIDR 623.56	123.00		YENMAK # 1316000
P021B06030139N	PISTON BARE W/O PIN BERNARD 162-317 (STD) DIA.-60.00MM (2+1)	BERNARD	162-317	60.00		

# AECO ENGINEERING CO.



P021B06010142N	PISTON BARE W/O PIN BERNARD 239 (STD) DIA.-62.00MM (3+1)	BERNARD	239	62.00		
P021B06020139N	PISTON BARE W/O PIN BERNARD 810 (STD) DIA.-70.00MM (2+1)	BERNARD	810	70.00		
P021B06030139N	PISTON BARE W/O PIN BERNARD 162-317 (STD) DIA.-60.00MM (2+1)	BERNARD	162-317	60.00		
P021B06010142N	PISTON BARE W/O PIN BERNARD 239 (STD) DIA.-62.00MM (3+1)	BERNARD	239	62.00		
P021B06020139N	PISTON BARE W/O PIN BERNARD 810 (STD) DIA.-70.00MM (2+1)	BERNARD	810	70.00		
P021B07040245N	PISTON BARE W/O PIN BLACKSTONE JP (16 H.P.) STD (DIA.- 149.22MM) 4+2 (C.I. PISTON)	BLACKSTONE	JP (16 H.P.)	149.22	OEM # X31/14013	
P021B07070245N	PISTON BARE W/O PIN BLACKSTONE OP (26 H.P.) STD (DIA.-184.15MM) 4+2 (C.I. PISTON)	BLACKSTONE	OP (26 H.P.)	184.15	OEM # X33/14013	
P021B07080245N	PISTON BARE W/O PIN BLACKSTONE RP (37 H.P.) STD (DIA.-222.25MM) 4+2 (C.I. PISTON)	BLACKSTONE	RP (37 H.P.)	222.25		
P021B07040245N	PISTON BARE W/O PIN BLACKSTONE JP (16 H.P.) STD (DIA.- 149.22MM) 4+2 (C.I. PISTON)	BLACKSTONE	JP (16 H.P.)	149.22	OEM # X31/14013	
P021B07070245N	PISTON BARE W/O PIN BLACKSTONE OP (26 H.P.) STD (DIA.-184.15MM) 4+2 (C.I. PISTON)	BLACKSTONE	OP (26 H.P.)	184.15	OEM # X33/14013	
P021B07080245N	PISTON BARE W/O PIN BLACKSTONE RP (37 H.P.) STD (DIA.-222.25MM) 4+2 (C.I. PISTON)	BLACKSTONE	RP (37 H.P.)	222.25		
P021B14080139Y	PISTON BARE W/O PIN BRIGGS STRATTON (STD) DIA.-75.50MM (2+1)	BRIGGS STRATTON		75.50	OEM # 843805	
P021B14090139Y	PISTON BARE W/O PIN BRIGGS STRATTON (STD) DIA.-85.50MM (2+1)	BRIGGS STRATTON		85.50	OEM # 841837	
P021B14010139N	PISTON BARE W/O PIN BRIGGS STRATTON 10 H.P. (STD) DIA.-77.50MM (2+1)	BRIGGS STRATTON	10 H.P.	77.50		
P021B14080139Y	PISTON BARE W/O PIN BRIGGS STRATTON (STD) DIA.-75.50MM (2+1)	BRIGGS STRATTON		75.50	OEM # 843805	
P021B14090139Y	PISTON BARE W/O PIN BRIGGS STRATTON (STD) DIA.-85.50MM (2+1)	BRIGGS STRATTON		85.50	OEM # 841837	
P021B14010139N	PISTON BARE W/O PIN BRIGGS STRATTON 10 H.P. (STD) DIA.-77.50MM (2+1)	BRIGGS STRATTON	10 H.P.	77.50		
P021B15050143N	PISTON BARE W/O PIN BUKH G-105,GH-105 (STD) DIA.-105.00MM (3+2)	BUKH	G-105,GH-105	105.00		
P021B15080143N	PISTON BARE W/O PIN BUKH K-105 (STD) DIA.-105.00MM (3+2)	BUKH	K-105	105.00		
P021B15050143N	PISTON BARE W/O PIN BUKH G-105,GH-105 (STD) DIA.-105.00MM (3+2)	BUKH	G-105,GH-105	105.00		
P021B15080143N	PISTON BARE W/O PIN BUKH K-105 (STD) DIA.-105.00MM (3+2)	BUKH	K-105	105.00		
P021C01020139N	PISTON BARE W/O PIN CADILLAC SA-170 (STD) DIA.-92.00MM (2+1)	CADILLAC	SA-170	92.00		
P021C01020139N	PISTON BARE W/O PIN CADILLAC SA-170 (STD) DIA.-92.00MM (2+1)	CADILLAC	SA-170	92.00		



P021C03220139Y	PISTON BARE W/O PIN MITSUBISHI OR CATERPILLAR S6KT,S4S,3044,3046,3066 (STD) DIA.-94.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	CATERPILLAR	S6KT,S4S,3044,3046,3066	94.00	OEM # 1402010	
P021C03220139Y	PISTON BARE W/O PIN MITSUBISHI OR CATERPILLAR S6KT,S4S,3044,3046,3066 (STD) DIA.-94.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	CATERPILLAR	S6KT,S4S,3044,3046,3066	94.00	OEM # 1402010	
P021C04030139N	PISTON BARE W/O PIN CHANGCHAI S-1115 (STD) DIA.-115.00MM (2+1)	CHANGCHAI	S-1115	115.00		
P021C04030139N	PISTON BARE W/O PIN CHANGCHAI S-1115 (STD) DIA.-115.00MM (2+1)	CHANGCHAI	S-1115	115.00		
P021C11040143N	PISTON BARE W/O PIN COMET 10 H.P. (STD) DIA.-102.00MM (3+2)	COMET	10 H.P.	102.00		
P021C11010142N	PISTON BARE W/O PIN ROCKET OR COMET 3.5 H.P. (STD) DIA.-80.00MM (3+1) SPECIAL TYPE	COMET	3.5 H.P.	80.00		
P021C11040143N	PISTON BARE W/O PIN COMET 10 H.P. (STD) DIA.-102.00MM (3+2)	COMET	10 H.P.	102.00		
P021C11010142N	PISTON BARE W/O PIN ROCKET OR COMET 3.5 H.P. (STD) DIA.-80.00MM (3+1) SPECIAL TYPE	COMET	3.5 H.P.	80.00		
P021C15000139Y	PISTON BARE W/O PIN CUMMINS (STD) DIA.-91.50MM (2+1)	CUMMINS		91.50		
P021C15290139N	PISTON BARE W/O PIN CUMMINS 4B,6B (STD) DIA.-102.00MM (2+1)	CUMMINS	4B,6B	102.00	OEM # 3906223, 3903801, 3903802, 3903803 & 3802020	PAI # 111215
P021C15010139Y	PISTON BARE W/O PIN CUMMINS 4B,6B (STD) DIA.-102.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	CUMMINS	4B,6B	102.00	OEM # A3913908, 3908814 & 3907163	MAHLE # 2862100 & PAI # 111235
P021C15150139N	PISTON BARE W/O PIN CUMMINS 4B,6B (STD) DIA.-102.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	CUMMINS	4B,6B	102.00	OEM # 3903582, 3908035, 3802090 & 3908036	
P021C15010139N	PISTON BARE W/O PIN CUMMINS 4B/BT/BTA 3.9; 6BT 5.9 (STD) DIA.-102.00MM (2+1) PISTON PIN O.D.-40.00MM	CUMMINS	4B/BT/BTA 3.9; 6BT 5.9	102.00	OEM # 3917619 & 3802251	
P021C15150191N	PISTON BARE W/O PIN CUMMINS 6BT (STD) DIA.-102.00MM (2+1) PISTON PIN O.D.-40.00MM (OEM # 3919041)	CUMMINS	6BT	102.00	OEM # 3919041	PAI # 111310
P021C15150192N	PISTON BARE W/O PIN CUMMINS 6BT (STD) DIA.-102.00MM (2+1) PISTON PIN O.D.-40.00MM (OEM # 3922571)	CUMMINS	6BT	102.00	OEM # 3922571	
P021C15180139N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1)	CUMMINS	6C,ISC	114.00	OEM # 4019886	
P021C15180190N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1)	CUMMINS	6C,ISC	114.00	OEM # 3919247	PAI # 111270
P021C15220139N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1)	CUMMINS	6C,ISC	114.00	OEM # 3919566	PAI # 111275

P021C15170139N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3923163, 3901996, 3934046, 3903895, 3908008, 3908479, 3908636, 3919564 & 3919928	PAI # 111280
P021C15170173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3923165	PAI # 111290
P021C15180173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3919565, 3919930, 3802398 & 3923164	PAI # 111285
P021C15220173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3917707 & 3802263	PAI # 111265
P021C15240173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3802657 & 3929161	PAI # 111300
P021C15190139N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (2+1) DUAL ANTI- MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	855	139.70	OEM # 3095064	
P021C15110142N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) ANTI- MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	855	139.70	OEM # 3042320 & 3801535	PAI # 111124
P021C15190142N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) DUAL ANTI- MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	855	139.70	OEM # 3069212	PAI # 111139
P021C15190193N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) PISTON PIN O.D.-50.77MM (OEM # 3048650)	CUMMINS	855	139.70	OEM # 3048650, 3095759, A1672NP & 3801703	PAI # 111144
P021C15190170N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) SINGLE ANTI-MAGNETIC ALFIN TYPE RING GROOV	CUMMINS	855	139.70	OEM # 3053526	
P021C15100142Y	PISTON BARE W/O PIN CUMMINS 855,NH250,NT270,NT280,NT400 (STD) DIA.-139.70MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	CUMMINS	855,NH250, NT270,NT2 80,NT400	139.70	OEM # 3051555	PAI # 111134
P021C15310170N	PISTON BARE W/O PIN CUMMINS NH350, NT855 (STD) DIA.-139.70MM (3+1) DUAL ALFIN TYPE	CUMMINS	NH350, NT855	139.70	OEM # 3045948	PAI # 111129
P021C15000139Y	PISTON BARE W/O PIN CUMMINS (STD) DIA.-91.50MM (2+1)	CUMMINS		91.50		
P021C15290107N	PISTON BARE W/O PIN CUMMINS 4B,6B (0.020") 2+1 (STD DIA.-102.00MM)	CUMMINS	4B,6B	102.00	OEM # 3906209, 3802022 & 3803811	PAI # 111210

# AECO ENGINEERING CO.



P021C15010107N	PISTON BARE W/O PIN CUMMINS 4B,6B (0.020") 2+1 (STD DIA.-102.00MM) ANTI-MAGNETIC ALFIN TYPE RING	CUMMINS	4B,6B	102.00	OEM # 3908815	MAHLE # 2862100 & PAI # 111240
P021C15290139N	PISTON BARE W/O PIN CUMMINS 4B,6B (STD) DIA.-102.00MM (2+1)	CUMMINS	4B,6B	102.00	OEM # 3906223, 3903801, 3903802, 3903803 & 3802020	PAI # 111215
P021C15010139Y	PISTON BARE W/O PIN CUMMINS 4B,6B (STD) DIA.-102.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	CUMMINS	4B,6B	102.00	OEM # A3913908, 3908814 & 3907163	MAHLE # 2862100 & PAI # 111235
P021C15150139N	PISTON BARE W/O PIN CUMMINS 4B,6B (STD) DIA.-102.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	CUMMINS	4B,6B	102.00	OEM # 3903582, 3908035, 3802090 & 3908036	
P021C15010139N	PISTON BARE W/O PIN CUMMINS 4B/BT/BTA 3.9; 6BT 5.9 (STD) DIA.-102.00MM (2+1) PISTON PIN O.D.-40.00MM	CUMMINS	4B/BT/BTA 3.9; 6BT 5.9	102.00	OEM # 3917619 & 3802251	
P021C15150191N	PISTON BARE W/O PIN CUMMINS 6BT (STD) DIA.-102.00MM (2+1) PISTON PIN O.D.-40.00MM (OEM # 3919041)	CUMMINS	6BT	102.00	OEM # 3919041	PAI # 111310
P021C15150192N	PISTON BARE W/O PIN CUMMINS 6BT (STD) DIA.-102.00MM (2+1) PISTON PIN O.D.-40.00MM (OEM # 3922571)	CUMMINS	6BT	102.00	OEM # 3922571	
P021C15180139N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1)	CUMMINS	6C,ISC	114.00	OEM # 4019886	
P021C15180190N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1)	CUMMINS	6C,ISC	114.00	OEM # 3919247	PAI # 111270
P021C15220139N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1)	CUMMINS	6C,ISC	114.00	OEM # 3919566	PAI # 111275
P021C15170139N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3923163, 3901996, 3934046, 3903895, 3908008, 3908479, 3908636, 3919564 & 3919928	PAI # 111280
P021C15170173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3923165	PAI # 111290
P021C15180173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3919565, 3919930, 3802398 & 3923164	PAI # 111285
P021C15220173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3917707 & 3802263	PAI # 111265



P021C15240173N	PISTON BARE W/O PIN CUMMINS 6C,ISC (STD) DIA.-114.00MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	6C,ISC	114.00	OEM # 3802657 & 3929161	PAI # 111300
P021C15190139N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (2+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	855	139.70	OEM # 3095064	
P021C15110142N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	855	139.70	OEM # 3042320 & 3801535	PAI # 111124
P021C15190142N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) DUAL ANTI-MAGNETIC ALFIN TYPE RING GROOVE	CUMMINS	855	139.70	OEM # 3069212	PAI # 111139
P021C15190193N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) PISTON PIN O.D.-50.77MM (OEM # 3048650)	CUMMINS	855	139.70	OEM # 3048650, 3095759, A1672NP & 3801703	PAI # 111144
P021C15190170N	PISTON BARE W/O PIN CUMMINS 855 (STD) DIA.-139.70MM (3+1) SINGLE ANTI-MAGNETIC ALFIN TYPE RING GROOV	CUMMINS	855	139.70	OEM # 3053526	
P021C15100142Y	PISTON BARE W/O PIN CUMMINS 855,NH250,NT270,NT280,NT400 (STD) DIA.-139.70MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	CUMMINS	855,NH250, NT270,NT280,NT400	139.70	OEM # 3051555	PAI # 111134
P021C15310170N	PISTON BARE W/O PIN CUMMINS NH350, NT855 (STD) DIA.-139.70MM (3+1) DUAL ALFIN TYPE	CUMMINS	NH350, NT855	139.70	OEM # 3045948	PAI # 111129
P021D02020143N	PISTON BARE W/O PIN DAEDONG KD-140 (STD) DIA.-95.00MM (3+2)	DAEDONG	KD-140	95.00		
P021D02020143N	PISTON BARE W/O PIN DAEDONG KD-140 (STD) DIA.-95.00MM (3+2)	DAEDONG	KD-140	95.00		
P021D03050139N	PISTON BARE W/O PIN DAEWOO D-2366 (STD) DIA.-123.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	DAEWOO	D-2366	123.00		
P021D03060139N	PISTON BARE W/O PIN DAEWOO D-2848 (STD) DIA.-128.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	DAEWOO	D-2848	128.00		
P021D03100139N	PISTON BARE W/O PIN DAEWOO DAMAS OR ASIA TOWNER OR SUZUKI (STD) DIA.-70.00MM (2+1)	DAEWOO	DAMAS	70.00		
P021D03150139N	PISTON BARE W/O PIN DAEWOO DAMAS,TICO (STD) DIA.-68.50MM (2+1)	DAEWOO	DAMAS,TICO	68.50	OEM # 1211A78B010A 0, 1211078B0000 & 1211A78B010B 0 (STD)	
P021D03010139N	PISTON BARE W/O PIN DAEWOO OR AVIA (A-30) STD (DIA.-102.00MM) 2+1	DAEWOO	A-30	102.00		KS # 94610600
P021D03050139N	PISTON BARE W/O PIN DAEWOO D-2366 (STD) DIA.-123.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	DAEWOO	D-2366	123.00		
P021D03060139N	PISTON BARE W/O PIN DAEWOO D-2848 (STD) DIA.-128.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	DAEWOO	D-2848	128.00		

# AECO ENGINEERING CO.



P021D03100139N	PISTON BARE W/O PIN DAEWOO DAMAS OR ASIA TOWNER OR SUZUKI (STD) DIA.-70.00MM (2+1)	DAEWOO	DAMAS	70.00		
P021D03150107Y	PISTON BARE W/O PIN DAEWOO DAMAS,TICO (0.50MM) 2+1 (STD DIA.-68.50MM)	DAEWOO	DAMAS,TICO	68.50	OEM # 1211A78B010A 0, 1211078B0000 & 1211A78B010B 0 (0.50MM)	
P021D03150139N	PISTON BARE W/O PIN DAEWOO DAMAS,TICO (STD) DIA.-68.50MM (2+1)	DAEWOO	DAMAS,TICO	68.50	OEM # 1211A78B010A 0, 1211078B0000 & 1211A78B010B 0 (STD)	
P021D03010139N	PISTON BARE W/O PIN DAEWOO OR AVIA (A-30) STD (DIA.-102.00MM) 2+1	DAEWOO	A-30	102.00		KS # 94610600
P021D04000139N	PISTON BARE W/O PIN DAF COMPRESSOR (STD) DIA.-75.00MM (2+1)	DAF	COMPRESSOR	75.00		CASTING # 075170 & KS # 94132700
P021D04010142N	PISTON BARE W/O PIN DAF DH-825 (STD) DIA.-118.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	DAF	DH-825	118.00		MAHLE # 2133200
P021D04040142N	PISTON BARE W/O PIN DAF DKA,DKB,DKDL,DKL (STD) DIA.-130.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	DAF	DKA,DKB,DKDL,DKL	130.00		AE # A350304
P021D04050139Y	PISTON BARE W/O PIN DAF OR MERCEDES COMPRESSOR (STD) DIA.-85.00 MM (2+1)	DAF		85.00		
P021D04000139N	PISTON BARE W/O PIN DAF COMPRESSOR (STD) DIA.-75.00MM (2+1)	DAF	COMPRESSOR	75.00		CASTING # 075170 & KS # 94132700
P021D04010142N	PISTON BARE W/O PIN DAF DH-825 (STD) DIA.-118.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	DAF	DH-825	118.00		MAHLE # 2133200
P021D04040142N	PISTON BARE W/O PIN DAF DKA,DKB,DKDL,DKL (STD) DIA.-130.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	DAF	DKA,DKB,DKDL,DKL	130.00		AE # A350304
P021D04050139Y	PISTON BARE W/O PIN DAF OR MERCEDES COMPRESSOR (STD) DIA.-85.00 MM (2+1)	DAF		85.00		
P021D10010142N	PISTON BARE W/O PIN DAVID BROWN 995,996 (AD4/55) 4 CYL. (STD) DIA.-100.046MM (3+1)	DAVID BROWN	995,996 (AD4/55)	100.046	OEM # 943880, 943884, 943887, 921788 & K949474	AE # 583206
P021D10010103N	PISTON BARE W/O PIN DAVID BROWN 995,996 (AD4/55) 4 CYL. (0.010") 3+1 (STD DIA.-100.046MM)	DAVID BROWN	995,996 (AD4/55)	100.046	OEM # 943880, 943884, 943887, 921788 & K949474	AE # 583206

# AECO ENGINEERING CO.



P021D10010109N	PISTON BARE W/O PIN DAVID BROWN 995,996 (AD4/55) 4 CYL. (0.020") 3+1 (STD DIA.-100.046MM)	DAVID BROWN	995,996 (AD4/55)	100.046	OEM # 943880, 943884, 943887, 921788 & K949474	AE # 583206
P021D10010115N	PISTON BARE W/O PIN DAVID BROWN 995,996 (AD4/55) 4 CYL. (0.030") 3+1 (STD DIA.-100.046MM)	DAVID BROWN	995,996 (AD4/55)	100.046	OEM # 943880, 943884, 943887, 921788 & K949474	AE # 583206
P021D10010142N	PISTON BARE W/O PIN DAVID BROWN 995,996 (AD4/55) 4 CYL. (STD) DIA.-100.046MM (3+1)	DAVID BROWN	995,996 (AD4/55)	100.046	OEM # 943880, 943884, 943887, 921788 & K949474	AE # 583206
P021D17010240N	PISTON BARE W/O PIN DEMAG (FRANCE) COMPRESSOR (STD) DIA.-130.00MM (2+2) C.I. PISTON (SMALL)	DEMAG (FRANCE) COMPRESSOR		130.00		
P021D17020140N	PISTON BARE W/O PIN DEMAG (FRANCE) COMPRESSOR (STD) DIA.-215.00MM (2+2) BIG	DEMAG (FRANCE) COMPRESSOR		215.00		
P021D17010240N	PISTON BARE W/O PIN DEMAG (FRANCE) COMPRESSOR (STD) DIA.-130.00MM (2+2) C.I. PISTON (SMALL)	DEMAG (FRANCE) COMPRESSOR		130.00		
P021D17020140N	PISTON BARE W/O PIN DEMAG (FRANCE) COMPRESSOR (STD) DIA.-215.00MM (2+2) BIG	DEMAG (FRANCE) COMPRESSOR		215.00		
P021D12070245Y	PISTON BARE W/O PIN DETROIT 53 SERIES (STD) DIA.-98.425MM (4+2) C.I. PISTON	DETROIT	53 SERIES	98.425	OEM # 513800	
P021D12030245Y	PISTON BARE W/O PIN DETROIT 71 SERIES (STD) DIA.-107.95MM (4+2) C.I. PISTON	DETROIT	71 SERIES	107.95	OEM # 5102780	
P021D12070245Y	PISTON BARE W/O PIN DETROIT 53 SERIES (STD) DIA.-98.425MM (4+2) C.I. PISTON	DETROIT	53 SERIES	98.425	OEM # 513800	
P021D12030245Y	PISTON BARE W/O PIN DETROIT 71 SERIES (STD) DIA.-107.95MM (4+2) C.I. PISTON	DETROIT	71 SERIES	107.95	OEM # 5102780	
P021D13180141N	PISTON BARE W/O PIN DEUTZ FL-411 (STD) DIA.-92.00MM (3+1) AG	DEUTZ	FL-411	92.00		
P021D13080139N	PISTON BARE W/O PIN DEUTZ FL-413 (STD) DIA.-125.00MM (2+1) ANTI-MAGNETIC ALFIN RING	DEUTZ	FL-413	125.00		MAHLE # 1017200 (125L39)
P021D13090155N	PISTON BARE W/O PIN DEUTZ FL-511 (STD) DIA.-100.00MM (2+1) AG	DEUTZ	FL-511	100.00	OEM # 04152197	KS # 93472600
P021D13090139N	PISTON BARE W/O PIN DEUTZ FL-511 (STD) DIA.-100.00MM (2+1) WITH STEEL STRUT	DEUTZ	FL-511	100.00	OEM # 04152197	KS # 93472600

P021D13250142N	PISTON BARE W/O PIN DEUTZ FL-912 (2 CYL.),FL-912 (3 CYL.),FL-912 (4 CYL.),FL-912 (5 CYL.), FL-912 (6 CYL.) STD (DIA.-100.00MM) 3+1 (PIN O.D.-35.00MM)	DEUTZ	FL-912	100.00		AE & FM # 8717940000
P021D13130139N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (2+1) RINGS WIDTH = 3+2.5+5	DEUTZ	FL-912	100.00		MAHLE # 0993900
P021D13030139N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (2+1) RINGS WIDTH = 3+2+3 (PIN O.D.-35.00MM)	DEUTZ	FL-912	100.00	OEM # 04232389	
P021D13250139N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (2+1) RINGS WIDTH = 3+2+3.5	DEUTZ	FL-912	100.00		MAHLE # 0990100 (100L88)
P021D13130142N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (3+1) WITH POCKET	DEUTZ	FL-912	100.00		MAHLE # 0993300 (100L65)
P021D13130194Y	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (3+1) WITHOUT POCKET	DEUTZ	FL-912	100.00		
P021D13140139N	PISTON BARE W/O PIN DEUTZ FL-913 (STD) DIA.-102.00MM (2+1) PIN DIA.-40MM (WITH OIL COOLING GALLERY)	DEUTZ	FL-913	102.00		
P021D13140159N	PISTON BARE W/O PIN DEUTZ FL-913 XL VERSION (STD) DIA.-102.00 (2+1) NEW MODEL (PIN DIA.-35MM)	DEUTZ	FL-913	102.00	OEM # 102081	KS # 12756674/00, 1050583A5F10
P021D13160139N	PISTON BARE W/O PIN DEUTZ MAGIRUS-208 (STD) DIA.-80.00MM (2+1)	DEUTZ	MAGIRUS-208	80.00		
P021D13170139N	PISTON BARE W/O PIN DEUTZ MAGIRUS-210 (STD) DIA.-95.00MM (2+1) AG	DEUTZ	MAGIRUS-210	95.00		
P021D13210144N	PISTON BARE W/O PIN DEUTZ MAH-714/HD-9 (STD) DIA.-100.00MM (4+1)	DEUTZ	MAH-714/HD-9	100.00		
P021D13220144N	PISTON BARE W/O PIN DEUTZ MAH-716/HD-10 (STD) DIA.-120.00MM (4+1)	DEUTZ	MAH-716/HD-10	120.00		
P021D13180141N	PISTON BARE W/O PIN DEUTZ FL-411 (STD) DIA.-92.00MM (3+1) AG	DEUTZ	FL-411	92.00		
P021D13080101N	PISTON BARE W/O PIN DEUTZ FL-413 (0.010") 2+1 (STD DIA.-125.00MM) ANTI-MAGNETIC ALFIN RING	DEUTZ	FL-413	125.00		MAHLE # 1017200 (125L39)
P021D13080139N	PISTON BARE W/O PIN DEUTZ FL-413 (STD) DIA.-125.00MM (2+1) ANTI-MAGNETIC ALFIN RING	DEUTZ	FL-413	125.00		MAHLE # 1017200 (125L39)
P021D13090107N	PISTON BARE W/O PIN DEUTZ FL-511 (0.020") 2+1 (STD DIA.-100.00MM) WITH STEEL STRUT	DEUTZ	FL-511	100.00	OEM # 04152197 (0.020")	KS # 93472600
P021D13090119N	PISTON BARE W/O PIN DEUTZ FL-511 (0.040") 2+1 (STD DIA.-100.00MM) WITH STEEL STRUT	DEUTZ	FL-511	100.00	OEM # 04152197 (0.040")	KS # 93472600
P021D13090155N	PISTON BARE W/O PIN DEUTZ FL-511 (STD) DIA.-100.00MM (2+1) AG	DEUTZ	FL-511	100.00	OEM # 04152197	KS # 93472600

P021D13090139N	PISTON BARE W/O PIN DEUTZ FL-511 (STD) DIA.-100.00MM (2+1) WITH STEEL STRUT	DEUTZ	FL-511	100.00	OEM # 04152197	KS # 93472600
P021D13250107N	PISTON BARE W/O PIN DEUTZ FL-912 (0.020") 2+1 (STD DIA.-100.00MM) RINGS WIDTH = 3+2+3.5	DEUTZ	FL-912	100.00		MAHLE # 0990100 (100L88)
P021D13130109N	PISTON BARE W/O PIN DEUTZ FL-912 (0.020") 3+1 (STD DIA.-100.00MM)	DEUTZ	FL-912	100.00		MAHLE # 0993300 (100L65)
P021D13130119N	PISTON BARE W/O PIN DEUTZ FL-912 (0.040") 2+1 (STD DIA.-100.00MM) RINGS WIDTH = 3+2+3.5	DEUTZ	FL-912	100.00		MAHLE # 0990100 (100L88)
P021D13130121N	PISTON BARE W/O PIN DEUTZ FL-912 (0.040") 3+1 (STD DIA.-100.00MM)	DEUTZ	FL-912	100.00		MAHLE # 0993300 (100L65)
P021D13250142N	PISTON BARE W/O PIN DEUTZ FL-912 (2 CYL.),FL-912 (3 CYL.),FL-912 (4 CYL.),FL-912 (5 CYL.), FL-912 (6 CYL.) STD (DIA.-100.00MM) 3+1 (PIN O.D.-35.00MM)	DEUTZ	FL-912	100.00		AE & FM # 8717940000
P021D13130139N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (2+1) RINGS WIDTH = 3+2.5+5	DEUTZ	FL-912	100.00		MAHLE # 0993900
P021D13030139N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (2+1) RINGS WIDTH = 3+2+3 (PIN O.D.-35.00MM)	DEUTZ	FL-912	100.00	OEM # 04232389	
P021D13250139N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (2+1) RINGS WIDTH = 3+2+3.5	DEUTZ	FL-912	100.00		MAHLE # 0990100 (100L88)
P021D13130142N	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (3+1) WITH POCKET	DEUTZ	FL-912	100.00		MAHLE # 0993300 (100L65)
P021D13130194Y	PISTON BARE W/O PIN DEUTZ FL-912 (STD) DIA.-100.00MM (3+1) WITHOUT POCKET	DEUTZ	FL-912	100.00		
P021D13140107N	PISTON BARE W/O PIN DEUTZ FL-913 (0.020") STD DIA.-102.00MM (2+1) PIN DIA.-40MM (WITH OIL COOLING GALLERY)	DEUTZ	FL-913	102.00		
P021D13140108N	PISTON BARE W/O PIN DEUTZ FL-913 (0.040") STD DIA.-102.00MM (2+1) PIN DIA.-40MM (WITH OIL COOLING GALLERY)	DEUTZ	FL-913	102.00		
P021D13140139N	PISTON BARE W/O PIN DEUTZ FL-913 (STD) DIA.-102.00MM (2+1) PIN DIA.-40MM (WITH OIL COOLING GALLERY)	DEUTZ	FL-913	102.00		
P021D13140159N	PISTON BARE W/O PIN DEUTZ FL-913 XL VERSION (STD) DIA.-102.00 (2+1) NEW MODEL (PIN DIA.-35MM)	DEUTZ	FL-913	102.00	OEM # 102081	KS # 12756674/00, 1050583A5F10
P021D13160139N	PISTON BARE W/O PIN DEUTZ MAGIRUS-208 (STD) DIA.-80.00MM (2+1)	DEUTZ	MAGIRUS-208	80.00		
P021D13170139N	PISTON BARE W/O PIN DEUTZ MAGIRUS-210 (STD) DIA.-95.00MM (2+1) AG	DEUTZ	MAGIRUS-210	95.00		



P021D13210123N	PISTON BARE W/O PIN DEUTZ MAH-714/HD-9 (0.040") 4+1 (STD DIA.-100.00MM)	DEUTZ	MAH-714/HD-9	100.00		
P021D13210144N	PISTON BARE W/O PIN DEUTZ MAH-714/HD-9 (STD) DIA.-100.00MM (4+1)	DEUTZ	MAH-714/HD-9	100.00		
P021D13220123N	PISTON BARE W/O PIN DEUTZ MAH-716/HD-10 (0.040") 4+1 (STD DIA.-120.00MM)	DEUTZ	MAH-716/HD-10	120.00		
P021D13220144N	PISTON BARE W/O PIN DEUTZ MAH-716/HD-10 (STD) DIA.-120.00MM (4+1)	DEUTZ	MAH-716/HD-10	120.00		
P021D15010145N	PISTON BARE W/O PIN DONGFENG 1105/2105 (12/24HP) STD (DIA.-105.00MM) 4+2	DONGFENG	1105/2105 (12/24 HP.)	105.00		
P021D15040143N	PISTON BARE W/O PIN DONGFENG D-12,3T(G) STD (DIA.-95.00MM) 3+2	DONGFENG	D-12,3T(G)	95.00		
P021D15230142Y	PISTON BARE W/O PIN DONGFENG EM-185 (STD) DIA.-85.00MM (3+1)	DONGFENG	EM-185	85.00		
P021D15240142Y	PISTON BARE W/O PIN DONGFENG OR CHAI HAI EM-190 (STD) DIA.-90.00MM (3+1)	DONGFENG	EM-190	90.00		
P021D15090142N	PISTON BARE W/O PIN DONGFENG R-175,R-175A (STD) DIA.-75.00MM (3+1)	DONGFENG	R-175,R-175A	75.00		
P021D15110142N	PISTON BARE W/O PIN DONGFENG R-180 (STD) DIA.-80.00MM (3+1)	DONGFENG	R-180	80.00		
P021D15120142N	PISTON BARE W/O PIN DONGFENG R-185 (STD) DIA.-85.00MM (3+1)	DONGFENG	R-185	85.00		
P021D15130142N	PISTON BARE W/O PIN DONGFENG R-195,S-195 (STD) DIA.-95.00MM (3+1)	DONGFENG	R-195,S-195	95.00		
P021D15140142N	PISTON BARE W/O PIN DONGFENG S-1100 OR JIANMEN S-1100 (STD) DIA.-100.00MM (3+1)	DONGFENG	S-1100	100.00		
P021D15260142N	PISTON BARE W/O PIN DONGFENG S-1110 (20 H.P.) STD (DIA.-110.00MM) 3+1	DONGFENG	S-1110 (20 H.P.)	110.00		
P021D15160142Y	PISTON BARE W/O PIN DONGFENG S-1110,ZS-1110 (STD) DIA.-110.00MM (3+1)	DONGFENG	S-1110,ZS-1110	110.00		
P021D15190139N	PISTON BARE W/O PIN DONGFENG ZH-1115 WA,S-1115 (STD) DIA.-115.00MM (2+1)	DONGFENG	ZH-1115 WA,S-1115	115.00		
P021D15220142Y	PISTON BARE W/O PIN DONGFENG ZS-1115,S-1115 (STD) DIA.-115.00MM (3+1)	DONGFENG	ZS-1115,S-1115	115.00		
P021D15010145N	PISTON BARE W/O PIN DONGFENG 1105/2105 (12/24HP) STD (DIA.-105.00MM) 4+2	DONGFENG	1105/2105 (12/24 HP.)	105.00		
P021D15040143N	PISTON BARE W/O PIN DONGFENG D-12,3T(G) STD (DIA.-95.00MM) 3+2	DONGFENG	D-12,3T(G)	95.00		
P021D15230142Y	PISTON BARE W/O PIN DONGFENG EM-185 (STD) DIA.-85.00MM (3+1)	DONGFENG	EM-185	85.00		
P021D15240142Y	PISTON BARE W/O PIN DONGFENG OR CHAI HAI EM-190 (STD) DIA.-90.00MM (3+1)	DONGFENG	EM-190	90.00		

P021D15090142N	PISTON BARE W/O PIN DONGFENG R-175,R-175A (STD) DIA.-75.00MM (3+1)	DONGFENG	R-175,R-175A	75.00		
P021D15110142N	PISTON BARE W/O PIN DONGFENG R-180 (STD) DIA.-80.00MM (3+1)	DONGFENG	R-180	80.00		
P021D15120142N	PISTON BARE W/O PIN DONGFENG R-185 (STD) DIA.-85.00MM (3+1)	DONGFENG	R-185	85.00		
P021D15130142N	PISTON BARE W/O PIN DONGFENG R-195,S-195 (STD) DIA.-95.00MM (3+1)	DONGFENG	R-195,S-195	95.00		
P021D15140142N	PISTON BARE W/O PIN DONGFENG S-1100 OR JIANMEN S-1100 (STD) DIA.-100.00MM (3+1)	DONGFENG	S-1100	100.00		
P021D15260142N	PISTON BARE W/O PIN DONGFENG S-1110 (20 H.P.) STD (DIA.-110.00MM) 3+1	DONGFENG	S-1110 (20 H.P.)	110.00		
P021D15160142Y	PISTON BARE W/O PIN DONGFENG S-1110,ZS-1110 (STD) DIA.-110.00MM (3+1)	DONGFENG	S-1110,ZS-1110	110.00		
P021D15190139N	PISTON BARE W/O PIN DONGFENG ZH-1115 WA,S-1115 (STD) DIA.-115.00MM (2+1)	DONGFENG	ZH-1115 WA,S-1115	115.00		
P021D15220142Y	PISTON BARE W/O PIN DONGFENG ZS-1115,S-1115 (STD) DIA.-115.00MM (3+1)	DONGFENG	ZS-1115,S-1115	115.00		
P021D16040140N	PISTON BARE W/O PIN DORMAN DA (STD) DIA.-105.00MM (2+2)	DORMAN	DA	105.00		AE # 350038
P021D16080140N	PISTON BARE W/O PIN DORMAN LD (STD) DIA.-127.00MM (2+2) WITHOUT TURBO	DORMAN	LD	127.00		
P021D16100143N	PISTON BARE W/O PIN DORMAN LE/LET (STD) DIA.-127.00MM (3+2) WITH TURBO	DORMAN	LE/LET	127.00		
P021D16040108N	PISTON BARE W/O PIN DORMAN DA (0.020") 2+2 (STD DIA.-105.00MM)	DORMAN	DA	105.00		AE # 350038 (0.020")
P021D16040114N	PISTON BARE W/O PIN DORMAN DA (0.030") 2+2 (STD DIA.-105.00MM)	DORMAN	DA	105.00		AE # 350038 (0.030")
P021D16040120N	PISTON BARE W/O PIN DORMAN DA (0.040") 2+2 (STD DIA.-105.00MM)	DORMAN	DA	105.00		AE # 350038 (0.040")
P021D16040140N	PISTON BARE W/O PIN DORMAN DA (STD) DIA.-105.00MM (2+2)	DORMAN	DA	105.00		AE # 350038
P021D16080140N	PISTON BARE W/O PIN DORMAN LD (STD) DIA.-127.00MM (2+2) WITHOUT TURBO	DORMAN	LD	127.00		
P021D16100143N	PISTON BARE W/O PIN DORMAN LE/LET (STD) DIA.-127.00MM (3+2) WITH TURBO	DORMAN	LE/LET	127.00		
P021E01010139N	PISTON BARE W/O PIN EICHER 298 EDL (STD) DIA.-100.00MM (2+1)	EICHER	298 EDL	100.00		
P021E01020139N	PISTON BARE W/O PIN EICHER EDK (STD) DIA.-100.00MM (2+1)	EICHER	EDK	100.00		
P021E01010139N	PISTON BARE W/O PIN EICHER 298 EDL (STD) DIA.-100.00MM (2+1)	EICHER	298 EDL	100.00		
P021E01020139N	PISTON BARE W/O PIN EICHER EDK (STD) DIA.-100.00MM (2+1)	EICHER	EDK	100.00		
P021E02010142N	PISTON BARE W/O PIN EKM IH-65 (STD) DIA.-85.00MM (3+1)	EKM	IH-65	85.00		

# AECO ENGINEERING CO.



P021E02010142N	PISTON BARE W/O PIN EKM IH-65 (STD) DIA.-85.00MM (3+1)	EKM	IH-65	85.00		
P021F03280139N	PISTON BARE W/O PIN FIAT (AIR COMP.) STD (DIA.-82.00MM) 2+1 (FULLY TIN PLATED)	FIAT	AIR COMPRESSOR	82.00		
P021F04080140N	PISTON BARE W/O PIN FIAT 682 (A/C) COMPRESSOR (STD) DIA.-73.00MM (2+2)	FIAT	682 (A/C) COMPRESSOR	73.00		
P021F03210145N	PISTON BARE W/O PIN FIAT CO 2 (4 CYL.) DIESEL (STD) DIA.-108.00MM (4+2)	FIAT	CO 2	108.00		
P021F03220143N	PISTON BARE W/O PIN FIAT OM 55 (STD) DIA.-110.00MM (3+2)	FIAT	OM 55	110.00		AE # 58115001
P021F03280139N	PISTON BARE W/O PIN FIAT (AIR COMP.) STD (DIA.-82.00MM) 2+1 (FULLY TIN PLATED)	FIAT	AIR COMPRESSOR	82.00		
P021F04080140N	PISTON BARE W/O PIN FIAT 682 (A/C) COMPRESSOR (STD) DIA.-73.00MM (2+2)	FIAT	682 (A/C) COMPRESSOR	73.00		
P021F03210145N	PISTON BARE W/O PIN FIAT CO 2 (4 CYL.) DIESEL (STD) DIA.-108.00MM (4+2)	FIAT	CO 2	108.00		
P021F03220143N	PISTON BARE W/O PIN FIAT OM 55 (STD) DIA.-110.00MM (3+2)	FIAT	OM 55	110.00		AE # 58115001
P021F04220139Y	PISTON BARE W/O PIN FIAT IVECO 30.10,35.10,35.12,40.10,45.10,49.10,49.12,59.12,DAILY 2.8 TD (STD) DIA.-94.40MM (2+1) MAGNETIC ALFIN TYPE RING & OIL COOLING GALLERY	FIAT IVECO	30.10,35.10,35.12,40.10,45.10,49.10,49.12,59.12, DAILY 2.8 TD	94.40		AE # A350582 & BECO # 21-24-1001-000
P021F04100139Y	PISTON BARE W/O PIN FIAT IVECO 40.10 DAILY (STD) DIA.-93.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING - WITHOUT BRASS BUSHES	FIAT IVECO	40.10 DAILY	93.00		MAHLE # 0089400
P021F04110139Y	PISTON BARE W/O PIN FIAT IVECO 40.12 DAILY (STD) DIA.-94.40MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (WITH OIL COOLING GALLERY)	FIAT IVECO	40.12 DAILY	94.40		MAHLE # 00950000
P021F04030142N	PISTON BARE W/O PIN FIAT IVECO 682/690 (STD) DIA.-130.00MM (3+1) NON-MAGNETIC ALFIN TYPE RING	FIAT IVECO	682/690	130.00		AE # 21213501
P021F04130139N	PISTON BARE W/O PIN FIAT IVECO 8020.01,8025.01,8030.01,8035.01,8040.01,8045.01,8060.01,8065.01 OR RUMANIA UTB-350,UTB-460 (STD) DIA.-95.00MM (2+1)	FIAT IVECO	8020.01,8025.01,8030.01,8035.01,8040.01,8045.01,8060.01,8065.01	95.00		AE # 21214801 & KS # 91476600
P021F04160139N	PISTON BARE W/O PIN FIAT IVECO 8025.02,8030.02,8035.02,8040.02,8045.02,8060.02,8065.02 (STD) DIA.-100.00MM (2+1)	FIAT IVECO	8025.02,8030.02,8035.02,8040.02,8045.02,8060.02,8065.02	100.00		MAHLE # 0079700 & AE # 350617
P021F04120139N	PISTON BARE W/O PIN FIAT IVECO 8040.04/8060.04 (STD) DIA.-103.00MM (2+1)	FIAT IVECO	8040.04/8060.04	103.00		AE # 21217501

P021F04040139N	PISTON BARE W/O PIN FIAT IVECO 8140.21 (DAILY TURBO 40.10,A40.10) STD (DIA.-93.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP)	FIAT IVECO	8140.21 (DAILY TURBO 40.10,A40.10)	93.00		AE # 21233501 (6676000)
P021F04150139Y	PISTON BARE W/O PIN FIAT IVECO 8210.42K (EURO-II) STD (DIA.-137.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY & WITHOUT BRASS BUSHES)	FIAT IVECO	8210.42K (EURO-II)	137.00		MAHLE # 0093400 & MAHLE CASTING # 3990
P021F04140139Y	PISTON BARE W/O PIN FIAT IVECO 8210.42L (EURO-I) STD (DIA.-137.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY & WITHOUT BRASS BUSHES)	FIAT IVECO	8210.42L (EURO-I)	137.00		MAHLE # 0089600 & MAHLE CASTING # 3806/3854
P021F04060142N	PISTON BARE W/O PIN FIAT IVECO CO3 (STD) DIA.-110.00MM (3+1)	FIAT IVECO	CO3	110.00		AE # 58115101 & KS CASTING # 110139
P021F04070143N	PISTON BARE W/O PIN FIAT IVECO CO3,CP3 (STD) DIA.-110.00MM (3+2)	FIAT IVECO	CO3,CP3	110.00		AE # 58115001
P021F04220139Y	PISTON BARE W/O PIN FIAT IVECO 30.10,35.10,35.12,40.10,45.10,49.10,49.12,59.12,DAILY 2.8 TD (STD) DIA.-94.40MM (2+1) MAGNETIC ALFIN TYPE RING & OIL COOLING GALLERY	FIAT IVECO	30.10,35.10,35.12,40.10,45.10,49.10,49.12,59.12, DAILY 2.8 TD	94.40		AE # A350582 & BECO # 21-24-1001-000
P021F04100139Y	PISTON BARE W/O PIN FIAT IVECO 40.10 DAILY (STD) DIA.-93.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING - WITHOUT BRASS BUSHES	FIAT IVECO	40.10 DAILY	93.00		MAHLE # 0089400
P021F04110139Y	PISTON BARE W/O PIN FIAT IVECO 40.12 DAILY (STD) DIA.-94.40MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (WITH OIL COOLING GALLERY)	FIAT IVECO	40.12 DAILY	94.40		MAHLE # 00950000
P021F04030142N	PISTON BARE W/O PIN FIAT IVECO 682/690 (STD) DIA.-130.00MM (3+1) NON-MAGNETIC ALFIN TYPE RING	FIAT IVECO	682/690	130.00		AE # 21213501
P021F04130139N	PISTON BARE W/O PIN FIAT IVECO 8020.01,8025.01,8030.01,8035.01,8040.01,8045.01,8060.01,8065.01 OR RUMANIA UTB-350,UTB-460 (STD) DIA.-95.00MM (2+1)	FIAT IVECO	8020.01,8025.01,8030.01,8035.01,8040.01,8045.01,8060.01,8065.01	95.00		AE # 21214801 & KS # 91476600
P021F04160139N	PISTON BARE W/O PIN FIAT IVECO 8025.02,8030.02,8035.02,8040.02,8045.02,8060.02,8065.02 (STD) DIA.-100.00MM (2+1)	FIAT IVECO	8025.02,8030.02,8035.02,8040.02,8045.02,8060.02,8065.02	100.00		MAHLE # 0079700 & AE # 350617
P021F04120139N	PISTON BARE W/O PIN FIAT IVECO 8040.04/8060.04 (STD) DIA.-103.00MM (2+1)	FIAT IVECO	8040.04/8060.04	103.00		AE # 21217501

# AECO ENGINEERING CO.



P021F04040139N	PISTON BARE W/O PIN FIAT IVECO 8140.21 (DAILY TURBO 40.10,A40.10) STD (DIA.-93.00MM) 2+1 (ANTI- MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP)	FIAT IVECO	8140.21 (DAILY TURBO 40.10,A40.1 0)	93.00		AE # 21233501 (6676000)
P021F04150139Y	PISTON BARE W/O PIN FIAT IVECO 8210.42K (EURO-II) STD (DIA.- 137.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY & WITHOUT BRASS BUSHES)	FIAT IVECO	8210.42K (EURO-II)	137.00		MAHLE # 0093400 & MAHLE CASTING # 3990
P021F04140139Y	PISTON BARE W/O PIN FIAT IVECO 8210.42L (EURO-I) STD (DIA.- 137.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY & WITHOUT BRASS BUSHES)	FIAT IVECO	8210.42L (EURO-I)	137.00		MAHLE # 0089600 & MAHLE CASTING # 3806/3854
P021F04060142N	PISTON BARE W/O PIN FIAT IVECO CO3 (STD) DIA.-110.00MM (3+1)	FIAT IVECO	CO3	110.00		AE # 58115101 & KS CASTING # 110139
P021F04070143N	PISTON BARE W/O PIN FIAT IVECO CO3,CP3 (STD) DIA.-110.00MM (3+2)	FIAT IVECO	CO3,CP3	110.00		AE # 58115001
P021F06500170N	PISTON BARE W/O PIN FORD 4600,4610,4630,6600,6610,6700,6710, 7810,7910,8210,8530 (STD) DIA.- 111.76MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	FORD	4600,4610,4 630,6600,66 10,6700,671 0,7810,7910 ,8210,8530	111.76	OEM # 83928178, D2NN6108AC, D4NN6108T, D9NN6108AA, E0NN6108AA, E0NN6108CA, 81827165, 81845875,	SPAREX # S.65821, AE # A350382 & BEPCO # 24/33-35
P021F06070142N	PISTON BARE W/O PIN FORD 5000,5600,5700 (STD) DIA.-106.68MM (3+1) FULLY TIN PLATED	FORD	5000,5600,5 700	106.68	OEM # 87295284, 87295283, D4NN6108L, C7NN6108AJ, C5NN6108V, 81817957, 81845870, D6NN6108L & 83910850	AE # A350199V1, RP40746 & BEPCO # 24/33-38
P021F06050142N	PISTON BARE W/O PIN FORD 5000,6600 (STD) DIA.-111.778MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	FORD	5000,6600	111.76	OEM # 87295262, EDPN6102A, 81877564, D2NN6108N, C7NN6108V, 81817183, 81827181, 81846014, 83937063,	SPAREX # S.65820, AE # A350202V1, RP40748 & BEPCO # 24/33-36



# AECO ENGINEERING CO.



P021F06120142N	PISTON BARE W/O PIN FORD 7000,7600,7700 (STD) DIA.-111.76MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	FORD	7000,7600,7 700	111.76	OEM # 83912026, D4NN6108AF, D6NN6108Y, 81824044, 81827196, 81845734, 81877566, DAPN6108F, DCPN6108L	BEPCO # 24/33-37 & SPAREX # S.65823
P021F07010143N	PISTON BARE W/O PIN FORDSON MAJOR 1RR (STD) DIA.-100.00MM (3+2)	FORD	MAJOR 1RR	100.00	OEM # 87295273, 87295280, E1ADDN6110J, 81710364, E1ADDN6110J & 81710364	BEPCO # 24/33-25
P021F07020143N	PISTON BARE W/O PIN FORDSON MAJOR 2RR (NEW MODEL) STD (DIA.- 100.00MM) 3+2	FORD	MAJOR 2RR	100.00	OEM # E1ADDN6110L, 87295281, 87295274, E1ADDN6102J, 81710338 & 81710365	BEPCO # 24/33-27
P021F06500197N	PISTON BARE W/O PIN FORD 4600,4610,4630,6600,6610,6700,6710, 7810,7910,8210,8530 (0.020") 3+1 (STD DIA.-111.76MM) ANTI-MAGNETIC ALFIN TYPE RING	FORD	4600,4610,4 630,6600,66 10,6700,671 0,7810,7910 ,8210,8530	111.76	OEM # 81845877, 83919732, 83928180, 83928617, D4NN6108V, D9NN6108CA, E0NN6108CA & E1NN6108GA	AE # A350382 & BEPCO # 24/33-35B
P021F06500198N	PISTON BARE W/O PIN FORD 4600,4610,4630,6600,6610,6700,6710, 7810,7910,8210,8530 (0.030") 3+1 (STD DIA.-111.76MM) ANTI-MAGNETIC ALFIN TYPE RING	FORD	4600,4610,4 630,6600,66 10,6700,671 0,7810,7910 ,8210,8530	111.76	OEM # 81845878, 83919733, 83928181, 83928634, D4NN6108Y, D9NN6108DA, E0NN6108DA & E1NN6108BA	AE # A350382 & BEPCO # 24/33-35C
P021F06500170N	PISTON BARE W/O PIN FORD 4600,4610,4630,6600,6610,6700,6710, 7810,7910,8210,8530 (STD) DIA.- 111.76MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	FORD	4600,4610,4 630,6600,66 10,6700,671 0,7810,7910 ,8210,8530	111.76	OEM # 83928178, D2NN6108AC, D4NN6108T, D9NN6108AA, E0NN6108AA, E0NN6108CA, 81827165, 81845875,	SPAREX # S.65821, AE # A350382 & BEPCO # 24/33-35

# AECO ENGINEERING CO.



P021F06070142N	PISTON BARE W/O PIN FORD 5000,5600,5700 (STD) DIA.-106.68MM (3+1) FULLY TIN PLATED	FORD	5000,5600,5700	106.68	OEM # 87295284, 87295283, D4NN6108L, C7NN6108AJ, C5NN6108V, 81817957, 81845870, D6NN6108L & 83910850	AE # A350199V1, RP40746 & BEPCO # 24/33-38
P021F06050109N	PISTON BARE W/O PIN FORD 5000,6600 (0.020") 3+1 (STD DIA.- 111.778MM) ANTI-MAGNETIC ALFIN TYPE RING	FORD	5000,6600	111.76	OEM # 81817262, 81827203, 81846016, C7NN6108BL, D2NN6108S & D4NN6108AC	SPAREX # S.65820, AE # A350202V1, RP40748 & BEPCO # 24/33-36B
P021F06050115N	PISTON BARE W/O PIN FORD 5000,6600 (0.030") 3+1 (STD DIA.- 111.778MM) ANTI-MAGNETIC ALFIN TYPE RING	FORD	5000,6600	111.76	OEM # 81817263, 81827204, 81846017, C7NN6108BM, D2NN6108T & D4NN6108AD	SPAREX # S.65820, AE # A350202V1, RP40748 & BEPCO # 24/33-36C
P021F06050121N	PISTON BARE W/O PIN FORD 5000,6600 (0.040") 3+1 (STD DIA.- 111.778MM) ANTI-MAGNETIC ALFIN TYPE RING	FORD	5000,6600	111.76	OEM # 81817264, 81827205, 81846018, C7NN6108BN, D2NN6108U & D4NN6108AE	SPAREX # S.65820, AE # A350202V1, RP40748 & BEPCO # 24/33-36D
P021F06050142N	PISTON BARE W/O PIN FORD 5000,6600 (STD) DIA.-111.778MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	FORD	5000,6600	111.76	OEM # 87295262, EDPN6102A, 81877564, D2NN6108N, C7NN6108V, 81817183, 81827181, 81846014, 83937063,	SPAREX # S.65820, AE # A350202V1, RP40748 & BEPCO # 24/33-36
P021F06120142N	PISTON BARE W/O PIN FORD 7000,7600,7700 (STD) DIA.-111.76MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	FORD	7000,7600,7700	111.76	OEM # 83912026, D4NN6108AF, D6NN6108Y, 81824044, 81827196, 81845734, 81877566, DAPN6108F, DCPN6108L	BEPCO # 24/33-37 & SPAREX # S.65823
P021F07010143N	PISTON BARE W/O PIN FORDSON MAJOR 1RR (STD) DIA.-100.00MM (3+2)	FORD	MAJOR 1RR	100.00	OEM # 87295273, 87295280, E1ADDN6110J, 81710364, E1ADDN6110J & 81710364	BEPCO # 24/33-25

# AECO ENGINEERING CO.



P021F07020143N	PISTON BARE W/O PIN FORDSON MAJOR 2RR (NEW MODEL) STD (DIA.-100.00MM) 3+2	FORD	MAJOR 2RR	100.00	OEM # E1ADDN6110L, 87295281, 87295274, E1ADDN6102J, 81710338 & 81710365	BEPCO # 24/33-27
P021F08000139N	PISTON BARE W/O PIN FORTAN (STD) DIA.-102.00MM (2+1) FULLY TIN PLATED	FORTAN		102.00		
P021F08000139N	PISTON BARE W/O PIN FORTAN (STD) DIA.-102.00MM (2+1) FULLY TIN PLATED	FORTAN		102.00		
P021F09000139N	PISTON BARE W/O PIN FORTSCHRITT TRACTOR (STD) DIA.-120.00MM (2+1)	FORTSCHRITT TRACTOR		120.00		
P021F09000139N	PISTON BARE W/O PIN FORTSCHRITT TRACTOR (STD) DIA.-120.00MM (2+1)	FORTSCHRITT TRACTOR		120.00		
P021G01010142N	PISTON BARE W/O PIN GARDNER 4LK (STD) DIA.-95.25MM (3+1) MAGNETIC ALFIN RING (WITH ALUMINIUM CAP)	GARDNER	4 LK	95.25		
P021G01020139N	PISTON BARE W/O PIN GARDNER 6 LX/LXB/LXC,8 LX/LXB/LXC (STD) DIA.-120.65MM (2+1) NON-MAGNETIC ALFIN TYPE RING	GARDNER	6 LX/LXB/LXC,8 LX/LXB/LXC	120.65		AE # A350475V1 (A350475, 350411, 350412 & 350388)
P021G01040142N	PISTON BARE W/O PIN GARDNER L2/LW/HLW (ALFIN TYPE LONG SKIRT) STD (DIA.-107.95MM) 3+1 (WITH ALUMINIUM CAP)	GARDNER	L2/LW/HLW	107.95		
P021G01050139N	PISTON BARE W/O PIN GARDNER L3 (STD) DIA.-139.70MM (2+1)	GARDNER	L3	139.70		
P021G01010142N	PISTON BARE W/O PIN GARDNER 4LK (STD) DIA.-95.25MM (3+1) MAGNETIC ALFIN RING (WITH ALUMINIUM CAP)	GARDNER	4 LK	95.25		
P021G01020101N	PISTON BARE W/O PIN GARDNER 6 LX/LXB/LXC,8 LX/LXB/LXC (0.010") DIA.-120.65MM (2+1) NON-MAGNETIC ALFIN TYPE RING	GARDNER	6 LX/LXB/LXC,8 LX/LXB/LXC	120.65		AE # A350475V1 (A350475, 350411, 350412 & 350388)
P021G01020139N	PISTON BARE W/O PIN GARDNER 6 LX/LXB/LXC,8 LX/LXB/LXC (STD) DIA.-120.65MM (2+1) NON-MAGNETIC ALFIN TYPE RING	GARDNER	6 LX/LXB/LXC,8 LX/LXB/LXC	120.65		AE # A350475V1 (A350475, 350411, 350412 & 350388)
P021G01040115N	PISTON BARE W/O PIN GARDNER L2/LW/HLW (ALFIN TYPE LONG SKIRT) 0.030" (3+1) STD DIA.-107.95MM (WITH ALU. CAP)	GARDNER	L2/LW/HLW	107.95		
P021G01040142N	PISTON BARE W/O PIN GARDNER L2/LW/HLW (ALFIN TYPE LONG SKIRT) STD (DIA.-107.95MM) 3+1 (WITH ALUMINIUM CAP)	GARDNER	L2/LW/HLW	107.95		
P021G01050139N	PISTON BARE W/O PIN GARDNER L3 (STD) DIA.-139.70MM (2+1)	GARDNER	L3	139.70		
P021G02010141N	PISTON BARE W/O PIN G-61.90 AIR COMP. (STD) DIA.-61.90MM (2 RINGS)	GELFRED COMPRESSORS	G-61.90	61.90		MAHLE # 61L27

# AECO ENGINEERING CO.



P021G02180137N	PISTON BARE W/O PIN GK-33.50 AIR COMP. (STD) DIA.-33.50MM (1 PLAIN COMP. RING)	GELFRED COMPRESSORS	GK-33.50	33.50		
P021G02160137N	PISTON BARE W/O PIN GK-35 AIR COMP. (STD) DIA.-35.00MM (1 RING)	GELFRED COMPRESSORS	GK-35	35.00		
P021G02030137N	PISTON BARE W/O PIN GK-40 AIR COMP. (STD) DIA.-40.00MM (1 RING)	GELFRED COMPRESSORS	GK-40	40.00		
P021G02040137N	PISTON BARE W/O PIN GK-47.50 AIR COMP. (STD) DIA.-47.50MM (1 RING)	GELFRED COMPRESSORS	GK-47.50	47.50		
P021G02050141N	PISTON BARE W/O PIN GK-9R AIR COMP. (STD) DIA.-60.50MM (2 RINGS)	GELFRED COMPRESSORS	GK-9R	60.50		
P021G02120137N	PISTON BARE W/O PIN GL-50.80 AIR COMP. (STD) DIA.-50.83MM (1 RING)	GELFRED COMPRESSORS	GL-50.80	50.83		PART # 1009447
P021G02110137N	PISTON BARE W/O PIN GL-57.50 AIR COMP. (STD) DIA.-57.50MM (1 RING)	GELFRED COMPRESSORS	GL-57.50	57.50		PART # 1009446
P021G02010137N	PISTON BARE W/O PIN GL-61.90 AIR COMP. (STD) DIA.-61.975MM (1 RING)	GELFRED COMPRESSORS	GL-61.90	61.975		PART # 1009445
P021G02090141N	PISTON BARE W/O PIN GR-66 AIR COMP. (STD) DIA.-66.00MM (2 RINGS)	GELFRED COMPRESSORS	GR-66	66.00		
P021G02130141N	PISTON BARE W/O PIN VR AIR COMP. (STD) DIA.-70.00MM (2 RINGS)	GELFRED COMPRESSORS	VR	70.00		
P021G02140141N	PISTON BARE W/O PIN VR AIR COMP. (STD) DIA.-80.00MM (2 RINGS)	GELFRED COMPRESSORS	VR	80.00		
P021G02100141N	PISTON BARE W/O PIN VR-66 AIR COMP. (STD) DIA.-66.00MM (2 RINGS)	GELFRED COMPRESSORS	VR-66	66.00		
P021G02010141N	PISTON BARE W/O PIN G-61.90 AIR COMP. (STD) DIA.-61.90MM (2 RINGS)	GELFRED COMPRESSORS	G-61.90	61.90		MAHLE # 61L27
P021G02180137N	PISTON BARE W/O PIN GK-33.50 AIR COMP. (STD) DIA.-33.50MM (1 PLAIN COMP. RING)	GELFRED COMPRESSORS	GK-33.50	33.50		
P021G02160137N	PISTON BARE W/O PIN GK-35 AIR COMP. (STD) DIA.-35.00MM (1 RING)	GELFRED COMPRESSORS	GK-35	35.00		
P021G02030137N	PISTON BARE W/O PIN GK-40 AIR COMP. (STD) DIA.-40.00MM (1 RING)	GELFRED COMPRESSORS	GK-40	40.00		
P021G02040137N	PISTON BARE W/O PIN GK-47.50 AIR COMP. (STD) DIA.-47.50MM (1 RING)	GELFRED COMPRESSORS	GK-47.50	47.50		
P021G02050141N	PISTON BARE W/O PIN GK-9R AIR COMP. (STD) DIA.-60.50MM (2 RINGS)	GELFRED COMPRESSORS	GK-9R	60.50		
P021G02120137N	PISTON BARE W/O PIN GL-50.80 AIR COMP. (STD) DIA.-50.83MM (1 RING)	GELFRED COMPRESSORS	GL-50.80	50.83		PART # 1009447
P021G02110137N	PISTON BARE W/O PIN GL-57.50 AIR COMP. (STD) DIA.-57.50MM (1 RING)	GELFRED COMPRESSORS	GL-57.50	57.50		PART # 1009446

# AECO ENGINEERING CO.



P021G02010137N	PISTON BARE W/O PIN GL-61.90 AIR COMP. (STD) DIA.-61.975MM (1 RING)	GELFRED COMPRESSORS	GL-61.90	61.975		PART # 1009445
P021G02090141N	PISTON BARE W/O PIN GR-66 AIR COMP. (STD) DIA.-66.00MM (2 RINGS)	GELFRED COMPRESSORS	GR-66	66.00		
P021G02130141N	PISTON BARE W/O PIN VR AIR COMP. (STD) DIA.-70.00MM (2 RINGS)	GELFRED COMPRESSORS	VR	70.00		
P021G02140141N	PISTON BARE W/O PIN VR AIR COMP. (STD) DIA.-80.00MM (2 RINGS)	GELFRED COMPRESSORS	VR	80.00		
P021G02100141N	PISTON BARE W/O PIN VR-66 AIR COMP. (STD) DIA.-66.00MM (2 RINGS)	GELFRED COMPRESSORS	VR-66	66.00		
P021G04060139Y	PISTON BARE W/O PIN GMC 6.2/6.5 ENG. (STD) DIA.-101.00MM (2+1) VB	GMC	6.2/6.5 ENG.	101.00		
P021G04060139Y	PISTON BARE W/O PIN GMC 6.2/6.5 ENG. (STD) DIA.-101.00MM (2+1) VB	GMC	6.2/6.5 ENG.	101.00		
P021G05010142Y	PISTON BARE W/O PIN GONGDONG S-190,R-190 (STD) DIA.-90.00MM (3+1)	GONGDONG	S-190,R-190	90.00		
P021G05010142Y	PISTON BARE W/O PIN GONGDONG S-190,R-190 (STD) DIA.-90.00MM (3+1)	GONGDONG	S-190,R-190	90.00		
P021H02030155N	PISTON BARE W/O PIN HATZ E-780 (STD) DIA.-82.00MM (2+1) AG	HATZ	E-780	82.00		
P021H02050139N	PISTON BARE W/O PIN HATZ E-85 (STD) DIA.-85.00MM (2+1)	HATZ	E-85	85.00		
P021H02060139N	PISTON BARE W/O PIN HATZ E-89 (STD) DIA.-90.00MM (2+1) W/O STEEL STRIP	HATZ	E-89	90.00		
P021H02030155N	PISTON BARE W/O PIN HATZ E-780 (STD) DIA.-82.00MM (2+1) AG	HATZ	E-780	82.00		
P021H02050107N	PISTON BARE W/O PIN HATZ E-85 (0.50MM) 2+1 (STD DIA.-85.00MM)	HATZ	E-85	85.00		
P021H02050139N	PISTON BARE W/O PIN HATZ E-85 (STD) DIA.-85.00MM (2+1)	HATZ	E-85	85.00		
P021H02060107N	PISTON BARE W/O PIN HATZ E-89 (0.50MM) 2+1 (STD DIA.-90.00MM) W/O STEEL STRIP	HATZ	E-89	90.00		
P021H02060119N	PISTON BARE W/O PIN HATZ E-89 (1.00MM) 2+1 (STD DIA.-90.00MM) W/O STEEL STRIP	HATZ	E-89	90.00		
P021H02060139N	PISTON BARE W/O PIN HATZ E-89 (STD) DIA.-90.00MM (2+1) W/O STEEL STRIP	HATZ	E-89	90.00		
P021H11010142Y	PISTON BARE W/O PIN HELWAN - DIESEL 112 (STD) DIA.-112.00MM (3+1)	HELWAN	DIESEL 112	112.00		
P021H11010142Y	PISTON BARE W/O PIN HELWAN - DIESEL 112 (STD) DIA.-112.00MM (3+1)	HELWAN	DIESEL 112	112.00		
P021H04020140N	PISTON BARE W/O PIN HERCULES MOTOR JXLD (STD) DIA.-101.60MM (2+2)	HERCULES MOTOR	JXLD	101.60		



P021H04040139N	PISTON BARE W/O PIN HERCULES MOTOR QXD (ZOLLNER HEAVY DUTY-191) STD (DIA.-87.31MM) 2+1 (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXD (ZOLLNER HEAVY DUTY-191)	87.31		
P021H04050139N	PISTON BARE W/O PIN HERCULES MOTOR QXLD (ZOLLNER HEAVY DUTY-187) STD (DIA.-87.31MM) 2+1 (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXD (ZOLLNER HEAVY DUTY-187)	87.31		
P021H04020114N	PISTON BARE W/O PIN HERCULES MOTOR JXLD (0.030") 2+2 (STD DIA.-101.60MM)	HERCULES MOTOR	JXLD	101.60		
P021H04020132N	PISTON BARE W/O PIN HERCULES MOTOR JXLD (0.060") 2+2 (STD DIA.-101.60MM)	HERCULES MOTOR	JXLD	101.60		
P021H04020140N	PISTON BARE W/O PIN HERCULES MOTOR JXLD (STD) DIA.-101.60MM (2+2)	HERCULES MOTOR	JXLD	101.60		
P021H04040113N	PISTON BARE W/O PIN HERCULES MOTOR QXD (ZOLLNER HEAVY DUTY-191) 0.030" (2+1) STD DIA.-87.31MM (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXD (ZOLLNER HEAVY DUTY-191)	87.31		
P021H04040131N	PISTON BARE W/O PIN HERCULES MOTOR QXD (ZOLLNER HEAVY DUTY-191) 0.060" (2+1) STD DIA.-87.31MM (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXD (ZOLLNER HEAVY DUTY-191)	87.31		
P021H04040139N	PISTON BARE W/O PIN HERCULES MOTOR QXD (ZOLLNER HEAVY DUTY-191) STD (DIA.-87.31MM) 2+1 (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXD (ZOLLNER HEAVY DUTY-191)	87.31		
P021H04050113N	PISTON BARE W/O PIN HERCULES MOTOR QXLD (ZOLLNER HEAVY DUTY-187) 0.030" (2+1) STD DIA.-87.31MM (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXLD (ZOLLNER HEAVY DUTY-187)	87.31		
P021H04050131N	PISTON BARE W/O PIN HERCULES MOTOR QXLD (ZOLLNER HEAVY DUTY-187) 0.060" (2+1) STD DIA.-87.31MM (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXLD (ZOLLNER HEAVY DUTY-187)	87.31		
P021H04050139N	PISTON BARE W/O PIN HERCULES MOTOR QXLD (ZOLLNER HEAVY DUTY-187) STD (DIA.-87.31MM) 2+1 (FULLY BRIGHT FINISH)	HERCULES MOTOR	QXD (ZOLLNER HEAVY DUTY-187)	87.31		
P021H07210139N	PISTON BARE W/O PIN & BUSH HINO J08CT (STD) DIA.-114.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	HINO	J08CT	114.00	OEM # 133061080	ARCO # PTHI611402DB
P021H07050142N	PISTON BARE W/O PIN HINO EF750 (STD) DIA.-137.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	HINO	EF750	137.00	OEM # 132161860 & 132261170	ARCO # PTHI813701DA
P021H07080142N	PISTON BARE W/O PIN HINO EH700 OR KIA (STD) DIA.-110.00MM (3+1)	HINO	EH700	110.00		

P021H07090142N	PISTON BARE W/O PIN HINO EK100 (STD) DIA.-137.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	HINO	EK100	137.00		
P021H07200139N	PISTON BARE W/O PIN HINO J08C (STD) DIA.-114.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	HINO	J08C	114.00	OEM # 132162631	ARCO # PTHI611401DA
P021H07210139N	PISTON BARE W/O PIN & BUSH HINO J08CT (STD) DIA.-114.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	HINO	J08CT	114.00	OEM # 133061080	ARCO # PTHI611402DB
P021H07050142N	PISTON BARE W/O PIN HINO EF750 (STD) DIA.-137.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	HINO	EF750	137.00	OEM # 132161860 & 132261170	ARCO # PTHI813701DA
P021H07080142N	PISTON BARE W/O PIN HINO EH700 OR KIA (STD) DIA.-110.00MM (3+1)	HINO	EH700	110.00		
P021H07090142N	PISTON BARE W/O PIN HINO EK100 (STD) DIA.-137.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	HINO	EK100	137.00		
P021H07200139N	PISTON BARE W/O PIN HINO J08C (STD) DIA.-114.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	HINO	J08C	114.00	OEM # 132162631	ARCO # PTHI611401DA
P021H09130139N	PISTON BARE W/O PIN HONDA CG-125 (STD) DIA.-56.50MM (2+1)	HONDA	CG-125	56.50		
P021H09220139N	PISTON BARE W/O PIN HONDA G-150 (STD) DIA.-64.00MM (2+1)	HONDA	G-150	64.00		
P021H09230139N	PISTON BARE W/O PIN HONDA G-200 (STD) DIA.-67.00MM (2+1)	HONDA	G-200	67.00		
P021H09340139N	PISTON BARE W/O PIN HONDA GN-5 (AIR COMP.) STD (DIA.-50.00MM) 2+1	HONDA	GN-5 (AIR COMP.)	50.00		
P021H09360139N	PISTON BARE W/O PIN HONDA GX-120 (STD) DIA.-60.00MM (2+1)	HONDA	GX-120	60.00		
P021H09370139N	PISTON BARE W/O PIN HONDA GX-140 (STD) DIA.-64.00MM (2+1)	HONDA	GX-140	64.00		
P021H09520139Y	PISTON BARE W/O PIN HONDA GX-160 (NEW) STD (DIA.-68.00MM) 2+1 (FLAT TYPE)	HONDA	GX-160	68.00	OEM # A0663061B111	
P021H09380139N	PISTON BARE W/O PIN HONDA GX-160 (STD) DIA.-68.00MM (2+1)	HONDA	GX-160	68.00		
P021H09420139N	PISTON BARE W/O PIN HONDA GX-390 (STD) DIA.-88.00MM (2+1)	HONDA	GX-190	88.00		
P021H09480139N	PISTON BARE W/O PIN HONDA WAVE (AIR COMP.) STD (DIA.-53.50MM) 2+1	HONDA	WAVE (AIR COMP.)	53.50		
P021H09130139N	PISTON BARE W/O PIN HONDA CG-125 (STD) DIA.-56.50MM (2+1)	HONDA	CG-125	56.50		
P021H09220139N	PISTON BARE W/O PIN HONDA G-150 (STD) DIA.-64.00MM (2+1)	HONDA	G-150	64.00		
P021H09230139N	PISTON BARE W/O PIN HONDA G-200 (STD) DIA.-67.00MM (2+1)	HONDA	G-200	67.00		

# AECO ENGINEERING CO.



P021H09340139N	PISTON BARE W/O PIN HONDA GN-5 (AIR COMP.) STD (DIA.-50.00MM) 2+1	HONDA	GN-5 (AIR COMP.)	50.00		
P021H09360139N	PISTON BARE W/O PIN HONDA GX-120 (STD) DIA.-60.00MM (2+1)	HONDA	GX-120	60.00		
P021H09370139N	PISTON BARE W/O PIN HONDA GX-140 (STD) DIA.-64.00MM (2+1)	HONDA	GX-140	64.00		
P021H09520139Y	PISTON BARE W/O PIN HONDA GX-160 (NEW) STD (DIA.-68.00MM) 2+1 (FLAT TYPE)	HONDA	GX-160	68.00	OEM # A0663061B111	
P021H09380139N	PISTON BARE W/O PIN HONDA GX-160 (STD) DIA.-68.00MM (2+1)	HONDA	GX-160	68.00		
P021H09420139N	PISTON BARE W/O PIN HONDA GX-390 (STD) DIA.-88.00MM (2+1)	HONDA	GX-190	88.00		
P021H09480139N	PISTON BARE W/O PIN HONDA WAVE (AIR COMP.) STD (DIA.-53.50MM) 2+1	HONDA	WAVE (AIR COMP.)	53.50		
P021i01020140N	PISTON BARE W/O PIN IFA 70MM (AIR COMP.) STD (DIA.-70.00MM) 2+2	IFA		70.00		
P021i01010139N	PISTON BARE W/O PIN IFA W50 (STD) DIA.-120.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	IFA	W50	120.00		
P021i01020140N	PISTON BARE W/O PIN IFA 70MM (AIR COMP.) STD (DIA.-70.00MM) 2+2	IFA		70.00		
P021i01010139N	PISTON BARE W/O PIN IFA W50 (STD) DIA.-120.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	IFA	W50	120.00		
P021i09000142N	PISTON BARE W/O PIN IMR (STD) DIA.-91.49MM (3+1)	IMR		91.49	OEM # 726194 & 733117	
P021i09000142N	PISTON BARE W/O PIN IMR (STD) DIA.-91.49MM (3+1)	IMR		91.49	OEM # 726194 & 733117	
P021i07090139Y	PISTON BARE W/O PIN IMT 5130,5132,R120,R130 TURBO,(TS46) STD (DIA.-98.48MM) 2+1	IMT	5130,5132, R120,R130 TURBO,(TS46)	98.48		PDM # K200N (K200L) NP
P021i07080143Y	PISTON BARE W/O PIN IMT 528,542,549,558,559,560,562,565,569 (DM32,33,34) STD (DIA.-91.49MM) 3+2	IMT	528,542,549,558,559,560,562,565,569 (DM32,33,34)	91.49		PDM # K461N (K161L)
P021i07030143Y	PISTON BARE W/O PIN IMT 577 (STD) DIA.-98.476MM (3+2)	IMT	577	98.476		
P021i07090139Y	PISTON BARE W/O PIN IMT 5130,5132,R120,R130 TURBO,(TS46) STD (DIA.-98.48MM) 2+1	IMT	5130,5132, R120,R130 TURBO,(TS46)	98.48		PDM # K200N (K200L) NP
P021i07080143Y	PISTON BARE W/O PIN IMT 528,542,549,558,559,560,562,565,569 (DM32,33,34) STD (DIA.-91.49MM) 3+2	IMT	528,542,549,558,559,560,562,565,569 (DM32,33,34)	91.49		PDM # K461N (K161L)
P021i07030143Y	PISTON BARE W/O PIN IMT 577 (STD) DIA.-98.476MM (3+2)	IMT	577	98.476		

P021i03030143N	PISTON BARE W/O PIN INTERNATIONAL BD-144 (B250/275/414) STD (DIA.-85.725MM) 3+2	INTERNATI ONAL (IHC)	BD-144 (B250/275/ 414)	85.725		
P021i03050143N	PISTON BARE W/O PIN INTERNATIONAL BD-154 (B414/424/434/444) STD (DIA.- 88.90MM) 3+2	INTERNATI ONAL (IHC)	BD-154 (B414/424/ 434/444)	88.90		AE # 481303
P021i03060142N	PISTON BARE W/O PIN INTERNATIONAL BD-264 (B450) STD (DIA.-101.60MM) 3+1	INTERNATI ONAL (IHC)	BD-264 (B450)	101.60		
P021i03100139N	PISTON BARE W/O PIN INTERNATIONAL D-179,D-239,D-358 (STD) DIA.-98.425MM (2+1)	INTERNATI ONAL (IHC)	D-179,D- 239,D-358	98.425		AE # 350183V1
P021i03150139N	PISTON BARE W/O PIN INTERNATIONAL D-268,D402,844S (STD) DIA.-100.00MM (2+1)	INTERNATI ONAL (IHC)	D-268,D402	100.00		KS # 93253600 (100206)
P021i03200139N	PISTON BARE W/O PIN INTERNATIONAL D-414 (STD) DIA.- 109.22MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	INTERNATI ONAL (IHC)	D-414	109.22	OEM # 671543C1	
P021i03360139N	PISTON BARE W/O PIN INTERNATIONAL D-436 (STD) DIA.- 109.22MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	INTERNATI ONAL (IHC)	D-436	109.22	OEM # 675775C1	
P021i03230139N	PISTON BARE W/O PIN INTERNATIONAL DT-360 (STD) DIA.- 101.86MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	INTERNATI ONAL (IHC)	DT-360	101.86	OEM # 1817178	
P021i03290139N	PISTON BARE W/O PIN INTERNATIONAL DT-414 (STD) DIA.- 109.22MM (2+1)	INTERNATI ONAL (IHC)	DT-414	109.22	OEM # 684251C	
P021i03210139N	PISTON BARE W/O PIN INTERNATIONAL DT-436 (STD) DIA.- 109.22MM (2+1)	INTERNATI ONAL (IHC)	DT-436	109.22	OEM # 684253C3	
P021i03240139N	PISTON BARE W/O PIN INTERNATIONAL DT-466 (STD) DIA.- 109.22MM (2+1) VB(ANTI-MAGNETIC ALFIN TYPE RING) RING WIDTH = 3.17+3.17+6.35	INTERNATI ONAL (IHC)	DT-466	109.22	OEM # 684255C1	AE # 1585NP
P021N02060139N	PISTON BARE W/O PIN NAVISTAR DT- 466,INTERNATIONAL DT-466 (STD) DIA.-109.22MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (RING WIDTH = 3.17+3.17+4.00)	INTERNATI ONAL (IHC)	DT-466	109.22	OEM # HI- 1817520, 1817179C1 & 1817188C1	MAHLE # 224-3296
P021N02070139N	PISTON BARE W/O PIN NAVISTAR DT- 466P (NGD),INTERNATIONAL DT-466P (NGD) STD (DIA.-109.22MM) 2+1 (ANTI- MAGNETIC ALFIN TYPE RING)	INTERNATI ONAL (IHC)	DT-466P (NGD)	109.22	OEM # HI- 1823930	
P021i03030143N	PISTON BARE W/O PIN INTERNATIONAL BD-144 (B250/275/414) STD (DIA.-85.725MM) 3+2	INTERNATI ONAL (IHC)	BD-144 (B250/275/ 414)	85.725		
P021i03050143N	PISTON BARE W/O PIN INTERNATIONAL BD-154 (B414/424/434/444) STD (DIA.- 88.90MM) 3+2	INTERNATI ONAL (IHC)	BD-154 (B414/424/ 434/444)	88.90		AE # 481303
P021i03060142N	PISTON BARE W/O PIN INTERNATIONAL BD-264 (B450) STD (DIA.-101.60MM) 3+1	INTERNATI ONAL (IHC)	BD-264 (B450)	101.60		

P021i03100139N	PISTON BARE W/O PIN INTERNATIONAL D-179,D-239,D-358 (STD) DIA.-98.425MM (2+1)	INTERNATI ONAL (IHC)	D-179,D- 239,D-358	98.425		AE # 350183V1
P021i03150139N	PISTON BARE W/O PIN INTERNATIONAL D-268,D402,844S (STD) DIA.-100.00MM (2+1)	INTERNATI ONAL (IHC)	D-268,D402	100.00		KS # 93253600 (100206)
P021i03200139N	PISTON BARE W/O PIN INTERNATIONAL D-414 (STD) DIA.- 109.22MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	INTERNATI ONAL (IHC)	D-414	109.22	OEM # 671543C1	
P021i03360139N	PISTON BARE W/O PIN INTERNATIONAL D-436 (STD) DIA.- 109.22MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	INTERNATI ONAL (IHC)	D-436	109.22	OEM # 675775C1	
P021i03230139N	PISTON BARE W/O PIN INTERNATIONAL DT-360 (STD) DIA.- 101.86MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	INTERNATI ONAL (IHC)	DT-360	101.86	OEM # 1817178	
P021i03290139N	PISTON BARE W/O PIN INTERNATIONAL DT-414 (STD) DIA.- 109.22MM (2+1)	INTERNATI ONAL (IHC)	DT-414	109.22	OEM # 684251C	
P021i03210139N	PISTON BARE W/O PIN INTERNATIONAL DT-436 (STD) DIA.- 109.22MM (2+1)	INTERNATI ONAL (IHC)	DT-436	109.22	OEM # 684253C3	
P021i03240139N	PISTON BARE W/O PIN INTERNATIONAL DT-466 (STD) DIA.- 109.22MM (2+1) VB(ANTI-MAGNETIC ALFIN TYPE RING) RING WIDTH = 3.17+3.17+6.35	INTERNATI ONAL (IHC)	DT-466	109.22	OEM # 684255C1	AE # 1585NP
P021N02060139N	PISTON BARE W/O PIN NAVISTAR DT- 466,INTERNATIONAL DT-466 (STD) DIA.-109.22MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (RING WIDTH = 3.17+3.17+4.00)	INTERNATI ONAL (IHC)	DT-466	109.22	OEM # HI- 1817520, 1817179C1 & 1817188C1	MAHLE # 224-3296
P021N02070139N	PISTON BARE W/O PIN NAVISTAR DT- 466P (NGD),INTERNATIONAL DT-466P (NGD) STD (DIA.-109.22MM) 2+1 (ANTI- MAGNETIC ALFIN TYPE RING)	INTERNATI ONAL (IHC)	DT-466P (NGD)	109.22	OEM # HI- 1823930	
P021i05120139Y	PISTON BARE W/O PIN ISUZU 4BD1T (TURBO) STD (DIA.-102.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP) FULLY TIN PLATED	ISUZU	4BD1T	102.00	OEM # 8941750272	
P021i05440139Y	PISTON BARE W/O PIN ISUZU 4BD2T (STD) DIA.-102.00MM (2+1) ANTI- MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	ISUZU	4BD2T	102.00	OEM # 8971766420	ARCO # PTIS410209DB
P021i05450139Y	PISTON BARE W/O PIN ISUZU 4HG1T (STD) DIA.-115.00MM (2+1) ANTI- MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	ISUZU	4HG1T	115.00	OEM # 8972190320	
P021i05080139Y	PISTON BARE W/O PIN ISUZU 4JB1 (STD) DIA.-93.00MM (2+1) ANTI- MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	ISUZU	4JB1	93.00	OEM # 8971766060	



# AECO ENGINEERING CO.



P021i05430139Y	PISTON BARE W/O PIN ISUZU 4JB1T (TURBO) STD (DIA.-93.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP) FULLY TIN PLATED	ISUZU	4JB1T	93.00	OEM # 8944608871	
P021i05170142N	PISTON BARE W/O PIN ISUZU C190,C240 OR ISIKI (STD) DIA-86.00MM (3+1)	ISUZU	C190,C240	86.00	OEM # 161019102050	
P021i05120139Y	PISTON BARE W/O PIN ISUZU 4BD1T (TURBO) STD (DIA.-102.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP) FULLY TIN PLATED	ISUZU	4BD1T	102.00	OEM # 8941750272	
P021i05440139Y	PISTON BARE W/O PIN ISUZU 4BD2T (STD) DIA.-102.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	ISUZU	4BD2T	102.00	OEM # 8971766420	ARCO # PTIS410209DB
P021i05450139Y	PISTON BARE W/O PIN ISUZU 4HG1T (STD) DIA.-115.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	ISUZU	4HG1T	115.00	OEM # 8972190320	
P021i05080139Y	PISTON BARE W/O PIN ISUZU 4JB1 (STD) DIA.-93.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	ISUZU	4JB1	93.00	OEM # 8971766060	
P021i05430139Y	PISTON BARE W/O PIN ISUZU 4JB1T (TURBO) STD (DIA.-93.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP) FULLY TIN PLATED	ISUZU	4JB1T	93.00	OEM # 8944608871	
P021i05170142N	PISTON BARE W/O PIN ISUZU C190,C240 OR ISIKI (STD) DIA-86.00MM (3+1)	ISUZU	C190,C240	86.00	OEM # 161019102050	
P021J03010107N	PISTON BARE W/O PIN JEM ENGINE (A/C) 0.50MM (2+1) STD DIA.-78.00MM (ANTI-MAGNETIC ALFIN RING)	JEM		78.00		
P021J03020107N	PISTON BARE W/O PIN JEM ENGINE (A/C) 0.50MM (2+1) STD DIA.-80.00MM	JEM		80.00		
P021J03030107N	PISTON BARE W/O PIN JEM ENGINE (A/C) 0.50MM (2+1) STD DIA.-87.00MM	JEM		87.00		
P021J03020119N	PISTON BARE W/O PIN JEM ENGINE (A/C) 1.00MM (2+1) STD DIA.-80.00MM	JEM		80.00		
P021J04030143N	PISTON BARE W/O PIN JENBACH JW-15 (STD) DIA.-115.00MM (3+2)	JENBACH	JW-15	115.00		
P021J04040143N	PISTON BARE W/O PIN JENBACH JW-20 (STD) DIA.-125.00MM (3+2)	JENBACH	JW-20	125.00		
P021J04030143N	PISTON BARE W/O PIN JENBACH JW-15 (STD) DIA.-115.00MM (3+2)	JENBACH	JW-15	115.00		
P021J04040143N	PISTON BARE W/O PIN JENBACH JW-20 (STD) DIA.-125.00MM (3+2)	JENBACH	JW-20	125.00		

# AECO ENGINEERING CO.



P021J05040142Y	PISTON BARE W/O PIN JIANG DONG JD-330 (STD) DIA.-130.00MM (3+1)	JIANG DONG	JD-330	130.00		
P021J05010139N	PISTON BARE W/O PIN JIANG DONG S-1110 (STD) DIA.-110.00MM (2+1)	JIANG DONG	S-1110	110.00		
P021J05050142N	PISTON BARE W/O PIN JIANG DONG S-195 (STD) DIA.-95.00MM (3+1)	JIANG DONG	S-195	95.00		
P021J05040142Y	PISTON BARE W/O PIN JIANG DONG JD-330 (STD) DIA.-130.00MM (3+1)	JIANG DONG	JD-330	130.00		
P021J05010139N	PISTON BARE W/O PIN JIANG DONG S-1110 (STD) DIA.-110.00MM (2+1)	JIANG DONG	S-1110	110.00		
P021J05050142N	PISTON BARE W/O PIN JIANG DONG S-195 (STD) DIA.-95.00MM (3+1)	JIANG DONG	S-195	95.00		
P021J08340139Y	PISTON BARE W/O PIN JOHN DEERE 3.029D (3100,3110,5103,5200,5203,5300,5303,5310) STD (DIA.-106.50MM) 2+1 (PISTON PIN O.D.-32.00MM) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	3.029D (3100,3110,5103,5200,5203,5300,5303,5310)	106.50	OEM # RE61467 & RE507808	BEPCO # 26/33-192
P021J08220139N	PISTON BARE W/O PIN JOHN DEERE 3.152D,4.202D,6.303D (1020,2020,3120) STD (DIA.-98.00MM) 2+1 (PIN O.D.-30.17MM)	JOHN DEERE	3.152D,4.202D,6.303D (1020,2020,3120)	98.00	OEM # T23481, T23482 & R5112	BEPCO # 26/33-46 & EMMARK # EM1435
P021J08060139N	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.164D,4.219D,6.329D (STD) DIA.-102.00MM (2+1) PIN O.D.-30.17MM (FULLY TIN PLATED)	JOHN DEERE	300 SERIES 3.164D,4.219D,6.329D	102.00	OEM # AR78310, T30355, T30015, T26149 & R51112	EMMARK # EM3417, VAPORMATIC # VPB2911
P021J08030139N	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.164D,4.219D,6.329D (STD) DIA.-102.00MM (2+1) PIN O.D.-34.94MM (ANTI-MAGNETIC ALFIN RING)	JOHN DEERE	300 SERIES 3.164D,4.219D,6.329D	102.00	OEM # AR77762	MAHLE # 2251000, AE # A1530NP, BEPCO # 26/33-49 & EMMARK # EM1437
P021J08040139N	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.179D,4.239D,6.359D (STD) DIA.-106.50MM (2+1) ANTI-MAGNETIC ALFIN RING (G. PIN O.D.-34.92MM)	JOHN DEERE	300 SERIES 3.179D,4.239D,6.359D	106.50	OEM # RE19282, RE11515, AR55980, AR79868 & AR87738	BEPCO # 26/33-51 (26/33-52)
P021J08070139Y	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.179D,4.239D,6.359D (STD) DIA.-106.50MM (2+1) ANTI-MAGNETIC ALFIN RING (G. PIN O.D.-41.27MM)	JOHN DEERE	300 SERIES 3.179D,4.239D,6.359D	106.50	OEM # AR71067, AR87748, RE15595, RE19278, RE19279, RE33115, VPB2918, VPB2917, VPB2916, VPB2919	BEPCO # 26/33-53 & SPAREX # S.58842

# AECO ENGINEERING CO.



P021J08260139Y	PISTON BARE W/O PIN JOHN DEERE 4.045H,4.045T,6.068H,6.068T (STD) DIA.-106.50MM (2+1) PISTON PIN O.D.-41.27MM (ANTI-MAGNETIC ALFIN TYPE RING)	JOHN DEERE	4.045H,4.045T,6.068H,6.068T	106.50	OEM # RE55512, RE505102 & RE509540	BEPCO # 26/33-181
P021J08140139N	PISTON BARE W/O PIN JOHN DEERE 400 SERIES 4.270D,6.404D (STD) DIA.-107.95MM (2+1) ANTI-MAGNETIC ALFIN RING	JOHN DEERE	400 SERIES 4.270D,6.404D	108.00	OEM # RE23168 & RE40563	AE # A1691NP & BEPCO # 26/33-313
P021J08120139N	PISTON BARE W/O PIN JOHN DEERE 400 SERIES 4.270D,6.404D (STD) DIA.-107.95MM (2+1) PART # RE23172 (ANTI-MAGNETIC ALFIN RING)	JOHN DEERE	400 SERIES 4.270D,6.404D	108.00	OEM # RE23172 & RE40566	AE # A1700NP & BEPCO # 26/33-311
P021J08440139N	PISTON BARE W/O PIN JOHN DEERE 6.076H,6.076T (STD) DIA.-115.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	6.076H,6.076T	115.90	OEM # RE57512	BEPCO # 26/33-157
P021J08450139N	PISTON BARE W/O PIN JOHN DEERE 6.081H (STD) DIA.-115.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	6.081H	115.90	OEM # RE70689 & RE516291	BEPCO # 26/33-324
P021J08460139N	PISTON BARE W/O PIN JOHN DEERE 6.081H,6.081T (STD) DIA.-115.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	6.081H,6.081T	115.90	OEM # RE70688	BEPCO # 26/33-195
P021J08210139N	PISTON BARE W/O PIN JOHN DEERE 6.404D (4040,4230) STD (DIA.-107.95MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	JOHN DEERE	6.404D (4040,4230)	107.95	OEM # RE23163 & RE41869	BEPCO # 26/33-152 & SPAREX # S.31693
P021J08410139N	PISTON BARE W/O PIN JOHN DEERE 6.466A,6.466T (4240,4440,8430,8440,8450) STD (DIA.-115.90MM) 2+1 (ANTI MAGNETIC ALFIN TYPE RING)	JOHN DEERE	6.466A,6.466T (4240,4440,8430,8440,8450)	115.90	OEM # AR93627 & AR93629	BEPCO # 26/33-155
P021J08340139Y	PISTON BARE W/O PIN JOHN DEERE 3.029D (3100,3110,5103,5200,5203,5300,5303,5310) STD (DIA.-106.50MM) 2+1 (PISTON PIN O.D.-32.00MM) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	3.029D (3100,3110,5103,5200,5203,5300,5303,5310)	106.50	OEM # RE61467 & RE507808	BEPCO # 26/33-192
P021J08220139N	PISTON BARE W/O PIN JOHN DEERE 3.152D,4.202D,6.303D (1020,2020,3120) STD (DIA.-98.00MM) 2+1 (PIN O.D.-30.17MM)	JOHN DEERE	3.152D,4.202D,6.303D (1020,2020,3120)	98.00	OEM # T23481, T23482 & R5112	BEPCO # 26/33-46 & EMMARK # EM1435
P021J08060139N	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.164D,4.219D,6.329D (STD) DIA.-102.00MM (2+1) PIN O.D.-30.17MM (FULLY TIN PLATED)	JOHN DEERE	300 SERIES 3.164D,4.219D,6.329D	102.00	OEM # AR78310, T30355, T30015, T26149 & R51112	EMMARK # EM3417, VAPORMATIC # VPB2911
P021J08030139N	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.164D,4.219D,6.329D (STD) DIA.-102.00MM (2+1) PIN O.D.-34.94MM (ANTI-MAGNETIC ALFIN RING)	JOHN DEERE	300 SERIES 3.164D,4.219D,6.329D	102.00	OEM # AR77762	MAHLE # 2251000, AE # A1530NP, BEPCO # 26/33-49 & EMMARK # EM1437

# AECO ENGINEERING CO.



P021J08040139N	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.179D,4.239D,6.359D (STD) DIA.-106.50MM (2+1) ANTI-MAGNETIC ALFIN RING (G. PIN O.D.-34.92MM)	JOHN DEERE	300 SERIES 3.179D,4.239D,6.359D	106.50	OEM # RE19282, RE11515, AR55980, AR79868 & AR87738	BEPCO # 26/33-51 (26/33-52)
P021J08070139Y	PISTON BARE W/O PIN JOHN DEERE 300 SERIES 3.179D,4.239D,6.359D (STD) DIA.-106.50MM (2+1) ANTI-MAGNETIC ALFIN RING (G. PIN O.D.-41.27MM)	JOHN DEERE	300 SERIES 3.179D,4.239D,6.359D	106.50	OEM # AR71067, AR87748, RE15595, RE19278, RE19279, RE33115, VPB2918, VPB2917, VPB2916, VPB2919	BEPCO # 26/33-53 & SPAREX # S.58842
P021J08260139Y	PISTON BARE W/O PIN JOHN DEERE 4.045H,4.045T,6.068H,6.068T (STD) DIA.-106.50MM (2+1) PISTON PIN O.D.-41.27MM (ANTI-MAGNETIC ALFIN TYPE RING)	JOHN DEERE	4.045H,4.045T,6.068H,6.068T	106.50	OEM # RE55512, RE505102 & RE509540	BEPCO # 26/33-181
P021J08140139N	PISTON BARE W/O PIN JOHN DEERE 400 SERIES 4.270D,6.404D (STD) DIA.-107.95MM (2+1) ANTI-MAGNETIC ALFIN RING	JOHN DEERE	400 SERIES 4.270D,6.404D	108.00	OEM # RE23168 & RE40563	AE # A1691NP & BEPCO # 26/33-313
P021J08120139N	PISTON BARE W/O PIN JOHN DEERE 400 SERIES 4.270D,6.404D (STD) DIA.-107.95MM (2+1) PART # RE23172 (ANTI-MAGNETIC ALFIN RING)	JOHN DEERE	400 SERIES 4.270D,6.404D	108.00	OEM # RE23172 & RE40566	AE # A1700NP & BEPCO # 26/33-311
P021J08440139N	PISTON BARE W/O PIN JOHN DEERE 6.076H,6.076T (STD) DIA.-115.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	6.076H,6.076T	115.90	OEM # RE57512	BEPCO # 26/33-157
P021J08450139N	PISTON BARE W/O PIN JOHN DEERE 6.081H (STD) DIA.-115.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	6.081H	115.90	OEM # RE70689 & RE516291	BEPCO # 26/33-324
P021J08460139N	PISTON BARE W/O PIN JOHN DEERE 6.081H,6.081T (STD) DIA.-115.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	JOHN DEERE	6.081H,6.081T	115.90	OEM # RE70688	BEPCO # 26/33-195
P021J08210139N	PISTON BARE W/O PIN JOHN DEERE 6.404D (4040,4230) STD (DIA.-107.95MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	JOHN DEERE	6.404D (4040,4230)	107.95	OEM # RE23163 & RE41869	BEPCO # 26/33-152 & SPAREX # S.31693
P021J08410139N	PISTON BARE W/O PIN JOHN DEERE 6.466A,6.466T (4240,4440,8430,8440,8450) STD (DIA.-115.90MM) 2+1 (ANTI MAGNETIC ALFIN TYPE RING)	JOHN DEERE	6.466A,6.466T (4240,4440,8430,8440,8450)	115.90	OEM # AR93627 & AR93629	BEPCO # 26/33-155
P021K01010139N	PISTON BARE W/O PIN KAMAZ TRUCK (STD) DIA.-120.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	KAMAZ	TRUCK	120.00	OEM # 740.100401510	
P021K01010139N	PISTON BARE W/O PIN KAMAZ TRUCK (STD) DIA.-120.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	KAMAZ	TRUCK	120.00	OEM # 740.100401510	

P021K02020141N	PISTON BARE W/O PIN KAWASAKI G7T (STD) DIA.-49.50MM (2 RINGS)	KAWASAKI	G7T	49.50		
P021K02020141N	PISTON BARE W/O PIN KAWASAKI G7T (STD) DIA.-49.50MM (2 RINGS)	KAWASAKI	G7T	49.50		
P021K03010142N	PISTON BARE W/O PIN KELVIN J (STD) DIA.-107.95MM (3+1)	KELVIN	J SERIES	107.95		WELLWORTHY (AE) # 567701
P021K03010142N	PISTON BARE W/O PIN KELVIN J (STD) DIA.-107.95MM (3+1)	KELVIN	J SERIES	107.95		WELLWORTHY (AE) # 567701
P021K04070139N	PISTON BARE W/O PIN KIA IC2200 OR MAZDA IC2200 (STD) DIA.-92.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	KIA	IC2200	92.00	OEM # K48011102 & K4Z011SA0	
P021K04080139N	PISTON BARE W/O PIN KIA IC2500 OR MAZDA IC2500 (STD) DIA.-88.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	KIA	IC2500	88.90		
P021K04140139N	PISTON BARE W/O PIN KIA TOWNER (STD) DIA.-68.00MM (2+1)	KIA	TOWNER	68.00		
P021K04070139N	PISTON BARE W/O PIN KIA IC2200 OR MAZDA IC2200 (STD) DIA.-92.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	KIA	IC2200	92.00	OEM # K48011102 & K4Z011SA0	
P021K04080139N	PISTON BARE W/O PIN KIA IC2500 OR MAZDA IC2500 (STD) DIA.-88.90MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	KIA	IC2500	88.90		
P021K04140139N	PISTON BARE W/O PIN KIA TOWNER (STD) DIA.-68.00MM (2+1)	KIA	TOWNER	68.00		
P021K07020142N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (STD) DIA.-80.00MM (3+1)	KIRLOSKAR	AV	80.00	OEM # JC10	
P021K07040142N	PISTON BARE W/O PIN KIRLOSKAR DM-10 (STD) DIA.-102.00MM (3+1)	KIRLOSKAR	DM-10	102.00	OEM # D1006010	
P021K07070142N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (STD) DIA.-85.00MM (3+1)	KIRLOSKAR	JV	85.00		
P021K07150140N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (STD) DIA.-87.50MM (2+2)	KIRLOSKAR	TV	87.50		
P021K07150142N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (STD) DIA.-87.50MM (3+1)	KIRLOSKAR	TV	87.50		
P021K07020103N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (0.010") 3+1 (STD DIA.-80.00MM)	KIRLOSKAR	AV	80.00		
P021K07020109N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (0.020") 3+1 (STD DIA.-80.00MM)	KIRLOSKAR	AV	80.00		
P021K07020115N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (0.030") 3+1 (STD DIA.-80.00MM)	KIRLOSKAR	AV	80.00		
P021K07020121N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (0.040") 3+1 (STD DIA.-80.00MM)	KIRLOSKAR	AV	80.00		
P021K07020127N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (0.050") 3+1 (STD DIA.-80.00MM)	KIRLOSKAR	AV	80.00		



# AECO ENGINEERING CO.



P021K07020133N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (0.060") 3+1 (STD DIA.-80.00MM)	KIRLOSKAR	AV	80.00		
P021K07020142N	PISTON BARE W/O PIN KIRLOSKAR AV-1 OR PETTER AV-1 (STD) DIA.-80.00MM (3+1)	KIRLOSKAR	AV	80.00	OEM # JC10	
P021K07040142N	PISTON BARE W/O PIN KIRLOSKAR DM-10 (STD) DIA.-102.00MM (3+1)	KIRLOSKAR	DM-10	102.00	OEM # D1006010	
P021K07070103N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (0.010") 3+1 (STD DIA.-85.00MM)	KIRLOSKAR	JV	85.00		
P021K07070109N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (0.020") 3+1 (STD DIA.-85.00MM)	KIRLOSKAR	JV	85.00		
P021K07070115N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (0.030") 3+1 (STD DIA.-85.00MM)	KIRLOSKAR	JV	85.00		
P021K07070121N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (0.040") 3+1 (STD DIA.-85.00MM)	KIRLOSKAR	JV	85.00		
P021K07070127N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (0.050") 3+1 (STD DIA.-85.00MM)	KIRLOSKAR	JV	85.00		
P021K07070133N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (0.060") 3+1 (STD DIA.-85.00MM)	KIRLOSKAR	JV	85.00		
P021K07070142N	PISTON BARE W/O PIN KIRLOSKAR JV-1 (STD) DIA.-85.00MM (3+1)	KIRLOSKAR	JV	85.00		
P021K07150102N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.010") 2+2 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150108N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.020") 2+2 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150109N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.020") 3+1 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150114N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.030") 2+2 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150120N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.040") 2+2 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150121N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.040") 3+1 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150126N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.050") 2+2 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150132N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (0.060") 2+2 (STD DIA.-87.50MM)	KIRLOSKAR	TV	87.50		
P021K07150140N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (STD) DIA.-87.50MM (2+2)	KIRLOSKAR	TV	87.50		
P021K07150142N	PISTON BARE W/O PIN KIRLOSKAR TV-1 (STD) DIA.-87.50MM (3+1)	KIRLOSKAR	TV	87.50		

# AECO ENGINEERING CO.



P021K08020139Y	PISTON BARE W/O PIN DAF COMPRESSOR OR KNORR-BREMSE-LP15 OR R.V.I. 797/798/MIDS/R602.12, MIDR0602.26 (STD) DIA.-75.00 MM (2+1)	KNORR-BREMSE	LP15	75.00		KONEKS PART # 24160 (STD) & ATEL # 716-99815
P021K08010139N	PISTON BARE W/O PIN KNORR-BREMSE LK-19 (AIR COMP.) A/C (STD) DIA.-88.00MM (2+1)	KNORR-BREMSE	LK-19 (AIR COMP.)	88.00		
P021K08020139Y	PISTON BARE W/O PIN DAF COMPRESSOR OR KNORR-BREMSE-LP15 OR R.V.I. 797/798/MIDS/R602.12, MIDR0602.26 (STD) DIA.-75.00 MM (2+1)	KNORR-BREMSE	LP15	75.00		KONEKS PART # 24160 (STD) & ATEL # 716-99815
P021K08010139N	PISTON BARE W/O PIN KNORR-BREMSE LK-19 (AIR COMP.) A/C (STD) DIA.-88.00MM (2+1)	KNORR-BREMSE	LK-19 (AIR COMP.)	88.00		
P021K09030139N	PISTON BARE W/O PIN KOHLER 18-20 H.P. (STD) DIA.-77.00MM (2+1) FULLY TIN PLATED	KOHLER	18-20 H.P.	77.00	OEM # 2407446	MAHLE CASTING # 77L61 & IND. BRASIL # 68011
P021K09030139N	PISTON BARE W/O PIN KOHLER 18-20 H.P. (STD) DIA.-77.00MM (2+1) FULLY TIN PLATED	KOHLER	18-20 H.P.	77.00	OEM # 2407446	MAHLE CASTING # 77L61 & IND. BRASIL # 68011
P021K10010139N	PISTON BARE W/O PIN KOMATSU Z50 (STD) DIA.-94.00MM (2+1)	KOMATSU	Z50	94.00	OEM # 6142322110 & 6142322121	
P021K10010174N	PISTON BARE W/O PIN KOMATSU Z50 (STD) DIA.-94.00MM (2+1) COMP. HT.-55.50MM	KOMATSU	Z50	94.00		
P021K10010139N	PISTON BARE W/O PIN KOMATSU Z50 (STD) DIA.-94.00MM (2+1)	KOMATSU	Z50	94.00	OEM # 6142322110 & 6142322121	
P021K10010174N	PISTON BARE W/O PIN KOMATSU Z50 (STD) DIA.-94.00MM (2+1) COMP. HT.-55.50MM	KOMATSU	Z50	94.00		
P021K130000A6N	PISTON BARE W/O PIN KUBOTA (STD) DIA-87.00MM (2+1) GRAPHITE COATING (LT)	KUBOTA		87.00MM		
P021K13050143N	PISTON BARE W/O PIN KUBOTA 6MG (STD) DIA.-145.00MM (3+2) DUAL ANTI-MAGNETIC ALFIN TYPE RING	KUBOTA	6MG	145.00		
P021K13A40139Y	PISTON BARE W/O PIN KUBOTA DC-60,DC-70 (STD) DIA.-87.00MM (2+1)	KUBOTA	DC-60,DC-70	87.00	OEM # 1G92421112	
P021K13070139N	PISTON BARE W/O PIN KUBOTA E60 (STD) DIA.-75.00MM (2+1)	KUBOTA	E60	75.00	OEM # 1553121110	
P021K13A60139Y	PISTON BARE W/O PIN KUBOTA E75 (7 H.P.) STD (DIA.-77.00MM) 2+1 (FULLY TIN PLATED)	KUBOTA	E75 (7 H.P.)	77.00	OEM # 1428621110 & 1428621112 (S36214)	
P021K13090143N	PISTON BARE W/O PIN KUBOTA ER-100 (STD) DIA.-110.00MM (3+2)	KUBOTA	ER-100	110.00		
P021K13130143N	PISTON BARE W/O PIN KUBOTA ER-40/GA-70 (STD) DIA.-75.00MM (3+2)	KUBOTA	ER-40/GA-70	75.00	OEM # 1444121111	

# AECO ENGINEERING CO.



P021K13140142N	PISTON BARE W/O PIN KUBOTA ER-50/GA-80 (STD) DIA.-82.00MM (3+1)	KUBOTA	ER-50/GA-80	82.00		
P021K13140143N	PISTON BARE W/O PIN KUBOTA ER-50/GA-80 (STD) DIA.-82.00MM (3+2)	KUBOTA	ER-50/GA-80	82.00	OEM # 1435122221 & 1435121112	
P021K13170143N	PISTON BARE W/O PIN KUBOTA ER-65,GA-90/100 (STD) DIA.-90.00MM (3+2)	KUBOTA	ER-65,GA-90/100	90.00	OEM # 1430121112	
P021K13180143N	PISTON BARE W/O PIN KUBOTA ER-80 (STD) DIA.-100.00MM (3+2)	KUBOTA	ER-80	100.00		
P021K13200142N	PISTON BARE W/O PIN KUBOTA ET-110,ER-900,KND-105 (STD) DIA.-92.00MM (3+1)	KUBOTA	ET-110 / ER-900 / KND-105	92.00		
P021K13210142N	PISTON BARE W/O PIN KUBOTA ET-115 (STD) DIA.-94.00MM (3+1)	KUBOTA	ET-115	94.00		
P021K13220142N	PISTON BARE W/O PIN KUBOTA ET-70 (STD) DIA.-78.00MM (3+1)	KUBOTA	ET-70	78.00		
P021K13240142N	PISTON BARE W/O PIN KUBOTA ET-80/KND-80 (STD) DIA.-84.00MM (3+1)	KUBOTA	ET-80 / KND-80	84.00		
P021K13250142N	PISTON BARE W/O PIN KUBOTA ET-95 (STD) DIA.-86.00MM (3+1)	KUBOTA	ET-95	86.00		
P021K13780142N	PISTON BARE W/O PIN KUBOTA EV2400,ER-22,ER-2200,KND-2200 (STD) DIA.-116.00MM (3+1)	KUBOTA	EV2400,ER-22,ER-2200,KND-2200	116.00	OEM # 111001040100 0	
P021K13770142N	PISTON BARE W/O PIN KUBOTA EV2600,ER-25,ER-2500,KND-250 (STD) DIA.-118.00MM (3+1)	KUBOTA	EV2600,ER-25,ER-2500,KND-250	118.00	OEM # 115001040100 1	
P021K13320143N	PISTON BARE W/O PIN KUBOTA GA-120 (STD) DIA.-75.00MM (3+2)	KUBOTA	GA-120	75.00		
P021K13350139N	PISTON BARE W/O PIN KUBOTA GS-200 (STD) DIA.-69.00MM (2+1)	KUBOTA	GS-200	69.00		
P021K13480142N	PISTON BARE W/O PIN KUBOTA KND-250,ER-25 (STD) DIA.-118.00MM (3+1)	KUBOTA	KND-250,ER-25	118.00		
P021K13490142N	PISTON BARE W/O PIN KUBOTA KND-2800 (STD) DIA.-142.00MM (3+1)	KUBOTA	KND-2800	142.00		
P021K13500143N	PISTON BARE W/O PIN KUBOTA KND-3 (STD) DIA.-68.00MM (3+2)	KUBOTA	KND-3	68.00		
P021K13380142N	PISTON BARE W/O PIN KUBOTA KND-3200 (GAS) STD (DIA.-150.00MM) 3+1	KUBOTA	KND-3200 (GAS)	150.00		
P021K13370142N	PISTON BARE W/O PIN KUBOTA KND-3200 (STD) DIA.-150.00MM (3+1)	KUBOTA	KND-3200	150.00	OEM # 1418121112	
P021K13390143N	PISTON BARE W/O PIN KUBOTA KND-40 (STD) DIA.-75.00MM (3+2)	KUBOTA	KND-40	75.00		
P021K13520143N	PISTON BARE W/O PIN KUBOTA KND-5.5 (STD) DIA.-85.00MM (3+2)	KUBOTA	KND-5.5	85.00		
P021K13530143N	PISTON BARE W/O PIN KUBOTA KND-5B (STD) DIA.-80.00MM (3+2)	KUBOTA	KND-5B	80.00	OEM # 1411221113	
P021K13410143N	PISTON BARE W/O PIN KUBOTA KND-70/ER-70/ER-75 (STD) DIA.-90.00MM (3+2)	KUBOTA	KND-70/ER-70/ER-75	90.00		

# AECO ENGINEERING CO.



P021K13440143N	PISTON BARE W/O PIN KUBOTA KND-90/ER-90 (STD) DIA.-95.00MM (3+2)	KUBOTA	KND-90/ER-90	95.00		
P021K13580139N	PISTON BARE W/O PIN KUBOTA KS-160 (STD) DIA.-64.00MM (2+1)	KUBOTA	KS-160	64.00		
P021K13610143N	PISTON BARE W/O PIN KUBOTA L-1600 (GAS) STD (DIA.-120.00MM) 3+2	KUBOTA	L-1600 (GAS)	120.00		
P021K13A800A6N	PISTON BARE W/O PIN KUBOTA L-2002 (STD) DIA-82.00MM (2+1) GRAPHITE COATING (LT)	KUBOTA	L-2002	82.00MM		
P021K13A900A6N	PISTON BARE W/O PIN KUBOTA L-2402 (STD) DIA-85.00MM (2+1) GRAPHITE COATING (LT)	KUBOTA	L-2402	85.00MM		
P021K13620139N	PISTON BARE W/O PIN KUBOTA L-3001/L-2600 (STD) DIA.-76.00MM (2+1)	KUBOTA	L-3001/L-2600	76.00		
P021K13670142N	PISTON BARE W/O PIN KUBOTA RD-45/RK-50 (STD) DIA.-72.00MM (3+1)	KUBOTA	RD-45/RK-50	72.00		
P021K13680142N	PISTON BARE W/O PIN KUBOTA RD-55/RK-60 (STD) DIA.-76.00MM (3+1)	KUBOTA	RD-55/RK-60	76.00		
P021K13690142N	PISTON BARE W/O PIN KUBOTA RD-65/RK-70 (STD) DIA.-80.00MM (3+1)	KUBOTA	RD-65/RK-70	80.00	OEM # 1113121111	
P021K13700142N	PISTON BARE W/O PIN KUBOTA RD-75/RK-80 (STD) DIA.-82.00MM (3+1)	KUBOTA	RD-75/RK-80	82.00	OEM # 111412111-0	
P021K13710142N	PISTON BARE W/O PIN KUBOTA RD-85/RK-95 (STD) DIA.-86.00MM (3+1)	KUBOTA	RD-85/RK-95	86.00		
P021K13720142N	PISTON BARE W/O PIN KUBOTA RK-105 (STD) DIA.-88.00MM (3+1)	KUBOTA	RK-105	88.00		
P021K13720183N	PISTON BARE W/O PIN KUBOTA RK-105 (STD) DIA.-88.00MM (3+1) FLAT TYPE	KUBOTA	RK-105	88.00		
P021K13730142N	PISTON BARE W/O PIN KUBOTA RK-125 (STD) DIA.-94.00MM (3+1)	KUBOTA	RK-125/E9	94.00		
P021K13730183N	PISTON BARE W/O PIN KUBOTA RK-125 (STD) DIA.-94.00MM (3+1) FLAT TYPE	KUBOTA	RK-125/E9	94.00		
P021K13A00142N	PISTON BARE W/O PIN KUBOTA RV105 (STD) DIA.-88.00MM (3+1)	KUBOTA	RV105	88.00	OEM # 108000340300 0	
P021K13740142N	PISTON BARE W/O PIN KUBOTA RV125-2 (STD) DIA.-94.00MM (3+1)	KUBOTA	RV125	94.00		VIKY DWG. # RV12503403
P021K13790143N	PISTON BARE W/O PIN KUBOTA RV145-2 (STD) DIA.-100.00MM (3+2)	KUBOTA	RV145	100.00	OEM # 133000340300 0	
P021K13840142N	PISTON BARE W/O PIN KUBOTA RV165,RV195 (STD) DIA.-110.00MM (3+1)	KUBOTA	RV165,RV195	110.00	OEM # 117001040110 0	
P021K13800142N	PISTON BARE W/O PIN KUBOTA RV165-2 (STD) DIA.-105.00MM (3+1)	KUBOTA	RV165	105.00	OEM # 125000340320 0	
P021K13870142Y	PISTON BARE W/O PIN KUBOTA RV320 (STD) DIA.-120.00MM (3+1)	KUBOTA	RV320	120.00		

# AECO ENGINEERING CO.



P021K13A40142N	PISTON BARE W/O PIN KUBOTA RV320,RV325 (VIKY) STD (DIA.-120.00MM) 3+1	KUBOTA	RV320,RV325	120.00		
P021K13950142N	PISTON BARE W/O PIN KUBOTA RV50 (STD) DIA.-72.00MM (3+1)	KUBOTA	RV50	72.00	OEM # 102000324000	
P021K13970142N	PISTON BARE W/O PIN KUBOTA RV60 (STD) DIA.-76.00MM (3+1)	KUBOTA	RV60	76.00		
P021K13980142N	PISTON BARE W/O PIN KUBOTA RV70 (STD) DIA.-80.00MM (3+1)	KUBOTA	RV70	80.00		
P021K13960142N	PISTON BARE W/O PIN KUBOTA RV80 (STD) DIA.-82.00MM (3+1)	KUBOTA	RV80	82.00		
P021K13990142N	PISTON BARE W/O PIN KUBOTA RV95 (STD) DIA.-86.00MM (3+1)	KUBOTA	RV95	86.00	OEM # 1070003403000	
P021K130000A6N	PISTON BARE W/O PIN KUBOTA (STD) DIA.-87.00MM (2+1) GRAPHITE COATING (LT)	KUBOTA		87.00MM		
P021K13050143N	PISTON BARE W/O PIN KUBOTA 6MG (STD) DIA.-145.00MM (3+2) DUAL ANTI-MAGNETIC ALFIN TYPE RING	KUBOTA	6MG	145.00		
P021K13A40139Y	PISTON BARE W/O PIN KUBOTA DC-60,DC-70 (STD) DIA.-87.00MM (2+1)	KUBOTA	DC-60,DC-70	87.00	OEM # 1G92421112	
P021K13070139N	PISTON BARE W/O PIN KUBOTA E60 (STD) DIA.-75.00MM (2+1)	KUBOTA	E60	75.00	OEM # 1553121110	
P021K13A60139Y	PISTON BARE W/O PIN KUBOTA E75 (7 H.P.) STD (DIA.-77.00MM) 2+1 (FULLY TIN PLATED)	KUBOTA	E75 (7 H.P.)	77.00	OEM # 1428621110 & 1428621112 (S36214)	
P021K13090143N	PISTON BARE W/O PIN KUBOTA ER-100 (STD) DIA.-110.00MM (3+2)	KUBOTA	ER-100	110.00		
P021K13130143N	PISTON BARE W/O PIN KUBOTA ER-40/GA-70 (STD) DIA.-75.00MM (3+2)	KUBOTA	ER-40/GA-70	75.00	OEM # 1444121111	
P021K13140142N	PISTON BARE W/O PIN KUBOTA ER-50/GA-80 (STD) DIA.-82.00MM (3+1)	KUBOTA	ER-50/GA-80	82.00		
P021K13140143N	PISTON BARE W/O PIN KUBOTA ER-50/GA-80 (STD) DIA.-82.00MM (3+2)	KUBOTA	ER-50/GA-80	82.00	OEM # 1435122221 & 1435121112	
P021K13170143N	PISTON BARE W/O PIN KUBOTA ER-65,GA-90/100 (STD) DIA.-90.00MM (3+2)	KUBOTA	ER-65,GA-90/100	90.00	OEM # 1430121112	
P021K13180143N	PISTON BARE W/O PIN KUBOTA ER-80 (STD) DIA.-100.00MM (3+2)	KUBOTA	ER-80	100.00		
P021K13200142N	PISTON BARE W/O PIN KUBOTA ET-110,ER-900,KND-105 (STD) DIA.-92.00MM (3+1)	KUBOTA	ET-110 / ER-900 / KND-105	92.00		
P021K13210142N	PISTON BARE W/O PIN KUBOTA ET-115 (STD) DIA.-94.00MM (3+1)	KUBOTA	ET-115	94.00		
P021K13220142N	PISTON BARE W/O PIN KUBOTA ET-70 (STD) DIA.-78.00MM (3+1)	KUBOTA	ET-70	78.00		
P021K13240142N	PISTON BARE W/O PIN KUBOTA ET-80/KND-80 (STD) DIA.-84.00MM (3+1)	KUBOTA	ET-80 / KND-80	84.00		
P021K13250142N	PISTON BARE W/O PIN KUBOTA ET-95 (STD) DIA.-86.00MM (3+1)	KUBOTA	ET-95	86.00		



# AECO ENGINEERING CO.



P021K13780142N	PISTON BARE W/O PIN KUBOTA EV2400,ER-22,ER-2200,KND-2200 (STD) DIA.-116.00MM (3+1)	KUBOTA	EV2400,ER-22,ER-2200,KND-2200	116.00	OEM # 1110010401000	
P021K13770142N	PISTON BARE W/O PIN KUBOTA EV2600,ER-25,ER-2500,KND-250 (STD) DIA.-118.00MM (3+1)	KUBOTA	EV2600,ER-25,ER-2500,KND-250	118.00	OEM # 1150010401001	
P021K13320143N	PISTON BARE W/O PIN KUBOTA GA-120 (STD) DIA.-75.00MM (3+2)	KUBOTA	GA-120	75.00		
P021K13350139N	PISTON BARE W/O PIN KUBOTA GS-200 (STD) DIA.-69.00MM (2+1)	KUBOTA	GS-200	69.00		
P021K13480142N	PISTON BARE W/O PIN KUBOTA KND-250,ER-25 (STD) DIA.-118.00MM (3+1)	KUBOTA	KND-250,ER-25	118.00		
P021K13490142N	PISTON BARE W/O PIN KUBOTA KND-2800 (STD) DIA.-142.00MM (3+1)	KUBOTA	KND-2800	142.00		
P021K13500143N	PISTON BARE W/O PIN KUBOTA KND-3 (STD) DIA.-68.00MM (3+2)	KUBOTA	KND-3	68.00		
P021K13380142N	PISTON BARE W/O PIN KUBOTA KND-3200 (GAS) STD (DIA.-150.00MM) 3+1	KUBOTA	KND-3200 (GAS)	150.00		
P021K13370142N	PISTON BARE W/O PIN KUBOTA KND-3200 (STD) DIA.-150.00MM (3+1)	KUBOTA	KND-3200	150.00	OEM # 1418121112	
P021K13390143N	PISTON BARE W/O PIN KUBOTA KND-40 (STD) DIA.-75.00MM (3+2)	KUBOTA	KND-40	75.00		
P021K13520143N	PISTON BARE W/O PIN KUBOTA KND-5.5 (STD) DIA.-85.00MM (3+2)	KUBOTA	KND-5.5	85.00		
P021K13530143N	PISTON BARE W/O PIN KUBOTA KND-5B (STD) DIA.-80.00MM (3+2)	KUBOTA	KND-5B	80.00	OEM # 1411221113	
P021K13410143N	PISTON BARE W/O PIN KUBOTA KND-70/ER-70/ER-75 (STD) DIA.-90.00MM (3+2)	KUBOTA	KND-70/ER-70/ER-75	90.00		
P021K13440143N	PISTON BARE W/O PIN KUBOTA KND-90/ER-90 (STD) DIA.-95.00MM (3+2)	KUBOTA	KND-90/ER-90	95.00		
P021K13580139N	PISTON BARE W/O PIN KUBOTA KS-160 (STD) DIA.-64.00MM (2+1)	KUBOTA	KS-160	64.00		
P021K13610143N	PISTON BARE W/O PIN KUBOTA L-1600 (GAS) STD (DIA.-120.00MM) 3+2	KUBOTA	L-1600 (GAS)	120.00		
P021K13A800A6N	PISTON BARE W/O PIN KUBOTA L-2002 (STD) DIA.-82.00MM (2+1) GRAPHITE COATING (LT)	KUBOTA	L-2002	82.00MM		
P021K13A900A6N	PISTON BARE W/O PIN KUBOTA L-2402 (STD) DIA.-85.00MM (2+1) GRAPHITE COATING (LT)	KUBOTA	L-2402	85.00MM		
P021K13620107N	PISTON BARE W/O PIN KUBOTA L-3001/L-2600 (0.50MM) 2+1 (STD DIA.-76.00MM)	KUBOTA	L-3001/L-2600	76.00		
P021K13620119N	PISTON BARE W/O PIN KUBOTA L-3001/L-2600 (1.00MM) 2+1 (STD DIA.-76.00MM)	KUBOTA	L-3001/L-2600	76.00		
P021K13620139N	PISTON BARE W/O PIN KUBOTA L-3001/L-2600 (STD) DIA.-76.00MM (2+1)	KUBOTA	L-3001/L-2600	76.00		

# AECO ENGINEERING CO.



P021K13670142N	PISTON BARE W/O PIN KUBOTA RD-45/RK-50 (STD) DIA.-72.00MM (3+1)	KUBOTA	RD-45/RK-50	72.00		
P021K13680142N	PISTON BARE W/O PIN KUBOTA RD-55/RK-60 (STD) DIA.-76.00MM (3+1)	KUBOTA	RD-55/RK-60	76.00		
P021K13690142N	PISTON BARE W/O PIN KUBOTA RD-65/RK-70 (STD) DIA.-80.00MM (3+1)	KUBOTA	RD-65/RK-70	80.00	OEM # 1113121111	
P021K13700142N	PISTON BARE W/O PIN KUBOTA RD-75/RK-80 (STD) DIA.-82.00MM (3+1)	KUBOTA	RD-75/RK-80	82.00	OEM # 111412111-0	
P021K13710142N	PISTON BARE W/O PIN KUBOTA RD-85/RK-95 (STD) DIA.-86.00MM (3+1)	KUBOTA	RD-85/RK-95	86.00		
P021K13720142N	PISTON BARE W/O PIN KUBOTA RK-105 (STD) DIA.-88.00MM (3+1)	KUBOTA	RK-105	88.00		
P021K13720183N	PISTON BARE W/O PIN KUBOTA RK-105 (STD) DIA.-88.00MM (3+1) FLAT TYPE	KUBOTA	RK-105	88.00		
P021K13730142N	PISTON BARE W/O PIN KUBOTA RK-125 (STD) DIA.-94.00MM (3+1)	KUBOTA	RK-125/E9	94.00		
P021K13730183N	PISTON BARE W/O PIN KUBOTA RK-125 (STD) DIA.-94.00MM (3+1) FLAT TYPE	KUBOTA	RK-125/E9	94.00		
P021K13A00142N	PISTON BARE W/O PIN KUBOTA RV105 (STD) DIA.-88.00MM (3+1)	KUBOTA	RV105	88.00	OEM # 108000340300 0	
P021K13740142N	PISTON BARE W/O PIN KUBOTA RV125-2 (STD) DIA.-94.00MM (3+1)	KUBOTA	RV125	94.00		VIKY DWG. # RV12503403
P021K13790143N	PISTON BARE W/O PIN KUBOTA RV145-2 (STD) DIA.-100.00MM (3+2)	KUBOTA	RV145	100.00	OEM # 133000340300 0	
P021K13840142N	PISTON BARE W/O PIN KUBOTA RV165,RV195 (STD) DIA.-110.00MM (3+1)	KUBOTA	RV165,RV195	110.00	OEM # 117001040110 0	
P021K13800142N	PISTON BARE W/O PIN KUBOTA RV165-2 (STD) DIA.-105.00MM (3+1)	KUBOTA	RV165	105.00	OEM # 125000340320 0	
P021K13870142Y	PISTON BARE W/O PIN KUBOTA RV320 (STD) DIA.-120.00MM (3+1)	KUBOTA	RV320	120.00		
P021K13A40142N	PISTON BARE W/O PIN KUBOTA RV320,RV325 (VIKY) STD (DIA.-120.00MM) 3+1	KUBOTA	RV320,RV325	120.00		
P021K13950142N	PISTON BARE W/O PIN KUBOTA RV50 (STD) DIA.-72.00MM (3+1)	KUBOTA	RV50	72.00	OEM # 102000324000	
P021K13970142N	PISTON BARE W/O PIN KUBOTA RV60 (STD) DIA.-76.00MM (3+1)	KUBOTA	RV60	76.00		
P021K13980142N	PISTON BARE W/O PIN KUBOTA RV70 (STD) DIA.-80.00MM (3+1)	KUBOTA	RV70	80.00		
P021K13960142N	PISTON BARE W/O PIN KUBOTA RV80 (STD) DIA.-82.00MM (3+1)	KUBOTA	RV80	82.00		
P021K13990142N	PISTON BARE W/O PIN KUBOTA RV95 (STD) DIA.-86.00MM (3+1)	KUBOTA	RV95	86.00	OEM # 107000340300 0	
P021L04110139N	PISTON BARE W/O PIN LEYLAND 410,411,420 (STD) DIA.-107.226MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	LEYLAND	410,411,420	107.226		AE # A350394

P021L04110139N	PISTON BARE W/O PIN LEYLAND 410,411,420 (STD) DIA.-107.226MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	LEYLAND	410,411,420	107.226		AE # A350394
P021L05010142N	PISTON BARE W/O PIN LIAZ M1.2 A-MS 634 TO MS 635 (STD) DIA.-130.00MM (3+1) PIN O.D.-45.00MM	LIAZ	MS 634 TO MS 635 (M1.2 A)	130.00		
P021L05020139N	PISTON BARE W/O PIN LIAZ MS 636D (AN) STD (DIA.-130.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING) PIN O.D.-50.00MM	LIAZ	MS 636D (AN)	130.00		KS # 94617600 (130/015)
P021L05050139Y	PISTON BARE W/O PIN LIAZ MS 637 TO MS 640 (STD) DIA.-130.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (PIN O.D.-45.00MM)	LIAZ	MS 637 TO MS 640	130.00		KS # 93373600
P021L05030139N	PISTON BARE W/O PIN LIAZ MS 637 TO MS 640 (STD) DIA.-130.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (PIN O.D.-50.00MM)	LIAZ	MS 637 TO MS 640	130.00		KS # 94616600 (130/016)
P021L05010142N	PISTON BARE W/O PIN LIAZ M1.2 A-MS 634 TO MS 635 (STD) DIA.-130.00MM (3+1) PIN O.D.-45.00MM	LIAZ	MS 634 TO MS 635 (M1.2 A)	130.00		
P021L05020139N	PISTON BARE W/O PIN LIAZ MS 636D (AN) STD (DIA.-130.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING) PIN O.D.-50.00MM	LIAZ	MS 636D (AN)	130.00		KS # 94617600 (130/015)
P021L05050139Y	PISTON BARE W/O PIN LIAZ MS 637 TO MS 640 (STD) DIA.-130.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (PIN O.D.-45.00MM)	LIAZ	MS 637 TO MS 640	130.00		KS # 93373600
P021L05030139N	PISTON BARE W/O PIN LIAZ MS 637 TO MS 640 (STD) DIA.-130.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (PIN O.D.-50.00MM)	LIAZ	MS 637 TO MS 640	130.00		KS # 94616600 (130/016)
P021L07250240N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) A/C (STD) DIA.-120.00MM (2+2) C.I. PISTON	LISTER	10/1 (10 H.P.)	120.00		
P021L07020143N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) STD (DIA.-120.00MM) 3+2	LISTER	10/1 (10 H.P.)	120.00		
P021L07020243N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) STD (DIA.-120.00MM) 3+2 (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		
P021L07020244N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) STD (DIA.-120.00MM) 4+1 (C.I. PISTON) 3.370 Kg.	LISTER	10/1 (10 H.P.)	120.00		
P021L07290243N	PISTON BARE W/O PIN LISTER 12 H.P. (1 CYL.) STD (DIA.-127.00MM) 3+2 (C.I. PISTON)	LISTER	12 H.P.	127.00		
P021L07290143N	PISTON BARE W/O PIN LISTER 12 H.P. (1 CYL.) STD (DIA.-127.00MM) 3+2 (FLAT TYPE)	LISTER	12 H.P.	127.00		
P021L07010143N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) STD (DIA.-114.30MM) 3+2	LISTER	6/1 (6 H.P.)	114.30		

P021L07010243N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) STD (DIA.-114.30MM) 3+2 (C.I. PISTON) 3.190 Kg.	LISTER	6/1 (6 H.P.)	114.30		
P021L07010244N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) STD (DIA.-114.30MM) 4+1 (C.I. PISTON) 3.200 Kg	LISTER	6/1 (6 H.P.)	114.30		
P021L07050181N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+1 (BLACK FINISH)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050146N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+1 (TAIWAN TYPE) ALU. PISTON WT.-1310 gms.	LISTER	8/1 (8 H.P.)	114.30		
P021L07050143N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+2 (SPECIAL TYPE)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050142N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+1	LISTER	8/1 (8 H.P.)	114.30		
P021L07060142N	PISTON BARE W/O PIN LISTER 9/1 & JP (STD) DIA.-114.30MM (3+1)	LISTER	9/1 & JP	114.30		
P021L07070144N	PISTON BARE W/O PIN LISTER CD,CE (STD) DIA.-114.30MM (4+1)	LISTER	CD,CE	114.30		
P021L07090143N	PISTON BARE W/O PIN LISTER FR (STD) DIA.-95.25MM (3+2)	LISTER	FR	95.25		
P021L07100143N	PISTON BARE W/O PIN LISTER HA (STD) DIA.-101.60MM (3+2)	LISTER	HA	101.60	OEM # 57210191 & 57210192 (STD)	AE # 234415
P021L07120143N	PISTON BARE W/O PIN LISTER HR (GAS) STD (DIA.-108.00MM) 3+2	LISTER	HR (GAS)	108.00		
P021L07110143N	PISTON BARE W/O PIN LISTER HR (STD) DIA.-107.95MM (3+2)	LISTER	HR	108.00		
P021L07150139N	PISTON BARE W/O PIN LISTER LPW-4A (STD) DIA.-86.00MM (2+1) W/O STEEL STRIP	LISTER	LPW-4A	86.00	OEM # 75140545	
P021L07150177N	PISTON BARE W/O PIN LISTER LPW-4A (STD) DIA.-86.00MM (2+1) WITH INSIDE STEEL STRIP	LISTER	LPW-4A	86.00	OEM # 75142670	
P021L07160143N	PISTON BARE W/O PIN LISTER LR (STD) DIA.-76.20MM (3+2)	LISTER	LR	76.20		
P021L07170140N	PISTON BARE W/O PIN LISTER LT (STD) DIA.-82.55MM (2+2)	LISTER	LT	82.55		
P021L07180143N	PISTON BARE W/O PIN LISTER SL (STD) DIA.-80.96MM (3+2)	LISTER	SL	80.96		
P021L07190143N	PISTON BARE W/O PIN LISTER SR (STD) DIA.-88.90MM (3+2)	LISTER	SR	88.90		
P021L07200143N	PISTON BARE W/O PIN LISTER ST,TS (STD) DIA.-95.25MM (3+2)	LISTER	ST,TS	95.25		
P021L07210139N	PISTON BARE W/O PIN LISTER TL,TR (STD) DIA.-98.425MM (2+1)	LISTER	TL,TR	98.425	OEM # 57033360	
P021L07020205N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) 0.010" (4+1) STD DIA.-120.00MM (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		
P021L07020216N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) 0.030" (3+2) STD DIA.-120.00MM (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		
P021L07020217N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) 0.030" (4+1) STD DIA.-120.00MM (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		

P021L07020223N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) 0.040" (4+1) STD DIA.-120.00MM (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		
P021L07020229N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) 0.050" (4+1) STD DIA.-120.00MM (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		
P021L07020235N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) 0.060" (4+1) STD DIA.-120.00MM (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		
P021L07250240N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) A/C (STD) DIA.-120.00MM (2+2) C.I. PISTON	LISTER	10/1 (10 H.P.)	120.00		
P021L07020143N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) STD (DIA.-120.00MM) 3+2	LISTER	10/1 (10 H.P.)	120.00		
P021L07020243N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) STD (DIA.-120.00MM) 3+2 (C.I. PISTON)	LISTER	10/1 (10 H.P.)	120.00		
P021L07020244N	PISTON BARE W/O PIN LISTER 10/1 (10 H.P.) STD (DIA.-120.00MM) 4+1 (C.I. PISTON) 3.370 Kg.	LISTER	10/1 (10 H.P.)	120.00		
P021L07290243N	PISTON BARE W/O PIN LISTER 12 H.P. (1 CYL.) STD (DIA.-127.00MM) 3+2 (C.I. PISTON)	LISTER	12 H.P.	127.00		
P021L07290143N	PISTON BARE W/O PIN LISTER 12 H.P. (1 CYL.) STD (DIA.-127.00MM) 3+2 (FLAT TYPE)	LISTER	12 H.P.	127.00		
P021L07010205N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.010" (C.I. PISTON) 4+1 (STD DIA.-114.30MM)	LISTER	6/1 (6 H.P.)	114.30		
P021L07010110N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.020" (3+2) STD DIA.-114.30MM	LISTER	6/1 (6 H.P.)	114.30		
P021L07010211N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.020" (C.I. PISTON) 4+1 (STD DIA.-114.30MM)	LISTER	6/1 (6 H.P.)	114.30		
P021L07010217N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.030" (C.I. PISTON) 4+1 (STD DIA.-114.30MM)	LISTER	6/1 (6 H.P.)	114.30		
P021L07010122N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.040" (3+2) STD DIA.-114.30MM	LISTER	6/1 (6 H.P.)	114.30		
P021L07010223N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.040" (C.I. PISTON) 4+1 (STD DIA.-114.30MM)	LISTER	6/1 (6 H.P.)	114.30		
P021L07010229N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.050" (C.I. PISTON) 4+1 (STD DIA.-114.30MM)	LISTER	6/1 (6 H.P.)	114.30		
P021L07010235N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) 0.060" (C.I. PISTON) 4+1 (STD DIA.-114.30MM)	LISTER	6/1 (6 H.P.)	114.30		
P021L07010143N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) STD (DIA.-114.30MM) 3+2	LISTER	6/1 (6 H.P.)	114.30		
P021L07010243N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) STD (DIA.-114.30MM) 3+2 (C.I. PISTON) 3.190 Kg.	LISTER	6/1 (6 H.P.)	114.30		
P021L07010244N	PISTON BARE W/O PIN LISTER 6/1 (6 H.P.) STD (DIA.-114.30MM) 4+1 (C.I. PISTON) 3.200 Kg.	LISTER	6/1 (6 H.P.)	114.30		



P021L07050103N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.010" (3+1) STD DIA.-114.30MM	LISTER	8/1 (8 H.P.)	114.30		
P021L07050109N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.020" (3+1) STD DIA.-114.30MM	LISTER	8/1 (8 H.P.)	114.30		
P021L07050148N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.020" (3+1) STD DIA.-114.30MM (TAIWAN TYPE)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050115N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.030" (3+1) STD DIA.-114.30MM	LISTER	8/1 (8 H.P.)	114.30		
P021L07050149N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.030" (3+1) STD DIA.-114.30MM (TAIWAN TYPE)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050121N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.040" (3+1) STD DIA.-114.30MM	LISTER	8/1 (8 H.P.)	114.30		
P021L07050150N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.040" (3+1) STD DIA.-114.30MM (TAIWAN TYPE)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050122N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.040" (3+2) STD DIA.-114.30MM (SPECIAL TYPE)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050127N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.050" (3+1) STD DIA.-114.30MM	LISTER	8/1 (8 H.P.)	114.30		
P021L07050133N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.060" (3+1) STD DIA.-114.30MM	LISTER	8/1 (8 H.P.)	114.30		
P021L07050152N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) 0.060" (3+1) STD DIA.-114.30MM (TAIWAN TYPE)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050181N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+1 (BLACK FINISH)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050146N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+1 (TAIWAN TYPE) ALU. PISTON WT.-1310 gms.	LISTER	8/1 (8 H.P.)	114.30		
P021L07050143N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+2 (SPECIAL TYPE)	LISTER	8/1 (8 H.P.)	114.30		
P021L07050142N	PISTON BARE W/O PIN LISTER 8/1 (8 H.P.) STD (DIA.-114.30MM) 3+1	LISTER	8/1 (8 H.P.)	114.30		
P021L07060142N	PISTON BARE W/O PIN LISTER 9/1 & JP (STD) DIA.-114.30MM (3+1)	LISTER	9/1 & JP	114.30		
P021L07070144N	PISTON BARE W/O PIN LISTER CD,CE (STD) DIA.-114.30MM (4+1)	LISTER	CD,CE	114.30		
P021L07090143N	PISTON BARE W/O PIN LISTER FR (STD) DIA.-95.25MM (3+2)	LISTER	FR	95.25		
P021L07100104N	PISTON BARE W/O PIN LISTER HA (0.010") 3+2 (STD DIA.-101.60MM)	LISTER	HA	101.60	OEM # 57210191 & 57210192 (0.010")	AE # 234415
P021L07100110N	PISTON BARE W/O PIN LISTER HA (0.020") 3+2 (STD DIA.-101.60MM)	LISTER	HA	101.60	OEM # 57210191 & 57210192 (0.020")	AE # 234415

# AECO ENGINEERING CO.



P021L07100116N	PISTON BARE W/O PIN LISTER HA (0.030") 3+2 (STD DIA.-101.60MM)	LISTER	HA	101.60	OEM # 57210191 & 57210192 (0.030")	AE # 234415
P021L07100122N	PISTON BARE W/O PIN LISTER HA (0.040") 3+2 (STD DIA.-101.60MM)	LISTER	HA	101.60	OEM # 57210191 & 57210192 (0.040")	AE # 234415
P021L07100134N	PISTON BARE W/O PIN LISTER HA (0.060") 3+2 (STD DIA.-101.60MM)	LISTER	HA	101.60	OEM # 57210191 & 57210192 (0.060")	AE # 234415
P021L07100143N	PISTON BARE W/O PIN LISTER HA (STD) DIA.-101.60MM (3+2)	LISTER	HA	101.60	OEM # 57210191 & 57210192 (STD)	AE # 234415
P021L07110104N	PISTON BARE W/O PIN LISTER HR (0.010") 3+2 (STD DIA.-107.95MM)	LISTER	HR	108.00		
P021L07110110N	PISTON BARE W/O PIN LISTER HR (0.020") 3+2 (STD DIA.-107.95MM)	LISTER	HR	108.00		
P021L07110116N	PISTON BARE W/O PIN LISTER HR (0.030") 3+2 (STD DIA.-107.95MM)	LISTER	HR	108.00		
P021L07110122N	PISTON BARE W/O PIN LISTER HR (0.040") 3+2 (STD DIA.-107.95MM)	LISTER	HR	108.00		
P021L07110134N	PISTON BARE W/O PIN LISTER HR (0.060") 3+2 (STD DIA.-107.95MM)	LISTER	HR	108.00		
P021L07120143N	PISTON BARE W/O PIN LISTER HR (GAS) STD (DIA.-108.00MM) 3+2	LISTER	HR (GAS)	108.00		
P021L07110143N	PISTON BARE W/O PIN LISTER HR (STD) DIA.-107.95MM (3+2)	LISTER	HR	108.00		
P021L07150101N	PISTON BARE W/O PIN LISTER LPW-4A (0.010") DIA.-86.00MM (2+1) WITH INSIDE STEEL STRIP	LISTER	LPW-4A	86.00	OEM#75142670	
P021L07150102N	PISTON BARE W/O PIN LISTER LPW-4A (0.020") DIA.-86.00MM (2+1) WITH INSIDE STEEL STRIP	LISTER	LPW-4A	86.00	OEM # 75142670	
P021L07150103N	PISTON BARE W/O PIN LISTER LPW-4A (0.030") DIA.-86.00MM (2+1) WITH INSIDE STEEL STRIP	LISTER	LPW-4A	86.00	OEM # 75142670	
P021L07150139N	PISTON BARE W/O PIN LISTER LPW-4A (STD) DIA.-86.00MM (2+1) W/O STEEL STRIP	LISTER	LPW-4A	86.00	OEM # 75140545	
P021L07150177N	PISTON BARE W/O PIN LISTER LPW-4A (STD) DIA.-86.00MM (2+1) WITH INSIDE STEEL STRIP	LISTER	LPW-4A	86.00	OEM # 75142670	
P021L07160110N	PISTON BARE W/O PIN LISTER LR (0.020") 3+2 (STD DIA.-76.20MM)	LISTER	LR	76.20		
P021L07160122N	PISTON BARE W/O PIN LISTER LR (0.040") 3+2 (STD DIA.-76.20MM)	LISTER	LR	76.20		
P021L07160143N	PISTON BARE W/O PIN LISTER LR (STD) DIA.-76.20MM (3+2)	LISTER	LR	76.20		
P021L07170108N	PISTON BARE W/O PIN LISTER LT (0.020") 2+2 (STD DIA.-82.55MM)	LISTER	LT	82.55		
P021L07170114N	PISTON BARE W/O PIN LISTER LT (0.030") 2+2 (STD DIA.-82.55MM)	LISTER	LT	82.55		
P021L07170120N	PISTON BARE W/O PIN LISTER LT (0.040") 2+2 (STD DIA.-82.55MM)	LISTER	LT	82.55		
P021L07170132N	PISTON BARE W/O PIN LISTER LT (0.060") 2+2 (STD DIA.-82.55MM)	LISTER	LT	82.55		
P021L07170140N	PISTON BARE W/O PIN LISTER LT (STD) DIA.-82.55MM (2+2)	LISTER	LT	82.55		

P021L07180104N	PISTON BARE W/O PIN LISTER SL (0.010") 3+2 (STD DIA.-80.96MM)	LISTER	SL	80.96		
P021L07180110N	PISTON BARE W/O PIN LISTER SL (0.020") 3+2 (STD DIA.-80.96MM)	LISTER	SL	80.96		
P021L07180116N	PISTON BARE W/O PIN LISTER SL (0.030") 3+2 (STD DIA.-80.96MM)	LISTER	SL	80.96		
P021L07180122N	PISTON BARE W/O PIN LISTER SL (0.040") 3+2 (STD DIA.-80.96MM)	LISTER	SL	80.96		
P021L07180143N	PISTON BARE W/O PIN LISTER SL (STD) DIA.-80.96MM (3+2)	LISTER	SL	80.96		
P021L07190104N	PISTON BARE W/O PIN LISTER SR (0.010") 3+2 (STD DIA.-88.90MM)	LISTER	SR	88.90		
P021L07190110N	PISTON BARE W/O PIN LISTER SR (0.020") 3+2 (STD DIA.-88.90MM)	LISTER	SR	88.90		
P021L07190116N	PISTON BARE W/O PIN LISTER SR (0.030") 3+2 (STD DIA.-88.90MM)	LISTER	SR	88.90		
P021L07190122N	PISTON BARE W/O PIN LISTER SR (0.040") 3+2 (STD DIA.-88.90MM)	LISTER	SR	88.90		
P021L07190128N	PISTON BARE W/O PIN LISTER SR (0.050") 3+2 (STD DIA.-88.90MM)	LISTER	SR	88.90		
P021L07190143N	PISTON BARE W/O PIN LISTER SR (STD) DIA.-88.90MM (3+2)	LISTER	SR	88.90		
P021L07200104N	PISTON BARE W/O PIN LISTER ST,TS (0.010") 3+2 (STD DIA.-95.25MM)	LISTER	ST,TS	95.25		
P021L07200110N	PISTON BARE W/O PIN LISTER ST,TS (0.020") 3+2 (STD DIA.-95.25MM)	LISTER	ST,TS	95.25		
P021L07200116N	PISTON BARE W/O PIN LISTER ST,TS (0.030") 3+2 (STD DIA.-95.25MM)	LISTER	ST,TS	95.25		
P021L07200122N	PISTON BARE W/O PIN LISTER ST,TS (0.040") 3+2 (STD DIA.-95.25MM)	LISTER	ST,TS	95.25		
P021L07200134N	PISTON BARE W/O PIN LISTER ST,TS (0.060") 3+2 (STD DIA.-95.25MM)	LISTER	ST,TS	95.25		
P021L07200143N	PISTON BARE W/O PIN LISTER ST,TS (STD) DIA.-95.25MM (3+2)	LISTER	ST,TS	95.25		
P021L07210107N	PISTON BARE W/O PIN LISTER TL,TR (0.020") 2+1 (STD DIA.-98.425MM)	LISTER	TL,TR	98.425		
P021L07210139N	PISTON BARE W/O PIN LISTER TL,TR (STD) DIA.-98.425MM (2+1)	LISTER	TL,TR	98.425	OEM # 57033360	
P021L08150139N	PISTON BARE W/O PIN LOMBARDINI 12LD 435 (STD) DIA.-86.00MM (2+1)	LOMBARDI NI	12LD 435	86.00		
P021L08200139N	PISTON BARE W/O PIN LOMBARDINI APE (INDIAN MODEL) STD (DIA.-86.00MM) 2+1	LOMBARDI NI	APE	86.00		
P021L08090142N	PISTON BARE W/O PIN LOMBARDINI LDA 100 (STD) DIA.-100.00MM (3+1)	LOMBARDI NI	LDA 100	100.00		
P021L08030142N	PISTON BARE W/O PIN LOMBARDINI LDA 325 (520/522/523) STD (DIA.-78.00MM) 3+1	LOMBARDI NI	LDA 325 (520/522/523)	78.00		

P021L08170142N	PISTON BARE W/O PIN LOMBARDINI LDA 325 (520/522/523) STD (DIA.- 78.00MM) 3+1 (W/O STEEL STRIP- INDIAN MODEL)	LOMBARDI NI	LDA 325 (520/522/5 23)	78.00		
P021L08190142N	PISTON BARE W/O PIN LOMBARDINI LDA 360 (530/532/533) STD (DIA.- 82.00MM) 3+1 (W/O STEEL STRIP- INDIAN MODEL)	LOMBARDI NI	LDA 360 (530/532/5 33)	82.00		
P021L08040142N	PISTON BARE W/O PIN LOMBARDINI LDA 450 (STD) DIA.-85.00MM (3+1) PISTON TL.-90MM	LOMBARDI NI	LDA 450	85.00		
P021L08070142N	PISTON BARE W/O PIN LOMBARDINI LDA 510 (STD) DIA.-85.00MM (3+1) PISTON TL.-85MM	LOMBARDI NI	LDA 510	85.00		
P021L08120142N	PISTON BARE W/O PIN LOMBARDINI LDA 672,LDA 673,LDA 674 (STD) DIA.- 95.00MM (3+1)	LOMBARDI NI	LDA 672,LDA 673,LDA 674	95.00		
P021L08180142N	PISTON BARE W/O PIN LOMBARDINI LDA 80 (STD) DIA.-80.00MM (3+1) W/O STEEL STRIP - INDIAN MODEL	LOMBARDI NI	LDA 80	80.00		
P021L08100142N	PISTON BARE W/O PIN LOMBARDINI LDA 80 (STD) DIA.-80.00MM (3+1) WITH INSIDE STEEL STRIP	LOMBARDI NI	LDA 80	80.00		
P021L08110142N	PISTON BARE W/O PIN LOMBARDINI LDA 820 (STD) DIA.-102.00MM (3+1)	LOMBARDI NI	LDA 820	102.00		
P021L08150107N	PISTON BARE W/O PIN LOMBARDINI 12LD 435 (0.50MM) 2+1 (STD DIA.- 86.00MM)	LOMBARDI NI	12LD 435	86.00		
P021L08150119N	PISTON BARE W/O PIN LOMBARDINI 12LD 435 (1.00MM) 2+1 (STD DIA.- 86.00MM)	LOMBARDI NI	12LD 435	86.00		
P021L08150139N	PISTON BARE W/O PIN LOMBARDINI 12LD 435 (STD) DIA.-86.00MM (2+1)	LOMBARDI NI	12LD 435	86.00		
P021L08200139N	PISTON BARE W/O PIN LOMBARDINI APE (INDIAN MODEL) STD (DIA.- 86.00MM) 2+1	LOMBARDI NI	APE	86.00		
P021L08090109N	PISTON BARE W/O PIN LOMBARDINI LDA 100 (0.50MM) STD DIA.-100.00MM (3+1)	LOMBARDI NI	LDA 100	100.00		
P021L08090142N	PISTON BARE W/O PIN LOMBARDINI LDA 100 (STD) DIA.-100.00MM (3+1)	LOMBARDI NI	LDA 100	100.00		
P021L08030109N	PISTON BARE W/O PIN LOMBARDINI LDA 325 (520/522/523) 0.50MM (3+1) STD DIA.-78.00MM	LOMBARDI NI	LDA 325 (520/522/5 23)	78.00		
P021L08170109N	PISTON BARE W/O PIN LOMBARDINI LDA 325 (520/522/523) 0.50MM (3+1) STD DIA.-78.00MM (W/O STEEL STRIP- INDIAN MODEL)	LOMBARDI NI	LDA 325 (520/522/5 23)	78.00		

# AECO ENGINEERING CO.



P021L08030142N	PISTON BARE W/O PIN LOMBARDINI LDA 325 (520/522/523) STD (DIA.- 78.00MM) 3+1	LOMBARDI NI	LDA 325 (520/522/523)	78.00		
P021L08170142N	PISTON BARE W/O PIN LOMBARDINI LDA 325 (520/522/523) STD (DIA.- 78.00MM) 3+1 (W/O STEEL STRIP- INDIAN MODEL)	LOMBARDI NI	LDA 325 (520/522/523)	78.00		
P021L08190142N	PISTON BARE W/O PIN LOMBARDINI LDA 360 (530/532/533) STD (DIA.- 82.00MM) 3+1 (W/O STEEL STRIP- INDIAN MODEL)	LOMBARDI NI	LDA 360 (530/532/533)	82.00		
P021L08040103N	PISTON BARE W/O PIN LOMBARDINI LDA 450 (0.25MM) 3+1 (STD DIA.- 85.00MM) PISTON TL.-90MM	LOMBARDI NI	LDA 450	85.00		
P021L08040109N	PISTON BARE W/O PIN LOMBARDINI LDA 450 (0.50MM) 3+1 (STD DIA.- 85.00MM) PISTON TL.-90MM	LOMBARDI NI	LDA 450	85.00		
P021L08040121N	PISTON BARE W/O PIN LOMBARDINI LDA 450 (1.00MM) 3+1 (STD DIA.- 85.00MM) PISTON TL.-90MM	LOMBARDI NI	LDA 450	85.00		
P021L08040142N	PISTON BARE W/O PIN LOMBARDINI LDA 450 (STD) DIA.-85.00MM (3+1) PISTON TL.-90MM	LOMBARDI NI	LDA 450	85.00		
P021L08070103N	PISTON BARE W/O PIN LOMBARDINI LDA 510 (0.25MM) 3+1 (STD DIA.- 85.00MM) PISTON TL.-85MM	LOMBARDI NI	LDA 510	85.00		
P021L08070109N	PISTON BARE W/O PIN LOMBARDINI LDA 510 (0.50MM) 3+1 (STD DIA.- 85.00MM) PISTON TL.-85MM	LOMBARDI NI	LDA 510	85.00		
P021L08070121N	PISTON BARE W/O PIN LOMBARDINI LDA 510 (1.00MM) 3+1 (STD DIA.- 85.00MM) PISTON TL.-85MM	LOMBARDI NI	LDA 510	85.00		
P021L08070142N	PISTON BARE W/O PIN LOMBARDINI LDA 510 (STD) DIA.-85.00MM (3+1) PISTON TL.-85MM	LOMBARDI NI	LDA 510	85.00		
P021L08120109N	PISTON BARE W/O PIN LOMBARDINI LDA 672,LDA 673,LDA 674 (0.50MM) STD DIA.-95.00MM (3+1)	LOMBARDI NI	LDA 672,LDA 673,LDA 674	95.00		
P021L08120121N	PISTON BARE W/O PIN LOMBARDINI LDA 672,LDA 673,LDA 674 (1.00MM) STD DIA.-95.00MM (3+1)	LOMBARDI NI	LDA 672,LDA 673,LDA 674	95.00		
P021L08120142N	PISTON BARE W/O PIN LOMBARDINI LDA 672,LDA 673,LDA 674 (STD) DIA.- 95.00MM (3+1)	LOMBARDI NI	LDA 672,LDA 673,LDA 674	95.00		
P021L08180142N	PISTON BARE W/O PIN LOMBARDINI LDA 80 (STD) DIA.-80.00MM (3+1) W/O STEEL STRIP - INDIAN MODEL	LOMBARDI NI	LDA 80	80.00		



# AECO ENGINEERING CO.



P021L08100142N	PISTON BARE W/O PIN LOMBARDINI LDA 80 (STD) DIA.-80.00MM (3+1) WITH INSIDE STEEL STRIP	LOMBARDINI	LDA 80	80.00		
P021L08110109N	PISTON BARE W/O PIN LOMBARDINI LDA 820 (0.50MM) 3+1 (STD DIA.-102.00MM)	LOMBARDINI	LDA 820	102.00		
P021L08110121N	PISTON BARE W/O PIN LOMBARDINI LDA 820 (1.00MM) 3+1 (STD DIA.-102.00MM)	LOMBARDINI	LDA 820	102.00		
P021L08110142N	PISTON BARE W/O PIN LOMBARDINI LDA 820 (STD) DIA.-102.00MM (3+1)	LOMBARDINI	LDA 820	102.00		
P021M02000339Y	PISTON BARE W/O PIN MACK (STD) DIA.-123.825MM (2+1) EN-19 + ALUMINIUM BODY	MACK		123.825		
P021M02000339Y	PISTON BARE W/O PIN MACK (STD) DIA.-123.825MM (2+1) EN-19 + ALUMINIUM BODY	MACK		123.825		
P021M20070242N	PISTON BARE W/O PIN MAD 76-46 (STD) DIA.-127.00MM (3+1) C.I. PISTON	MAD	76-46	127.00		
P021M20080244N	PISTON BARE W/O PIN MAD 79-66 (STD) DIA.-146.05MM (4+1) C.I. PISTON	MAD	79-66	146.05		
P021M20070242N	PISTON BARE W/O PIN MAD 76-46 (STD) DIA.-127.00MM (3+1) C.I. PISTON	MAD	76-46	127.00		
P021M20080244N	PISTON BARE W/O PIN MAD 79-66 (STD) DIA.-146.05MM (4+1) C.I. PISTON	MAD	79-66	146.05		
P021M03000139N	PISTON BARE W/O PIN MAHINDRA (STD) DIA.-94.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING GROOVE	MAHINDRA		94.00	OEM # 022553 & 023128	GOETZE # 94215014
P021M03000139N	PISTON BARE W/O PIN MAHINDRA (STD) DIA.-94.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING GROOVE	MAHINDRA		94.00	OEM # 022553 & 023128	GOETZE # 94215014
P021M04010144N	PISTON BARE W/O PIN MAN 17.5/22A (STD) DIA.-175.00MM (4+1)	MAN	17.5/22A	175.00		
P021M04130139N	PISTON BARE W/O PIN MAN D2866 (STD) DIA.-128.00MM (2+1) ALFIN TYPE	MAN	D2866	128.00		MAHLE # 2290400 (128L74) & KS # 94850600 (128053)
P021M04150182Y	PISTON BARE W/O PIN MAN D3256 (STD) DIA.-132.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING (SINGLE SLOT)	MAN	D3256	132.00		KS # 92301600 (91564), KS CASTING # 132004 & MAHLE CASTING # 132L4
P021M04150143N	PISTON BARE W/O PIN MAN D3256 (STD) DIA.-132.00MM (3+2) FULLY TIN PLATED WITH ANTI-MAGNETIC ALFIN TYPE RING (2 SLOT)	MAN	D3256	132.00		KS # 92301600 (91564), KS CASTING # 132004 & MAHLE CASTING # 132L4
P021M04010144N	PISTON BARE W/O PIN MAN 17.5/22A (STD) DIA.-175.00MM (4+1)	MAN	17.5/22A	175.00		

P021M04130139N	PISTON BARE W/O PIN MAN D2866 (STD) DIA.-128.00MM (2+1) ALFIN TYPE	MAN	D2866	128.00		MAHLE # 2290400 (128L74) & KS # 94850600 (128053)
P021M04150182Y	PISTON BARE W/O PIN MAN D3256 (STD) DIA.-132.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING (SINGLE SLOT)	MAN	D3256	132.00		KS # 92301600 (91564), KS CASTING # 132004 & MAHLE CASTING # 132L4
P021M04150143N	PISTON BARE W/O PIN MAN D3256 (STD) DIA.-132.00MM (3+2) FULLY TIN PLATED WITH ANTI-MAGNETIC ALFIN TYPE RING (2 SLOT)	MAN	D3256	132.00		KS # 92301600 (91564), KS CASTING # 132004 & MAHLE CASTING # 132L4
MARUTi00066	PISTON BARE W/O PIN MARUTI/SUZUKI ALTO (OEM # 12111M84400)	MARUTI/SUZUKI	ALTO		OEM # 12111M84400	
MARUTi00045	PISTON BARE W/O PIN MARUTI/SUZUKI ALTO (STD) DIA.-72.00MM (2+1) OEM # 12111M72F00/50	MARUTI/SUZUKI	ALTO	72.00	OEM # 12111M72F00/50	
MARUTi00066	PISTON BARE W/O PIN MARUTI/SUZUKI ALTO (OEM # 12111M84400)	MARUTI/SUZUKI	ALTO		OEM # 12111M84400	
MARUTi00045	PISTON BARE W/O PIN MARUTI/SUZUKI ALTO (STD) DIA.-72.00MM (2+1) OEM # 12111M72F00/50	MARUTI/SUZUKI	ALTO	72.00	OEM # 12111M72F00/50	
P021P03000143Y	PISTON BARE W/O PIN PERKINS (STD) DIA.-98.476MM (3+2)	MASSEY FERGUSON \ PERKINS		98.476		
P021P03650139Y	PISTON BARE W/O PIN PERKINS 1103A-33,1104 (STD) DIA.-105.00MM (2+1) RING WIDTH = 2.50+2.50+3.50	MASSEY FERGUSON \ PERKINS	1103A-33,1104	105.00	OEM # 4115P011	BEPCO # 30/32-606 & KONEKS # 228150
P021P03660139Y	PISTON BARE W/O PIN PERKINS 1103A-33T,1104T (STD) DIA.-105.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (RING WIDTH = 3.50T+2.50+3.50)	MASSEY FERGUSON \ PERKINS	1103A-33T,1104T	105.00	OEM # 4115P015 & 3135M111	KONEKS # 228140
P021P03010142N	PISTON BARE W/O PIN PERKINS 3.152,MF-240 (STD) DIA.-91.49MM (3+1) CAVITY TYPE	MASSEY FERGUSON \ PERKINS	3.152,MF-240	91.49		YENMAK # 1834000
P021P03340143N	PISTON BARE W/O PIN PERKINS 3.152/4.203/6.305 (STD) DIA.-91.49MM (3+2) FLAT TYPE (AE # 408105V1)	MASSEY FERGUSON \ PERKINS	3.152/4.203/6.305	91.49	OEM # 31354321	AE # 408105V1 & RP65716
P021P03010153N	PISTON BARE W/O PIN PERKINS 3.152/4.203/6.305 OR FORD (STD) DIA.-91.49MM (3+2) FLAT TYPE	MASSEY FERGUSON \ PERKINS	3.152/4.203/6.305	91.49	OEM # 734460M91,960 E6102B,818038 66,731684M91, 734459M91,733 147M91,82136, 59155,81874, 31354322 & 81512	AE # 408108
P021P03020144N	PISTON BARE W/O PIN PERKINS 4.108 (STD) DIA.-79.375MM (4+1)	MASSEY FERGUSON \ PERKINS	4.108	79.375		AE # 516003V2

# AECO ENGINEERING CO.



P021P03240039N	PISTON BARE W/O PIN PERKINS 4.236 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (PISTON PIN O.D.-34.925MM)	MASSEY FERGUSON \ PERKINS	4.236	98.476	OEM # U5LP0011 & 68809	EMMARK # EM5187
P021P03240143N	PISTON BARE W/O PIN PERKINS 4.236 (STD) DIA.-98.476MM (3+2) CAVITY TYPE (AE # 350338)	MASSEY FERGUSON \ PERKINS	4.236	98.476	OEM # U5LP0035, 3637516M91, 31354357, 7701031580, 2100007, VPB2450, 743111M91, 743110M91 & 68301	BEPCO # 30/33-69, AE # 350338 & EMMARK # EM255
P021P03240168Y	PISTON BARE W/O PIN PERKINS 4.236,MF-265 (STD) DIA.-98.476MM (3+2) CAVITY TYPE (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (AFG)	MASSEY FERGUSON \ PERKINS	4.236,MF-245	98.476	OEM # U5LP0035, 3637516M91, 31354357, 7701031580, 2100007, VPB2450, 743111M91, 743110M91 & 68301	BEPCO # 30/33-69, ATS # 1651946, AE # 350338 & EMMARK # EM255
P021P03030139Y	PISTON BARE W/O PIN PERKINS 4.248 (STD) DIA.-101.05MM (2+1)	MASSEY FERGUSON \ PERKINS	4.248	101.05	OEM # U5LP0009, 6005000937 & 747050M91	BEPCO # 30/33-57
P021P03030142N	PISTON BARE W/O PIN PERKINS 4.248 (STD) DIA.-101.05MM (3+1) OR JCB OR IMT	MASSEY FERGUSON \ PERKINS	4.248	101.05	OEM # 02100267, 31354092, 801190, 739193M91, 86940, 41158038, 740821M91 & 89207	SPAREX # S.40411, AE # 350322, RP65715 & BEPCO # 30/33-13
P021P03030171Y	PISTON BARE W/O PIN PERKINS 4.248 (STD) DIA.-101.05MM (3+1) WITH INSIDE STEEL STRIP (AFG)	MASSEY FERGUSON \ PERKINS	4.248	101.05		NURAL # 8671753 (STD) AF
P021P03030143N	PISTON BARE W/O PIN PERKINS 4.248 OR MASSEY FERGUSON MF-178/185/188 (STD) DIA.-101.05MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING (SYR)	MASSEY FERGUSON \ PERKINS	4.248,MF-178/185/188	101.05	OEM # 02100267, 31354092, 801190, 739193M91, 86940, 41158038, 740821M91 & 89207 (SYR)	BEPCO # 33-13AL
P021P03640139Y	PISTON BARE W/O PIN PERKINS 400 SERIES (404D-22) STD (DIA.-84.00MM) 2+1	MASSEY FERGUSON \ PERKINS	400 SERIES (404D-22)	84.00	OEM # 115017491	KONEKS # 227410
P021P03370043N	PISTON BARE W/O PIN PERKINS 6.354 (STD) DIA.-98.476MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING (PISTON PIN O.D.-34.925MM)	MASSEY FERGUSON \ PERKINS	6.354	98.476	OEM # 86745 & 3637280M91	EMMARK # EM722 & BEPCO # 30/33-24

# AECO ENGINEERING CO.



P021P03560143Y	PISTON BARE W/O PIN PERKINS 6.354,PHASE-2 (STD) DIA.-98.476MM (3+2) PISTON PIN O.D.-34.925MM (FULLY TIN PLATED PISTON) ANTI-MAGNETIC ALFIN TYPE RING	MASSEY FERGUSON \ PERKINS	6.354,PHAS E-2	98.476	OEM # 35423	MORESA # 706
P021P03230142N	PISTON BARE W/O PIN PERKINS A-4.212 (STD) DIA.-98.48MM (3+1)	MASSEY FERGUSON \ PERKINS	A-4.212	98.476	OEM # 31354812, 738249M91 & 86721	AE # 350018V1, EMMARK # EM1254 & BEPCO # 30/33-9
P021P03260139N	PISTON BARE W/O PIN PERKINS A6.354.4 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (G. PIN O.D.-34.925MM)	MASSEY FERGUSON \ PERKINS	A6.354.4	98.476	OEM # U5LP0021, U5LP0019, 748266M91, 747541M91, 02100248, 68393, VPB2180, VPB2190 & U5LP0014	BEPCO # 30/33-77
P021P03590154N	PISTON BARE W/O PIN PERKINS AD-4.236 (STD) DIA.-98.476MM (3+2) CAVITY TYPE	MASSEY FERGUSON \ PERKINS	AD-4.236	98.476		
P021P03530139N	PISTON BARE W/O PIN PERKINS AT4.236 (STD) DIA.-98.476MM (2+1)	MASSEY FERGUSON \ PERKINS	AT4.236	98.476	OEM # U5LP0006, U5LP0013 & 3639434M1	BEPCO # 30/33-73 & EMMARK # EM3146
P021P03390142N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+1) CAVITY TYPE (AE # 350330 (3H))	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # 742621M91, 89209, 31354984 & 89214	SPAREX # S.40406, BEPCO # 30/33-8, AE # 350330 (3H) AS PER REQUIREMENT
P021P03390168Y	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+1) CAVITY TYPE (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (AFG)	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # 742621M91, 89209, 31354984 & 89214	SPAREX # S.40406, BEPCO # 30/33-8, ATS # 58361943 & AE # 350330 (3H) AS PER DWG.
P021P03220143N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE (AE # 350330 (3H))	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # 31354984 & 89214	AE # 350330 (3H) AS PER DWG.
P021P03220168Y	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING WITH STEEL STRIP OR JCB OR LEYLAND	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # AHM2188, 02130017, 68504, 82137, 59618, 733573M91,734467M91,31354617,68332, 743824M91 & 82111	AE # 350245, RP65704 & BEPCO # 30/33-7

P021P03220157N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE (VB) OR JCB OR LEYLAND	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM#AHM2188, 02130017, 82119,68504,82137, 82112,59618, 733573M91, 734467M91,31354617, 68332,743824M91	AE # 350245, RP65704 & BEPCO # 30/33-7
P021P03220169N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE WITH ANTI-MAGNETIC ALFIN TYPE RING (AFG) OR JCB OR LEYLAND	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # AHM2188, 02130017, 68504, 82137, 59618, 733573M91,734467M91,31354617,68332, 743824M91 & 82111	AE # 350245, RP65704 & BEPCO # 30/33-7
P021P03070153N	PISTON BARE W/O PIN PERKINS P-3.144/4.192/6.288 (STD) DIA.-88.925 (3+2) FLAT TYPE	MASSEY FERGUSON \ PERKINS	P-3.144/4.192/6.288	88.925	OEM # 957E6102C, 81803864, 81568, 55275, 55274 & 739845M91	SPAREX # S.40404, KS # 91127700 & BEPCO # 30/33-3
P021P03070143N	PISTON BARE W/O PIN PERKINS P-3.144/4.192/6.288 (STD) DIA.-88.925MM (3+2) AE # 091522	MASSEY FERGUSON \ PERKINS	P-3.144/4.192/6.288	88.925		AE # 091522
P021P03100154N	PISTON BARE W/O PIN PERKINS P-4.236 (STD) DIA.-98.47MM (3+2) CAVITY TYPE (AE # 531102V1(3H))	MASSEY FERGUSON \ PERKINS	P-4.236	98.476	OEM # 31354353, 735195M1, 735188M91, 735187M91, 82879, 68506 & 82878	BEPCO # 30/33-12, AE # 531102V1 (3H), RP65708 & 350350
P021P03130143Y	PISTON BARE W/O PIN PERKINS P-6.354 (STD) DIA.-98.476MM (3+2) SL	MASSEY FERGUSON \ PERKINS	P-6.354	98.476		KS # 098039
P021P03130143N	PISTON BARE W/O PIN PERKINS P-6.354 (STD) DIA.-98.47MM (3+2)	MASSEY FERGUSON \ PERKINS	P-6.354	98.476	OEM # 31354338,31354442, 31354672, 02100264, 738872M91, 86704, 68509,82158,68510, 738871M91 & 86740	BEPCO # S.40412, AE # 350003 & RP65707, BEPCO # 30/33-18 & EMMARK # EM564
P021P03190189N	PISTON BARE W/O PIN PERKINS PHASER 1000 SERIES,T4.40/T6.60 (TURBO) OR TAFEE 8502 (STD) DIA.-100.00M (2+1) PIN O.D.-38.10MM (ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP) OEM # U5LL0014	MASSEY FERGUSON \ PERKINS	PHASER 1000 SERIES,T4.40/T6.60 (TURBO)	100.00	OEM # U5LL0014	



# AECO ENGINEERING CO.



P021P03190160N	PISTON BARE W/O PIN PERKINS PHASER 1000 SERIES,T4.40/T6.60 (TURBO) STD (DIA.-100.00MM) 2+1 (PIN O.D.-38.10MM) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	MASSEY FERGUSON \ PERKINS	PHASER 1000 SERIES,T4.40/T6.60 (TURBO)	100.00	OEM # 3640593M91, U5LL0009,U5LL0011,U5LL0013, F031722,VPB2480, 3637031M91, 3638796M91 & 3638460M91	BEPCO # 30/33-108, AE # 350770 & EMMARK # EM3253
P021P03520139N	PISTON BARE W/O PIN PERKINS PHASER 1004.40,1004.40T,1006.60,1006.60T (STD) DIA.-100.00MM (2+1) ALFIN TYPE	MASSEY FERGUSON \ PERKINS	PHASER 1004.40,1004.40T, 1006.60,1006.60T	100.00	OEM # U5LP0057 & 4222134M91	BEPCO # 30/33-173, EMMARK # EM6018, KS CASTING # 100220 & KS # 94543600 (PISTON COMP. NO.)
P021M06270139N	PISTON BARE W/O PIN PERKINS PHASER 1004.40,1006.60,MF-297,630,640 (STD) DIA.-100.00MM (2+1)	MASSEY FERGUSON \ PERKINS	PHASER 1004.40,1006.60,MF-297,630,640	100.00	OEM # 3637035M91, 3638989M91, 3641024M91, 3641806M91, U5LL0008, U5LL0015 & U5LL0021	BEPCO # 30/33-109, EMMARK # EM3232 & SPAREX # S.42937
P021P03180139N	PISTON BARE W/O PIN PERKINS PHASER 90/125 (1000 SERIES) 4.40/6.60 (STD) DIA.-100.00MM (2+1) PIN O.D.-34.925MM (WITHOUT STEEL STRIP INSIDE PISTON BODY) IR	MASSEY FERGUSON \ PERKINS	PHASER 90/125 (1000 SERIES) 4.40/6.60	100.00		
P021P03250039N	PISTON BARE W/O PIN PERKINS T4.236 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (PISTON PIN O.D.-38.10MM)	MASSEY FERGUSON \ PERKINS	T4.236	98.476	OEM # 02101759, 31355106, U5LP0022 & 3637360M91	EMMARK # EM2299, MAHLE # 0430300 & BEPCO # 30/33-74
P021P03450139N	PISTON BARE W/O PIN PERKINS T-4.236/T-4.38 (TURBO) STD (DIA.-98.476MM) 2+1 (PIN O.D.-38.10)	MASSEY FERGUSON \ PERKINS	T-4.236/T-4.38 (TURBO)	98.476		
P021P03410161N	PISTON BARE W/O PIN PERKINS T4.40 (TURBO) EURO 1,T6.60 (TURBO) EURO 1 (STD) DIA.-100.00MM (2+1) PIN O.D.-39.70MM	MASSEY FERGUSON \ PERKINS	T4.40 (TURBO) EURO 1,T6.60 (TURBO) EURO 1	100.00		YENMAK # 1861000, KS CASTING # 100211 & KS # 93267600 (PISTON COMP. NO.)
P021P03510139N	PISTON BARE W/O PIN PERKINS T6.354 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	MASSEY FERGUSON \ PERKINS	T6.354	98.476	OEM # 68803, 02100257 & 745379M91	BEPCO # 30/33-78, SPAREX # S.43217, AE # A350333V1, KS FORGED # 098059, EMMARK#EM566 & KS # 93288600
P021P03200142N	PISTON BARE W/O PIN PERKINS T6.354 (TURBO) STD (DIA.-98.476MM) 3+1 (PISTON PIN O.D.-38.10MM)	MASSEY FERGUSON \ PERKINS	T-6.354 (TURBO)	98.476	OEM # 02100263, 86726 & 738368M91	BEPCO # 30/33-23 & EMMARK # EM1508

# AECO ENGINEERING CO.



P021P03000143Y	PISTON BARE W/O PIN PERKINS (STD) DIA.-98.476MM (3+2)	MASSEY FERGUSON \ PERKINS		98.476		
P021P03650139Y	PISTON BARE W/O PIN PERKINS 1103A-33,1104 (STD) DIA.-105.00MM (2+1) RING WIDTH = 2.50+2.50+3.50	MASSEY FERGUSON \ PERKINS	1103A-33,1104	105.00	OEM # 4115P011	BEPCO # 30/32-606 & KONEKS # 228150
P021P03660139Y	PISTON BARE W/O PIN PERKINS 1103A-33T,1104T (STD) DIA.-105.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (RING WIDTH = 3.50T+2.50+3.50)	MASSEY FERGUSON \ PERKINS	1103A-33T,1104T	105.00	OEM # 4115P015 & 3135M111	KONEKS # 228140
P021P03010142N	PISTON BARE W/O PIN PERKINS 3.152,MF-240 (STD) DIA.-91.49MM (3+1) CAVITY TYPE	MASSEY FERGUSON \ PERKINS	3.152,MF-240	91.49		YENMAK # 1834000
P021P03340143N	PISTON BARE W/O PIN PERKINS 3.152/4.203/6.305 (STD) DIA.-91.49MM (3+2) FLAT TYPE (AE # 408105V1)	MASSEY FERGUSON \ PERKINS	3.152/4.203 /6.305	91.49	OEM # 31354321	AE # 408105V1 & RP65716
P021P03010153N	PISTON BARE W/O PIN PERKINS 3.152/4.203/6.305 OR FORD (STD) DIA.-91.49MM (3+2) FLAT TYPE	MASSEY FERGUSON \ PERKINS	3.152/4.203 /6.305	91.49	OEM # 734460M91,960 E6102B,818038 66,731684M91, 734459M91,733 147M91,82136, 59155,81874, 31354322 & 81512	AE # 408108
P021P03020144N	PISTON BARE W/O PIN PERKINS 4.108 (STD) DIA.-79.375MM (4+1)	MASSEY FERGUSON \ PERKINS	4.108	79.375		AE # 516003V2
P021P03240039N	PISTON BARE W/O PIN PERKINS 4.236 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (PISTON PIN O.D.-34.925MM)	MASSEY FERGUSON \ PERKINS	4.236	98.476	OEM # U5LP0011 & 68809	EMMARK # EM5187
P021P03240143N	PISTON BARE W/O PIN PERKINS 4.236 (STD) DIA.-98.476MM (3+2) CAVITY TYPE (AE # 350338)	MASSEY FERGUSON \ PERKINS	4.236	98.476	OEM # U5LP0035, 3637516M91, 31354357, 7701031580, 2100007, VPB2450, 743111M91, 743110M91 & 68301	BEPCO # 30/33-69, AE # 350338 & EMMARK # EM255
P021P03240168Y	PISTON BARE W/O PIN PERKINS 4.236,MF-265 (STD) DIA.-98.476MM (3+2) CAVITY TYPE (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (AFG)	MASSEY FERGUSON \ PERKINS	4.236,MF-245	98.476	OEM # U5LP0035, 3637516M91, 31354357, 7701031580, 2100007, VPB2450, 743111M91, 743110M91 & 68301	BEPCO # 30/33-69, ATS # 1651946, AE # 350338 & EMMARK # EM255
P021P03030139Y	PISTON BARE W/O PIN PERKINS 4.248 (STD) DIA.-101.05MM (2+1)	MASSEY FERGUSON \ PERKINS	4.248	101.05	OEM # U5LP0009, 6005000937 & 747050M91	BEPCO # 30/33-57

# AECO ENGINEERING CO.



P021P03030142N	PISTON BARE W/O PIN PERKINS 4.248 (STD) DIA.-101.05MM (3+1) OR JCB OR IMT	MASSEY FERGUSON \ PERKINS	4.248	101.05	OEM # 02100267, 31354092, 801190, 739193M91, 86940, 41158038, 740821M91 & 89207	SPAREX # S.40411, AE # 350322, RP65715 & BEPCO # 30/33-13
P021P03030171Y	PISTON BARE W/O PIN PERKINS 4.248 (STD) DIA.-101.05MM (3+1) WITH INSIDE STEEL STRIP (AFG)	MASSEY FERGUSON \ PERKINS	4.248	101.05		NURAL # 8671753 (STD) AF
P021P03030143N	PISTON BARE W/O PIN PERKINS 4.248 OR MASSEY FERGUSON MF-178/185/188 (STD) DIA.-101.05MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING (SYR)	MASSEY FERGUSON \ PERKINS	4.248,MF-178/185/188	101.05	OEM # 02100267, 31354092, 801190, 739193M91, 86940, 41158038, 740821M91 & 89207 (SYR)	BEPCO # 33-13AL
P021P03640139Y	PISTON BARE W/O PIN PERKINS 400 SERIES (404D-22) STD (DIA.-84.00MM) 2+1	MASSEY FERGUSON \ PERKINS	400 SERIES (404D-22)	84.00	OEM # 115017491	KONEKS # 227410
P021P03370043N	PISTON BARE W/O PIN PERKINS 6.354 (STD) DIA.-98.476MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING (PISTON PIN O.D.-34.925MM)	MASSEY FERGUSON \ PERKINS	6.354	98.476	OEM # 86745 & 3637280M91	EMMARK # EM722 & BEPCO # 30/33-24
P021P03560143Y	PISTON BARE W/O PIN PERKINS 6.354,PHASE-2 (STD) DIA.-98.476MM (3+2) PISTON PIN O.D.-34.925MM (FULLY TIN PLATED PISTON) ANTI-MAGNETIC ALFIN TYPE RING	MASSEY FERGUSON \ PERKINS	6.354,PHASE-2	98.476	OEM # 35423	MORESA # 706
P021P03230142N	PISTON BARE W/O PIN PERKINS A-4.212 (STD) DIA.-98.48MM (3+1)	MASSEY FERGUSON \ PERKINS	A-4.212	98.476	OEM # 31354812, 738249M91 & 86721	AE # 350018V1, EMMARK # EM1254 & BEPCO # 30/33-9
P021P03260139N	PISTON BARE W/O PIN PERKINS A6.354.4 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING (G. PIN O.D.-34.925MM)	MASSEY FERGUSON \ PERKINS	A6.354.4	98.476	OEM # U5LP0021, U5LP0019, 748266M91, 747541M91, 02100248, 68393, VPB2180, VPB2190 & U5LP0014	BEPCO # 30/33-77
P021P03590154N	PISTON BARE W/O PIN PERKINS AD-4.236 (STD) DIA.-98.476MM (3+2) CAVITY TYPE	MASSEY FERGUSON \ PERKINS	AD-4.236	98.476		
P021P03530139N	PISTON BARE W/O PIN PERKINS AT4.236 (STD) DIA.-98.476MM (2+1)	MASSEY FERGUSON \ PERKINS	AT4.236	98.476	OEM # U5LP0006, U5LP0013 & 3639434M1	BEPCO # 30/33-73 & EMMARK # EM3146
P021P03390142N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+1) CAVITY TYPE (AE # 350330 (3H))	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # 742621M91, 89209, 31354984 & 89214	SPAREX # S.40406, BEPCO # 30/33-8, AE # 350330 (3H) AS PER REQUIREMENT

P021P03390168Y	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+1) CAVITY TYPE (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (AFG)	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # 742621M91, 89209, 31354984 & 89214	SPAREX # S.40406, BEPCO # 30/33-8, ATS # 58361943 & AE # 350330 (3H) AS PER DWG.
P021P03220143N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE (AE # 350330 (3H))	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # 31354984 & 89214	AE # 350330 (3H) AS PER DWG.
P021P03220168Y	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING WITH STEEL STRIP OR JCB OR LEYLAND	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # AHM2188, 02130017, 68504, 82137, 59618, 733573M91,734467M91,31354617,68332, 743824M91 & 82111	AE # 350245, RP65704 & BEPCO # 30/33-7
P021P03220157N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE (VB) OR JCB OR LEYLAND	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM#AHM2188, 02130017, 82119,68504,82137, 82112,59618, 733573M91, 734467M91,31354617, 68332,743824M91	AE # 350245, RP65704 & BEPCO # 30/33-7
P021P03220169N	PISTON BARE W/O PIN PERKINS D-3.152/AD-3.152/D-4.203/AD-4.203 (STD) DIA.-91.49MM (3+2) CAVITY TYPE WITH ANTI-MAGNETIC ALFIN TYPE RING (AFG) OR JCB OR LEYLAND	MASSEY FERGUSON \ PERKINS	D-3.152/AD-3.152/D-4.203/AD-4.203	91.49	OEM # AHM2188, 02130017, 68504, 82137, 59618, 733573M91,734467M91,31354617,68332, 743824M91 & 82111	AE # 350245, RP65704 & BEPCO # 30/33-7
P021P03070153N	PISTON BARE W/O PIN PERKINS P-3.144/4.192/6.288 (STD) DIA.-88.925 (3+2) FLAT TYPE	MASSEY FERGUSON \ PERKINS	P-3.144/4.192/6.288	88.925	OEM # 957E6102C, 81803864, 81568, 55275, 55274 & 739845M91	SPAREX # S.40404, KS # 91127700 & BEPCO # 30/33-3
P021P03070143N	PISTON BARE W/O PIN PERKINS P-3.144/4.192/6.288 (STD) DIA.-88.925MM (3+2) AE # 091522	MASSEY FERGUSON \ PERKINS	P-3.144/4.192/6.288	88.925		AE # 091522
P021P03100154N	PISTON BARE W/O PIN PERKINS P-4.236 (STD) DIA.-98.47MM (3+2) CAVITY TYPE (AE # 531102V1(3H))	MASSEY FERGUSON \ PERKINS	P-4.236	98.476	OEM # 31354353, 735195M1, 735188M91, 735187M91, 82879, 68506 & 82878	BEPCO # 30/33-12, AE # 531102V1 (3H), RP65708 & 350350
P021P03130143Y	PISTON BARE W/O PIN PERKINS P-6.354 (STD) DIA.-98.476MM (3+2) SL	MASSEY FERGUSON \ PERKINS	P-6.354	98.476		KS # 098039

P021P03130143N	PISTON BARE W/O PIN PERKINS P-6.354 (STD) DIA.-98.47MM (3+2)	MASSEY FERGUSON \ PERKINS	P-6.354	98.476	OEM # 31354338,31354442, 31354672, 02100264, 738872M91, 86704, 68509,82158,68510, 738871M91 & 86740	BEPCO # S.40412, AE # 350003 & RP65707, BEPCO # 30/33-18 & EMMARK # EM564
P021P03190189N	PISTON BARE W/O PIN PERKINS PHASER 1000 SERIES,T4.40/T6.60 (TURBO) OR TAFEE 8502 (STD) DIA.-100.00M (2+1) PIN O.D.-38.10MM (ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP) OEM # U5LL0014	MASSEY FERGUSON \ PERKINS	PHASER 1000 SERIES,T4.40/T6.60 (TURBO)	100.00	OEM # U5LL0014	
P021P03190160N	PISTON BARE W/O PIN PERKINS PHASER 1000 SERIES,T4.40/T6.60 (TURBO) STD (DIA.-100.00MM) 2+1 (PIN O.D.-38.10MM) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	MASSEY FERGUSON \ PERKINS	PHASER 1000 SERIES,T4.40/T6.60 (TURBO)	100.00	OEM # 3640593M91, U5LL0009,U5LL0011,U5LL0013, F031722,VPB2480, 3637031M91, 3638796M91 & 3638460M91	BEPCO # 30/33-108, AE # 350770 & EMMARK # EM3253
P021P03520139N	PISTON BARE W/O PIN PERKINS PHASER 1004.40,1004.40T,1006.60,1006.60T (STD) DIA.-100.00MM (2+1) ALFIN TYPE	MASSEY FERGUSON \ PERKINS	PHASER 1004.40,1004.40T,1006.60,1006.60T	100.00	OEM # U5LP0057 & 4222134M91	BEPCO # 30/33-173, EMMARK # EM6018, KS CASTING # 100220 & KS # 94543600 (PISTON COMP. NO.)
P021M06270139N	PISTON BARE W/O PIN PERKINS PHASER 1004.40,1006.60,MF-297,630,640 (STD) DIA.-100.00MM (2+1)	MASSEY FERGUSON \ PERKINS	PHASER 1004.40,1006.60,MF-297,630,640	100.00	OEM # 3637035M91, 3638989M91, 3641024M91, 3641806M91, U5LL0008, U5LL0015 & U5LL0021	BEPCO # 30/33-109, EMMARK # EM3232 & SPAREX # S.42937
P021P03180139N	PISTON BARE W/O PIN PERKINS PHASER 90/125 (1000 SERIES) 4.40/6.60 (STD) DIA.-100.00MM (2+1) PIN O.D.-34.925MM (WITHOUT STEEL STRIP INSIDE PISTON BODY) IR	MASSEY FERGUSON \ PERKINS	PHASER 90/125 (1000 SERIES) 4.40/6.60	100.00		
P021P03250039N	PISTON BARE W/O PIN PERKINS T4.236 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (PISTON PIN O.D.-38.10MM)	MASSEY FERGUSON \ PERKINS	T4.236	98.476	OEM # 02101759, 31355106, U5LP0022 & 3637360M91	EMMARK # EM2299, MAHLE # 0430300 & BEPCO # 30/33-74
P021P03450139N	PISTON BARE W/O PIN PERKINS T-4.236/T-4.38 (TURBO) STD (DIA.-98.476MM) 2+1 (PIN O.D.-38.10)	MASSEY FERGUSON \ PERKINS	T-4.236/T-4.38 (TURBO)	98.476		



# AECO ENGINEERING CO.



P021P03410161N	PISTON BARE W/O PIN PERKINS T4.40 (TURBO) EURO 1,T6.60 (TURBO) EURO 1 (STD) DIA.-100.00MM (2+1) PIN O.D.-39.70MM	MASSEY FERGUSON \ PERKINS	T4.40 (TURBO) EURO 1,T6.60 (TURBO) EURO 1	100.00		YENMAK # 1861000, KS CASTING # 100211 & KS # 93267600 (PISTON COMP. NO.)
P021P03510139N	PISTON BARE W/O PIN PERKINS T6.354 (STD) DIA.-98.476MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	MASSEY FERGUSON \ PERKINS	T6.354	98.476	OEM # 68803, 02100257 & 745379M91	BEPCO # 30/33-78, SPAREX # S.43217, AE # A350333V1, KS FORGED # 098059, EMMARK#EM566 & KS # 93288600
P021P03200142N	PISTON BARE W/O PIN PERKINS T6.354 (TURBO) STD (DIA.-98.476MM) 3+1 (PISTON PIN O.D.-38.10MM)	MASSEY FERGUSON \ PERKINS	T-6.354 (TURBO)	98.476	OEM # 02100263, 86726 & 738368M91	BEPCO # 30/33-23 & EMMARK # EM1508
P021M08020143N	PISTON BARE W/O PIN MAZ/KRAZ IMZ-236/238 (STD) DIA.-130.00MM (3+2)	MAZ/KRAZ	IMZ-236/238	130.00		
P021M08020143N	PISTON BARE W/O PIN MAZ/KRAZ IMZ-236/238 (STD) DIA.-130.00MM (3+2)	MAZ/KRAZ	IMZ-236/238	130.00		
P021M09370139N	PISTON BARE W/O PIN MAZDA 323 (1.3L), SEDAN, RUSTLER, B3 (STD) DIA.-71.00 MM (2+1)	MAZDA	323 (1.3L), SEDAN, RUSTLER, B3	71.00	OEM # 30680690	AE # RP61018 & KS # 97604
P021M09120139N	PISTON BARE W/O PIN MAZDA E3500 OR KIA E3500 (STD) DIA.-100.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	MAZDA	E3500	100.00		
P021M09260139N	PISTON BARE W/O PIN MAZDA SL,T3500 (STD) DIA.-100.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (AFG)	MAZDA	SL,T3500	100.00		
P021M09360139N	PISTON BARE W/O PIN MAZDA WLT (STD) DIA.-93.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	MAZDA	WLT	93.00		AE # RP61706
P021M09370139N	PISTON BARE W/O PIN MAZDA 323 (1.3L), SEDAN, RUSTLER, B3 (STD) DIA.-71.00 MM (2+1)	MAZDA	323 (1.3L), SEDAN, RUSTLER, B3	71.00	OEM # 30680690	AE # RP61018 & KS # 97604
P021M09120139N	PISTON BARE W/O PIN MAZDA E3500 OR KIA E3500 (STD) DIA.-100.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP	MAZDA	E3500	100.00		
P021M09260139N	PISTON BARE W/O PIN MAZDA SL,T3500 (STD) DIA.-100.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (AFG)	MAZDA	SL,T3500	100.00		

# AECO ENGINEERING CO.



P021M09360139N	PISTON BARE W/O PIN MAZDA WLT (STD) DIA.-93.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY (FULLY TIN PLATED)	MAZDA	WLT	93.00		AE # RP61706
P021M12120143N	PISTON BARE W/O PIN MERCEDES OM 314,OM 352 (STD) DIA.-97.00MM (3+2)	MERCEDES	OM 314,OM 352	97.00	OEM # 3520302518, 3520304018 & 3520307818	
P021M12080142N	PISTON BARE W/O PIN MERCEDES OM 314,OM 352 OR TATA 1612 (NORMAL) STD (DIA.-97.00MM) 3+1 (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING	MERCEDES	OM 314,OM 352	97.00		MAHLE BRAZIL # E48130, MAHLE METAL LEVE # P1087, MAHLE CASTING # 97L3, KS # 93882600 & AE # RP59718
P021M12140139N	PISTON BARE W/O PIN MERCEDES OM 352A OR TATA 1613 (TURBO) STD (DIA.-97.00MM) 2+1 (BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING (RINGS WIDTH = 2.5T+2.5+4.0)	MERCEDES	OM 352A	97.00		MAHLE BRAZIL # E48270, MAHLE METAL LEVE # P1299, MAHLE CASTING # 97L9, KS # 93750600 & AE # RP59738
P021M12160142N	PISTON BARE W/O PIN MERCEDES OM 355 (AIR COMP.) STD (DIA.-88.00MM) 3+1	MERCEDES	OM 355 (AIR COMP.)	88.00		
P021M12150142N	PISTON BARE W/O PIN MERCEDES OM 355 (STD) DIA.-128.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	MERCEDES	OM 355	128.00		
P021M12200139N	PISTON BARE W/O PIN MERCEDES OM 364,OM 366 (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364,OM 366	97.50		MAHLE BRAZIL # E48410, MAHLE METAL LEVE # P1807, CASTING # 97L21, KS # 93951600 & AE # RP59743
P021M12210139N	PISTON BARE W/O PIN MERCEDES OM 364A,OM 366A,OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364A,OM 366A,OM 366LA	97.50		MAHLE BRAZIL # E48510, MAHLE METAL LEVE # P1475, CASTING # 97L21, KS # 93831600 & AE # RP59749
P021M12700139N	PISTON BARE W/O PIN MERCEDES OM 364A,OM 366A,OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING) NR (COMP. HT.-62.70)	MERCEDES	OM 364A,OM 366A,OM 366LA	97.50	OEM # 3900370501	MAHLE BRAZIL # E48551, MAHLE METAL LEVE # P2246 & CASTING # 97L26
P021M12240139N	PISTON BARE W/O PIN MERCEDES OM 364LA,OM 366A,OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364LA,OM 366A,OM 366LA	97.50		MAHLE BRAZIL # E48520, MAHLE METAL LEVE # P1934, CASTING # 97L26A1, KS # 92525600 & AE # RP59750

# AECO ENGINEERING CO.



P021M12220139Y	PISTON BARE W/O PIN MERCEDES OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 366LA	97.50		MAHLE BRAZIL # E48560, MAHLE METAL LEVE # P9051 & CASTING # 97L26A1
P021M12280139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404 (STD) DIA.-125.00MM (2+1)	MERCEDES	OM 401,OM 402,OM 403,OM 404	125.00	OEM # 4030300216 (STD)	AE # A350367V1, RP59735 & MAHLE # 0034500
P021M12500139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404,OM 407,OM 409,OM 421 OR MAN D2556 (A/C COMP.) STD (DIA.-90.00MM) 2+1	MERCEDES	OM 401,OM 402,OM 403,OM 404,OM 407,OM 409,OM 421	90.00		
P021M12540139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404,OM 421,OM 424 (W/C) COMPRESSOR (STD) DIA.-90.00MM (2+1)	MERCEDES	OM 401,OM 402,OM 403,OM 404,OM 421,OM 424	90.00		
P021M12530139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 441,OM 442,OM 443,OM 501,OM 502,ACTROS (A/C) COMP. (STD) DIA.-100.00MM (2+1)	MERCEDES	OM 401,OM 402,OM 441,OM 442,OM 443,OM 501,OM 502,ACTROS (A/C) COMP.	100.00		
P021M12360139N	PISTON BARE W/O PIN MERCEDES OM 421,OM 422,OM 423,OM 424 (NON-TURBO) STD (DIA.-128.00MM) 2+1	MERCEDES	OM 421,OM 422,OM 423,OM 424	128.00		MAHLE # 0036610
P021M12620139N	PISTON BARE W/O PIN MERCEDES OM 421A,OM 422A,OM 423A,OM 424A (TURBO) STD (DIA.-128.00MM) 2+1	MERCEDES	OM 421A,OM 422A,OM 423A,OM 424A	128.00		MAHLE # 0036700
P021M12430139N	PISTON BARE W/O PIN MERCEDES OM 601,OM 602,OM 603 (STD) DIA.-87.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH STEEL STRIP	MERCEDES	OM 601,OM 602,OM 603	87.00		PART # 80107300
P021M12490139Y	PISTON BARE W/O PIN MERCEDES OM 904,OM 906 (STD) DIA.-102.00MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING) PISTON PIN O.D.-42.00MM	MERCEDES	OM 904,OM 906	102.00	OEM # 9060304017, 9060305217, 9060305617, 9060306017, 9060375701, 9060376101	MAHLE # 2243842, MAHLE BRAZIL # E48980 & MAHLE METAL LEVE # P9088

# AECO ENGINEERING CO.



P021M12730139Y	PISTON BARE W/O PIN MERCEDES OM 924,OM 926 (STD) DIA.- 106.00MM (2+1) FULLY BLACK FINISH, ANIT-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY	MERCEDES	OM 924,OM 926	106.00	OEM # 9260302817, 9260372601	MAHLE # 2243710
P021M12770100N	PISTON BARE W/O PIN MERCEDES OM402 TURBO, OM402 TURBO DIA 125.00MM (2+1)	MERCEDES	OM402, OM402 TURBO	125.00MM		
P021M12120143N	PISTON BARE W/O PIN MERCEDES OM 314,OM 352 (STD) DIA.-97.00MM (3+2)	MERCEDES	OM 314,OM 352	97.00	OEM # 3520302518, 3520304018 & 3520307818	
P021M12080109N	PISTON BARE W/O PIN MERCEDES OM 314,OM 352 OR TATA 1612 (NORMAL) 0.020" (3+1) STD DIA.-97.00MM (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING	MERCEDES	OM 314,OM 352	97.00		MAHLE BRAZIL # E48130, MAHLE METAL LEVE # P1087, MAHLE CASTING # 97L3, KS # 93882600 & AE # RP59718
P021M12080142N	PISTON BARE W/O PIN MERCEDES OM 314,OM 352 OR TATA 1612 (NORMAL) STD (DIA.-97.00MM) 3+1 (FULLY BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING	MERCEDES	OM 314,OM 352	97.00		MAHLE BRAZIL # E48130, MAHLE METAL LEVE # P1087, MAHLE CASTING # 97L3, KS # 93882600 & AE # RP59718
P021M12140107N	PISTON BARE W/O PIN MERCEDES OM 352A OR TATA 1613 (TURBO) 0.020" (2+1) STD DIA.-97.00MM (BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING (RINGS WIDTH = 2.5T+2.5+4.0)	MERCEDES	OM 352A	97.00		MAHLE BRAZIL # E48270, MAHLE METAL LEVE # P1299, MAHLE CASTING # 97L9, KS # 93750600 & AE # RP59738
P021M12140139N	PISTON BARE W/O PIN MERCEDES OM 352A OR TATA 1613 (TURBO) STD (DIA.-97.00MM) 2+1 (BLACK FINISH) ANTI-MAGNETIC ALFIN TYPE RING (RINGS WIDTH = 2.5T+2.5+4.0)	MERCEDES	OM 352A	97.00		MAHLE BRAZIL # E48270, MAHLE METAL LEVE # P1299, MAHLE CASTING # 97L9, KS # 93750600 & AE # RP59738
P021M12160142N	PISTON BARE W/O PIN MERCEDES OM 355 (AIR COMP.) STD (DIA.-88.00MM) 3+1	MERCEDES	OM 355 (AIR COMP.)	88.00		
P021M12150142N	PISTON BARE W/O PIN MERCEDES OM 355 (STD) DIA.-128.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	MERCEDES	OM 355	128.00		
P021M12200107N	PISTON BARE W/O PIN MERCEDES OM 364,OM 366 (0.020") 2+1 (STD DIA.-97.50MM) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364,OM 366	97.50		MAHLE BRAZIL # E48410, MAHLE METAL LEVE # P1807, CASTING # 97L21, KS # 93951600 & AE # RP59743

P021M12200139N	PISTON BARE W/O PIN MERCEDES OM 364,OM 366 (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364,OM 366	97.50		MAHLE BRAZIL # E48410, MAHLE METAL LEVE # P1807, CASTING # 97L21, KS # 93951600 & AE # RP59743
P021M12210107N	PISTON BARE W/O PIN MERCEDES OM 364A,OM 366A,OM 366LA (0.020") 2+1 (STD DIA.-97.50MM) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364A,OM 366A,OM 366LA	97.50		MAHLE BRAZIL # E48510, MAHLE METAL LEVE # P1475, CASTING # 97L21, KS # 93831600 & AE # RP59749
P021M12210139N	PISTON BARE W/O PIN MERCEDES OM 364A,OM 366A,OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364A,OM 366A,OM 366LA	97.50		MAHLE BRAZIL # E48510, MAHLE METAL LEVE # P1475, CASTING # 97L21, KS # 93831600 & AE # RP59749
P021M12700139N	PISTON BARE W/O PIN MERCEDES OM 364A,OM 366A,OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING) NR (COMP. HT.-62.70)	MERCEDES	OM 364A,OM 366A,OM 366LA	97.50	OEM # 3900370501	MAHLE BRAZIL # E48551, MAHLE METAL LEVE # P2246 & CASTING # 97L26
P021M12240107N	PISTON BARE W/O PIN MERCEDES OM 364LA,OM 366A,OM 366LA (0.020") 2+1 (STD DIA.-97.50MM) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364LA,OM 366A,OM 366LA	97.50		MAHLE BRAZIL # E48520, MAHLE METAL LEVE # P1934, CASTING # 97L26A1, KS # 92525600 & AE # RP59750
P021M12240139N	PISTON BARE W/O PIN MERCEDES OM 364LA,OM 366A,OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 364LA,OM 366A,OM 366LA	97.50		MAHLE BRAZIL # E48520, MAHLE METAL LEVE # P1934, CASTING # 97L26A1, KS # 92525600 & AE # RP59750
P021M12220139Y	PISTON BARE W/O PIN MERCEDES OM 366LA (STD) DIA.-97.50MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING)	MERCEDES	OM 366LA	97.50		MAHLE BRAZIL # E48560, MAHLE METAL LEVE # P9051 & CASTING # 97L26A1
P021M12280101N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404 (0.25MM) 2+1 (STD DIA.-125.00MM)	MERCEDES	OM 401,OM 402,OM 403,OM 404	125.00	OEM # 4030300216 (0.25)	AE # A350367V1, RP59735 & MAHLE # 0034500
P021M12280139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404 (STD) DIA.-125.00MM (2+1)	MERCEDES	OM 401,OM 402,OM 403,OM 404	125.00	OEM # 4030300216 (STD)	AE # A350367V1, RP59735 & MAHLE # 0034500



# AECO ENGINEERING CO.



P021M12500139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404,OM 407,OM 409,OM 421 OR MAN D2556 (A/C COMP.) STD (DIA.-90.00MM) 2+1	MERCEDES	OM 401,OM 402,OM 403,OM 404,OM 407,OM 409,OM 421	90.00		
P021M12540107N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404,OM 421,OM 424 (W/C) COMPRESSOR (0.50MM) 2+1 (STD DIA.-90.00MM)	MERCEDES	OM 401,OM 402,OM 403,OM 404,OM 421,OM 424	90.00		
P021M12540119N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404,OM 421,OM 424 (W/C) COMPRESSOR (1.00MM) 2+1 (STD DIA.-90.00MM)	MERCEDES	OM 401,OM 402,OM 403,OM 404,OM 421,OM 424	90.00		
P021M12540139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 403,OM 404,OM 421,OM 424 (W/C) COMPRESSOR (STD) DIA.-90.00MM (2+1)	MERCEDES	OM 401,OM 402,OM 403,OM 404,OM 421,OM 424	90.00		
P021M12530139N	PISTON BARE W/O PIN MERCEDES OM 401,OM 402,OM 441,OM 442,OM 443,OM 501,OM 502,ACTROS (A/C) COMP. (STD) DIA.-100.00MM (2+1)	MERCEDES	OM 401,OM 402,OM 441,OM 442,OM 443,OM 501,OM 502,ACTROS (A/C) COMP.	100.00		
P021M12360139N	PISTON BARE W/O PIN MERCEDES OM 421,OM 422,OM 423,OM 424 (NON-TURBO) STD (DIA.-128.00MM) 2+1	MERCEDES	OM 421,OM 422,OM 423,OM 424	128.00		MAHLE # 0036610
P021M12620139N	PISTON BARE W/O PIN MERCEDES OM 421A,OM 422A,OM 423A,OM 424A (TURBO) STD (DIA.-128.00MM) 2+1	MERCEDES	OM 421A,OM 422A,OM 423A,OM 424A	128.00		MAHLE # 0036700
P021M12430139N	PISTON BARE W/O PIN MERCEDES OM 601,OM 602,OM 603 (STD) DIA.-87.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH STEEL STRIP	MERCEDES	OM 601,OM 602,OM 603	87.00		PART # 80107300
P021M12490139Y	PISTON BARE W/O PIN MERCEDES OM 904,OM 906 (STD) DIA.-102.00MM (2+1) FULLY BLACK FINISH (ANTI-MAGNETIC ALFIN TYPE RING) PISTON PIN O.D.-42.00MM	MERCEDES	OM 904,OM 906	102.00	OEM # 9060304017, 9060305217, 9060305617, 9060306017, 9060375701, 9060376101	MAHLE # 2243842, MAHLE BRAZIL # E48980 & MAHLE METAL LEVE # P9088

# AECO ENGINEERING CO.



P021M12730139Y	PISTON BARE W/O PIN MERCEDES OM 924,OM 926 (STD) DIA.- 106.00MM (2+1) FULLY BLACK FINISH, ANIT-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY	MERCEDES	OM 924,OM 926	106.00	OEM # 9260302817, 9260372601	MAHLE # 2243710
P021M12770100N	PISTON BARE W/O PIN MERCEDES OM402 TURBO, OM402 TURBO DIA 125.00MM (2+1)	MERCEDES	OM402, OM402 TURBO	125.00MM		
P021M15010143N	PISTON BARE W/O PIN MITSUBISHI 3M15 (STD) DIA.-95.00MM (3+2)	MITSUBISHI	3M15	95.00		
P021M15040139N	PISTON BARE W/O PIN MITSUBISHI 4D31 (STD) DIA.-100.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	MITSUBISHI	4D31	100.00	OEM # ME012131, ME012145 & ME012160	ARCO # PTMI410002D
P021M15840139N	PISTON BARE W/O PIN MITSUBISHI 4D32 (NEW) STD (DIA.-104.00MM) 2+1 (WITH INSIDE STEEL STRIP) PIN O.D.- 34.00	MITSUBISHI	4D32	104.00	OEM # ME018274	ARCO # PTMI410405DA
P021M15810139N	PISTON BARE W/O PIN MITSUBISHI 4D32 (STD) DIA.-104.00MM (2+1) ALFIN TYPE	MITSUBISHI	4D32	104.00	OEM # ME012174	ARCO # PTMI410401DA
P021M15800139N	PISTON BARE W/O PIN MITSUBISHI 4D33 (STD) DIA.-108.00MM (2+1) ALFIN TYPE	MITSUBISHI	4D33	108.00	OEM # ME012897, ME013312 & ME016895	ARCO # PTMI410801DA
P021M15820139N	PISTON BARE W/O PIN MITSUBISHI 4D34 (STD) DIA.-104.00MM (2+1) ALFIN TYPE	MITSUBISHI	4D34	104.00	OEM # ME012901 & ME012928	ARCO # PTMI410402DA
P021M15830039N	PISTON BARE W/O PIN MITSUBISHI 4D35 (STD) DIA.-110.00MM (2+1) PISTON PIN O.D.- 36.00MM (WITH INSIDE STEEL STRIP)	MITSUBISHI	4D35	110.00	OEM # ME014693	
P021M15050139N	PISTON BARE W/O PIN MITSUBISHI 4D55,4D56 (STD) DIA.-91.10MM (2+1) WITH STEEL STRIP	MITSUBISHI	4D55,4D56	91.10	OEM # MD050021, MD103318 & MD304835	ARCO # PTMI409111D
P021M15850139N	PISTON BARE W/O PIN MITSUBISHI 4M40 (STD) DIA.-95.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY	MITSUBISHI	4M40	95.00		AE # RP62707
P021M15310143N	PISTON BARE W/O PIN MITSUBISHI 5GT (STD) DIA.-150.00MM (3+2)	MITSUBISHI	5GT	150.00		
P021M15700139N	PISTON BARE W/O PIN MITSUBISHI 6D16 (STD) DIA.-118.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	MITSUBISHI	6D16	118.00	OEM # 2341193000, MD0411102 & ME072000	
P021M15210139N	PISTON BARE W/O PIN MITSUBISHI 6D22 (STD) DIA.-130.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	MITSUBISHI	6D22	130.00		
P021M15690142N	PISTON BARE W/O PIN MITSUBISHI 8DC91 (STD) DIA.-135.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	MITSUBISHI	8DC91	135.00		
P021M15760142N	PISTON BARE W/O PIN MITSUBISHI DAIYA (STD) DIA.-91.50MM (3+1)	MITSUBISHI	DAIYA	91.50		
P021M15270143N	PISTON BARE W/O PIN MITSUBISHI DAIYA 105 (STD) DIA.-105.00MM (3+2)	MITSUBISHI	DAIYA 105	105.00		

P021M15320143N	PISTON BARE W/O PIN MITSUBISHI DAIYA 6GGT (STD) DIA.-160.00MM (3+2)	mitsubishi	DAIYA 6GGT	160.00		
P021M15410142N	PISTON BARE W/O PIN MITSUBISHI HD-330 (STD) DIA.-145.00MM (3+1)	mitsubishi	HD-330	145.00	OEM # ED22020	
P021M15420142N	PISTON BARE W/O PIN MITSUBISHI M11 (STD) DIA.-92.00MM (3+1)	mitsubishi	M11	92.00		
P021M15530142N	PISTON BARE W/O PIN MITSUBISHI M12/NM-130 (STD) DIA.-94.00MM (3+1)	mitsubishi	M12/NM-130	94.00		
P021M15450142N	PISTON BARE W/O PIN MITSUBISHI M16/NM-180H (STD) DIA.-100.00MM (3+1)	mitsubishi	M16/NM-180H	100.00		
P021M15460142N	PISTON BARE W/O PIN MITSUBISHI M80 (STD) DIA.-80.00MM (3+1)	mitsubishi	M80	80.00		
P021M15470143N	PISTON BARE W/O PIN MITSUBISHI M85/NM-85 (STD) DIA.-80.00MM (3+2)	mitsubishi	M85/NM-85	80.00		
P021M15480142Y	PISTON BARE W/O PIN MITSUBISHI M95 (STD) DIA.-85.00MM (3+1)	mitsubishi	M95	85.00		
P021M15520142N	PISTON BARE W/O PIN MITSUBISHI NM-110 (STD) DIA.-88.00MM (3+1)	mitsubishi	NM-110	88.00		
P021M15510142N	PISTON BARE W/O PIN MITSUBISHI NM-65 (STD) DIA.-73.00MM (3+1)	mitsubishi	NM-65	73.00		
P021M15710143N	PISTON BARE W/O PIN MITSUBISHI PFE5/DAIYA 130 (STD) DIA.-130.00MM (3+2) MAGNETIC ALFIN RING	mitsubishi	PFE5/DAIYA 130	130.00		
P021M15640142N	PISTON BARE W/O PIN MITSUBISHI SD-4 (STD) DIA.-68.00MM (3+1)	mitsubishi	SD-4	68.00		
P021M15650142N	PISTON BARE W/O PIN MITSUBISHI SD-5/NM-75 (STD) DIA.-78.00MM (3+1)	mitsubishi	SD-5/NM-75	78.00	OEM # MM400470	
P021M15660142N	PISTON BARE W/O PIN MITSUBISHI SD-6 (STD) DIA.-80.00MM (3+1)	mitsubishi	SD-6	80.00		
P021M15010143N	PISTON BARE W/O PIN MITSUBISHI 3M15 (STD) DIA.-95.00MM (3+2)	mitsubishi	3M15	95.00		
P021M15040139N	PISTON BARE W/O PIN MITSUBISHI 4D31 (STD) DIA.-100.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	mitsubishi	4D31	100.00	OEM # ME012131, ME012145 & ME012160	ARCO # PTMI410002D
P021M15840139N	PISTON BARE W/O PIN MITSUBISHI 4D32 (NEW) STD (DIA.-104.00MM) 2+1 (WITH INSIDE STEEL STRIP) PIN O.D.-34.00	mitsubishi	4D32	104.00	OEM # ME018274	ARCO # PTMI410405DA
P021M15810139N	PISTON BARE W/O PIN MITSUBISHI 4D32 (STD) DIA.-104.00MM (2+1) ALFIN TYPE	mitsubishi	4D32	104.00	OEM # ME012174	ARCO # PTMI410401DA
P021M15800139N	PISTON BARE W/O PIN MITSUBISHI 4D33 (STD) DIA.-108.00MM (2+1) ALFIN TYPE	mitsubishi	4D33	108.00	OEM # ME012897, ME013312 & ME016895	ARCO # PTMI410801DA
P021M15820139N	PISTON BARE W/O PIN MITSUBISHI 4D34 (STD) DIA.-104.00MM (2+1) ALFIN TYPE	mitsubishi	4D34	104.00	OEM # ME012901 & ME012928	ARCO # PTMI410402DA
P021M15830039N	PISTON BARE W/O PIN MITSUBISHI 4D35 (STD) DIA.-110.00MM (2+1) PISTON PIN O.D.- 36.00MM (WITH INSIDE STEEL STRIP)	mitsubishi	4D35	110.00	OEM # ME014693	

# AECO ENGINEERING CO.



P021M15050139N	PISTON BARE W/O PIN MITSUBISHI 4D55,4D56 (STD) DIA.-91.10MM (2+1) WITH STEEL STRIP	mitsubishi	4D55,4D56	91.10	OEM # MD050021, MD103318 & MD304835	ARCO # PTMI409111D
P021M15850139N	PISTON BARE W/O PIN MITSUBISHI 4M40 (STD) DIA.-95.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP & OIL COOLING GALLERY	mitsubishi	4M40	95.00		AE # RP62707
P021M15310143N	PISTON BARE W/O PIN MITSUBISHI 5GT (STD) DIA.-150.00MM (3+2)	mitsubishi	5GT	150.00		
P021M15700139N	PISTON BARE W/O PIN MITSUBISHI 6D16 (STD) DIA.-118.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	mitsubishi	6D16	118.00	OEM # 2341193000, MD0411102 & ME072000	
P021M15210139N	PISTON BARE W/O PIN MITSUBISHI 6D22 (STD) DIA.-130.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	mitsubishi	6D22	130.00		
P021M15690142N	PISTON BARE W/O PIN MITSUBISHI 8DC91 (STD) DIA.-135.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	mitsubishi	8DC91	135.00		
P021M15760142N	PISTON BARE W/O PIN MITSUBISHI DAIYA (STD) DIA.-91.50MM (3+1)	mitsubishi	DAIYA	91.50		
P021M15270143N	PISTON BARE W/O PIN MITSUBISHI DAIYA 105 (STD) DIA.-105.00MM (3+2)	mitsubishi	DAIYA 105	105.00		
P021M15320143N	PISTON BARE W/O PIN MITSUBISHI DAIYA 6GGT (STD) DIA.-160.00MM (3+2)	mitsubishi	DAIYA 6GGT	160.00		
P021M15410142N	PISTON BARE W/O PIN MITSUBISHI HD-330 (STD) DIA.-145.00MM (3+1)	mitsubishi	HD-330	145.00	OEM # ED22020	
P021M15420142N	PISTON BARE W/O PIN MITSUBISHI M11 (STD) DIA.-92.00MM (3+1)	mitsubishi	M11	92.00		
P021M15530109N	PISTON BARE W/O PIN MITSUBISHI M12/NM-130 (0.020") 3+1 (STD DIA.-94.00MM)	mitsubishi	M12/NM-130	94.00		
P021M15530142N	PISTON BARE W/O PIN MITSUBISHI M12/NM-130 (STD) DIA.-94.00MM (3+1)	mitsubishi	M12/NM-130	94.00		
P021M15450142N	PISTON BARE W/O PIN MITSUBISHI M16/NM-180H (STD) DIA.-100.00MM (3+1)	mitsubishi	M16/NM-180H	100.00		
P021M15460142N	PISTON BARE W/O PIN MITSUBISHI M80 (STD) DIA.-80.00MM (3+1)	mitsubishi	M80	80.00		
P021M15470143N	PISTON BARE W/O PIN MITSUBISHI M85/NM-85 (STD) DIA.-80.00MM (3+2)	mitsubishi	M85/NM-85	80.00		
P021M15480142Y	PISTON BARE W/O PIN MITSUBISHI M95 (STD) DIA.-85.00MM (3+1)	mitsubishi	M95	85.00		
P021M15520121N	PISTON BARE W/O PIN MITSUBISHI NM-110 (0.040") STD DIA.-88.00MM (3+1)	mitsubishi	NM-110	88.00		
P021M15520142N	PISTON BARE W/O PIN MITSUBISHI NM-110 (STD) DIA.-88.00MM (3+1)	mitsubishi	NM-110	88.00		
P021M15510142N	PISTON BARE W/O PIN MITSUBISHI NM-65 (STD) DIA.-73.00MM (3+1)	mitsubishi	NM-65	73.00		

# AECO ENGINEERING CO.



P021M15710143N	PISTON BARE W/O PIN MITSUBISHI PFE5/DAIYA 130 (STD) DIA.-130.00MM (3+2) MAGNETIC ALFIN RING	mitsubishi	PFE5/DAIY A 130	130.00		
P021M15640142N	PISTON BARE W/O PIN MITSUBISHI SD-4 (STD) DIA.-68.00MM (3+1)	mitsubishi	SD-4	68.00		
P021M15650142N	PISTON BARE W/O PIN MITSUBISHI SD-5/NM-75 (STD) DIA.-78.00MM (3+1)	mitsubishi	SD-5/NM-75	78.00	OEM # MM400470	
P021M15660142N	PISTON BARE W/O PIN MITSUBISHI SD-6 (STD) DIA.-80.00MM (3+1)	mitsubishi	SD-6	80.00		
P021M16010137N	PISTON BARE W/O PIN MOBYLETTE AV51-MEP (STD) DIA.-46.00MM (1 RING)	MOBYLETTE	AV51-MEP	46.00		
P021M16010137N	PISTON BARE W/O PIN MOBYLETTE AV51-MEP (STD) DIA.-46.00MM (1 RING)	MOBYLETTE	AV51-MEP	46.00		
P021N03000140N	PISTON BARE W/O PIN NISSAN (COMPRESSOR) 180 HP (STD) DIA.-85.00MM (2+2)	NISSAN		85.00	OEM # P530135	
P021N03000142N	PISTON BARE W/O PIN NISSAN (COMPRESSOR) 225 HP (STD) DIA.-80.00MM (3+1)	NISSAN		80.00	OEM # P530130	
P021N03000140N	PISTON BARE W/O PIN NISSAN (COMPRESSOR) 180 HP (STD) DIA.-85.00MM (2+2)	NISSAN		85.00	OEM # P530135	
P021N03000142N	PISTON BARE W/O PIN NISSAN (COMPRESSOR) 225 HP (STD) DIA.-80.00MM (3+1)	NISSAN		80.00	OEM # P530130	
P021N03490139Y	PISTON BARE W/O PIN NISSAN OR DATSUN FE6T (STD) DIA.-108.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	NISSAN/DATSUN	FE6T	108.00	OEM # 12011Z5702	
P021N03260139N	PISTON BARE W/O PIN NISSAN/DATSUN PE6 (STD) DIA.-133.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	NISSAN/DATSUN	PE6	133.00	OEM # 1201196508 & 1201196516	ARCO # PTNI613301DA
P021N03270139N	PISTON BARE W/O PIN NISSAN/DATSUN PE6,PE6T (STD) DIA.-133.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	NISSAN/DATSUN	PE6,PE6T	133.00		
P021N03360139N	PISTON BARE W/O PIN NISSAN/DATSUN TD27,TD42 (STD) DIA.-96.00MM (2+1)	NISSAN/DATSUN	TD27,TD42	96.00	OEM # 1201010T02, 1201010T12, 1201043G02 & 1201043G12	ARCO # PTNI409601D
P021N03490139Y	PISTON BARE W/O PIN NISSAN OR DATSUN FE6T (STD) DIA.-108.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	NISSAN/DATSUN	FE6T	108.00	OEM # 12011Z5702	
P021N03260139N	PISTON BARE W/O PIN NISSAN/DATSUN PE6 (STD) DIA.-133.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	NISSAN/DATSUN	PE6	133.00	OEM # 1201196508 & 1201196516	ARCO # PTNI613301DA
P021N03270139N	PISTON BARE W/O PIN NISSAN/DATSUN PE6,PE6T (STD) DIA.-133.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	NISSAN/DATSUN	PE6,PE6T	133.00		



P021N03360139N	PISTON BARE W/O PIN NISSAN/DATSUN TD27,TD42 (STD) DIA.-96.00MM (2+1)	NISSAN/DA TSUN	TD27,TD42	96.00	OEM # 1201010T02, 1201010T12, 1201043G02 & 1201043G12	ARCO # PTNI409601D
P021o01020139N	PISTON BARE W/O PIN OPEL CORSA (1.3NE) STD (DIA.-75.00MM) 2+1	OPEL	CORSA (1.3NE)	75.00		AE # RP45084
P021o01020107N	PISTON BARE W/O PIN OPEL CORSA (1.3NE) 0.020" (2+1) STD DIA.- 75.00MM	OPEL	CORSA (1.3NE)	75.00		AE # RP45084
P021o01020119N	PISTON BARE W/O PIN OPEL CORSA (1.3NE) 0.040" (2+1) STD DIA.- 75.00MM	OPEL	CORSA (1.3NE)	75.00		AE # RP45084
P021o01020139N	PISTON BARE W/O PIN OPEL CORSA (1.3NE) STD (DIA.-75.00MM) 2+1	OPEL	CORSA (1.3NE)	75.00		AE # RP45084
P021P04130143N	PISTON BARE W/O PIN PETTER PAZ1 (STD) DIA.-76.20MM (3+2)	PETTER	PAZ1	76.20		
P021P04160142N	PISTON BARE W/O PIN PETTER PH-1 (STD) DIA.-87.31MM (3+1)	PETTER	PH	87.31		AE # 350254 (STD)
P021P04180142N	PISTON BARE W/O PIN PETTER PJ (W/C) STD (DIA.-96.88MM) 3+1	PETTER	PJ (W/C)	96.88		
P021P04140104N	PISTON BARE W/O PIN PETTER PAZ1 (0.010") 3+2 (STD DIA.-76.20MM)	PETTER	PAZ1	76.20		
P021P04130110N	PISTON BARE W/O PIN PETTER PAZ1 (0.020") 3+2 (STD DIA.-76.20MM)	PETTER	PAZ1 (A/C)	76.20		
P021P04130122N	PISTON BARE W/O PIN PETTER PAZ1 (0.040") 3+2 (STD DIA.-76.20MM)	PETTER	PAZ1	76.20		
P021P04140128N	PISTON BARE W/O PIN PETTER PAZ1 (0.050") 3+2 (STD DIA.-76.20MM)	PETTER	PAZ1	76.20		
P021P04130134N	PISTON BARE W/O PIN PETTER PAZ1 (0.060") 3+2 (STD DIA.-76.20MM)	PETTER	PAZ1	76.20		
P021P04130143N	PISTON BARE W/O PIN PETTER PAZ1 (STD) DIA.-76.20MM (3+2)	PETTER	PAZ1	76.20		
P021P04160103N	PISTON BARE W/O PIN PETTER PH-1 (0.010") 3+1 (STD DIA.-87.31MM)	PETTER	PH	87.31		AE # 350254 (0.010")
P021P04160109N	PISTON BARE W/O PIN PETTER PH-1 (0.020") 3+1 (STD DIA.-87.31MM)	PETTER	PH	87.31		AE # 350254 (0.020")
P021P04160115N	PISTON BARE W/O PIN PETTER PH-1 (0.030") 3+1 (STD DIA.-87.31MM)	PETTER	PH	87.31		AE # 350254 (0.030")
P021P04160121N	PISTON BARE W/O PIN PETTER PH-1 (0.040") 3+1 (STD DIA.-87.31MM)	PETTER	PH	87.31		AE # 350254 (0.040")
P021P04160133N	PISTON BARE W/O PIN PETTER PH-1 (0.060") 3+1 (STD DIA.-87.31MM)	PETTER	PH	87.31		AE # 350254 (0.060")
P021P04160142N	PISTON BARE W/O PIN PETTER PH-1 (STD) DIA.-87.31MM (3+1)	PETTER	PH	87.31		AE # 350254 (STD)
P021P04180103N	PISTON BARE W/O PIN PETTER PJ (W/C) 0.010" (3+1) STD DIA.-96.88MM	PETTER	PJ (W/C)	96.88		

P021P04180121N	PISTON BARE W/O PIN PETTER PJ (W/C) 0.040" (3+1) STD DIA.-96.88MM	PETTER	PJ (W/C)	96.88		
P021P04180142N	PISTON BARE W/O PIN PETTER PJ (W/C) STD (DIA.-96.88MM) 3+1	PETTER	PJ (W/C)	96.88		
P021P05350175N	PISTON BARE W/O PIN PEUGEOT 206 (STD) DIA.-75.00MM (2+1) CAVITY TYPE	PEUGEOT	206	75.00		
P021P05350139N	PISTON BARE W/O PIN PEUGEOT 206 (STD) DIA.-75.00MM (2+1) FLAT TYPE	PEUGEOT	206	75.00		
P021P05000139N	PISTON BARE W/O PIN PEUGEOT 405 (STD) DIA.-83.00MM (2+1) WITH INSIDE STEEL STRIP	PEUGEOT	405	83.00		
P021P05080178N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-84.00MM (2+1) COMP. HT.-38.00	PEUGEOT	504	84.00		AE # PI7772208
P021P05080139N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-84.00MM (2+1) COMP. HT.-41.60+3.35	PEUGEOT	504	84.00		AE # PI0113108
P021P05080177Y	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-84.00MM (2+1) WITH INSIDE MAGNETIC STEEL RING	PEUGEOT	504	84.00		
P021P05080179N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-88.00MM (2+1) COMP. HT.-37.90+1.35	PEUGEOT	504	88.00		AE # PI0122208
P021P05080180N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-88.00MM (2+1) COMP. HT.-38.25+0.65	PEUGEOT	504	88.00		AE # PI0122108 (NEW) & PI0121108 (OLD)
P021P05280177Y	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-88.00MM (2+1) WITH INSIDE MAGNETIC STEEL RING	PEUGEOT	504	88.00		
P021P05350175N	PISTON BARE W/O PIN PEUGEOT 206 (STD) DIA.-75.00MM (2+1) CAVITY TYPE	PEUGEOT	206	75.00		
P021P05350139N	PISTON BARE W/O PIN PEUGEOT 206 (STD) DIA.-75.00MM (2+1) FLAT TYPE	PEUGEOT	206	75.00		
P021P05000139N	PISTON BARE W/O PIN PEUGEOT 405 (STD) DIA.-83.00MM (2+1) WITH INSIDE STEEL STRIP	PEUGEOT	405	83.00		
P021P05080178N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-84.00MM (2+1) COMP. HT.-38.00	PEUGEOT	504	84.00		AE # PI7772208
P021P05080139N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-84.00MM (2+1) COMP. HT.-41.60+3.35	PEUGEOT	504	84.00		AE # PI0113108
P021P05080177Y	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-84.00MM (2+1) WITH INSIDE MAGNETIC STEEL RING	PEUGEOT	504	84.00		
P021P05080179N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-88.00MM (2+1) COMP. HT.-37.90+1.35	PEUGEOT	504	88.00		AE # PI0122208
P021P05080180N	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-88.00MM (2+1) COMP. HT.-38.25+0.65	PEUGEOT	504	88.00		AE # PI0122108 (NEW) & PI0121108 (OLD)

# AECO ENGINEERING CO.



P021P05280177Y	PISTON BARE W/O PIN PEUGEOT 504 (STD) DIA.-88.00MM (2+1) WITH INSIDE MAGNETIC STEEL RING	PEUGEOT	504	88.00		
P021R03020139N	PISTON BARE W/O PIN RENAULT 800,R4,R5,R6 (STD) DIA.-58.00MM (2+1)	RENAULT	800,R4,R5,R6	58.00		MAHLE # 0212200
P021R03370139N	PISTON BARE W/O PIN RENAULT 807, R9/11/12/15/16/18 (STD) DIA.-77.00MM (2+1)	RENAULT	807, R9/11/12/15/16/18	77.00		FADECYA # DC0775, MAHLE BRAZIL # E18771 & CASTING 77L24
P021R03410139Y	PISTON BARE W/O PIN RENAULT E6J,EJ7 (GAS) 1400 (STD) DIA.-75.80 MM (2+1)	RENAULT	E6J,EJ7 (GAS) 1400	75.80		MAHLE BRAZIL # E18750, MAHLE METAL LEVE # 1941 & CASTING # 75V122
P021R03090139N	PISTON BARE W/O PIN RENAULT OR R.V.I. MIDR 635.40 (TURBO) STD (DIA.-135.00MM) 2+1	RENAULT	MIDR 635.40 (TURBO)	135.00		AE # PI7401100 & MAHLE # 135L30
P021R03220139Y	PISTON BARE W/O PIN RENAULT R19 (STD) DIA.-75.80MM (2+1)	RENAULT	R19	75.80		
P021R03260139N	PISTON BARE W/O PIN RENAULT R5,R9,R11,R12,R19 (STD) DIA.-76.00MM (2+1)	RENAULT	R5,R9,R11,R12,R19	76.00		YENMARK # 1904000
P021R03020139N	PISTON BARE W/O PIN RENAULT 800,R4,R5,R6 (STD) DIA.-58.00MM (2+1)	RENAULT	800,R4,R5,R6	58.00		MAHLE # 0212200
P021R03370139N	PISTON BARE W/O PIN RENAULT 807, R9/11/12/15/16/18 (STD) DIA.-77.00MM (2+1)	RENAULT	807, R9/11/12/15/16/18	77.00		FADECYA # DC0775, MAHLE BRAZIL # E18771 & CASTING 77L24
P021R03410139Y	PISTON BARE W/O PIN RENAULT E6J,EJ7 (GAS) 1400 (STD) DIA.-75.80 MM (2+1)	RENAULT	E6J,EJ7 (GAS) 1400	75.80		MAHLE BRAZIL # E18750, MAHLE METAL LEVE # 1941 & CASTING # 75V122
P021R03090139N	PISTON BARE W/O PIN RENAULT OR R.V.I. MIDR 635.40 (TURBO) STD (DIA.-135.00MM) 2+1	RENAULT	MIDR 635.40 (TURBO)	135.00		AE # PI7401100 & MAHLE # 135L30
P021R03220139Y	PISTON BARE W/O PIN RENAULT R19 (STD) DIA.-75.80MM (2+1)	RENAULT	R19	75.80		
P021R03260139N	PISTON BARE W/O PIN RENAULT R5,R9,R11,R12,R19 (STD) DIA.-76.00MM (2+1)	RENAULT	R5,R9,R11,R12,R19	76.00		YENMARK # 1904000
P021R05030139N	PISTON BARE W/O PIN ROBIN EX-17 (STD) DIA.-67.00MM (2+1)	ROBIN	EX-17	67.00		
P021R05050139N	PISTON BARE W/O PIN ROBIN EY-13 (STD) DIA.-60.00MM (2+1)	ROBIN	EY-13	60.00		
P021R05060139N	PISTON BARE W/O PIN ROBIN EY-14 (STD) DIA.-62.00MM (2+1)	ROBIN	EY-14	62.00		
P021R05070139N	PISTON BARE W/O PIN ROBIN EY-15 (STD) DIA.-63.00MM (2+1)	ROBIN	EY-15	63.00	OEM # 22623401-03	
P021R05080139N	PISTON BARE W/O PIN ROBIN EY-18 (STD) DIA.-65.00MM (2+1)	ROBIN	EY-18	65.00		
P021R05090139N	PISTON BARE W/O PIN ROBIN EY-20 (STD) DIA.-67.00MM (2+1)	ROBIN	EY-20	67.00	OEM # 22723401-03	
P021R05100139N	PISTON BARE W/O PIN ROBIN EY-25 (STD) DIA.-72.00MM (2+1)	ROBIN	EY-25	72.00		
P021R05110139N	PISTON BARE W/O PIN ROBIN EY-27 (STD) DIA.-74.00MM (2+1)	ROBIN	EY-27	74.00		

# AECO ENGINEERING CO.



P021R05030101N	PISTON BARE W/O PIN ROBIN EX-17 (0.25MM) 2+1 (STD DIA.-67.00MM)	ROBIN	EX-17	67.00		
P021R05030107N	PISTON BARE W/O PIN ROBIN EX-17 (0.50MM) 2+1 (STD DIA.-67.00MM)	ROBIN	EX-17	67.00		
P021R05030139N	PISTON BARE W/O PIN ROBIN EX-17 (STD) DIA.-67.00MM (2+1)	ROBIN	EX-17	67.00		
P021R05050139N	PISTON BARE W/O PIN ROBIN EY-13 (STD) DIA.-60.00MM (2+1)	ROBIN	EY-13	60.00		
P021R05060139N	PISTON BARE W/O PIN ROBIN EY-14 (STD) DIA.-62.00MM (2+1)	ROBIN	EY-14	62.00		
P021R05070107N	PISTON BARE W/O PIN ROBIN EY-15 (0.020") 2+1 (STD DIA.-63.00MM)	ROBIN	EY-15	63.00		
P021R05070139N	PISTON BARE W/O PIN ROBIN EY-15 (STD) DIA.-63.00MM (2+1)	ROBIN	EY-15	63.00	OEM # 22623401-03	
P021R05080107N	PISTON BARE W/O PIN ROBIN EY-18 (0.020") 2+1 (STD DIA.-65.00MM)	ROBIN	EY-18	65.00		
P021R05080139N	PISTON BARE W/O PIN ROBIN EY-18 (STD) DIA.-65.00MM (2+1)	ROBIN	EY-18	65.00		
P021R05090101N	PISTON BARE W/O PIN ROBIN EY-20 (0.010") 2+1 (STD DIA.-67.00MM)	ROBIN	EY-20	67.00		
P021R05090107N	PISTON BARE W/O PIN ROBIN EY-20 (0.020") 2+1 (STD DIA.-67.00MM)	ROBIN	EY-20	67.00		
P021R05090139N	PISTON BARE W/O PIN ROBIN EY-20 (STD) DIA.-67.00MM (2+1)	ROBIN	EY-20	67.00	OEM # 22723401-03	
P021R05100139N	PISTON BARE W/O PIN ROBIN EY-25 (STD) DIA.-72.00MM (2+1)	ROBIN	EY-25	72.00		
P021R05110139N	PISTON BARE W/O PIN ROBIN EY-27 (STD) DIA.-74.00MM (2+1)	ROBIN	EY-27	74.00		
P021R06020143N	PISTON BARE W/O PIN ROBSON RC (22 HP) STD (DIA.-158.75MM) 3+2	ROBSON	RC (22 HP)	158.75		
P021R06020172Y	PISTON BARE W/O PIN ROBSON RC (22 HP) STD (DIA.-158.75MM) 3+2 (SAUDI SPECIAL)	ROBSON	RC (22 HP)	158.75		
P021R06020143N	PISTON BARE W/O PIN ROBSON RC (22 HP) STD (DIA.-158.75MM) 3+2	ROBSON	RC (22 HP)	158.75		
P021R06020172Y	PISTON BARE W/O PIN ROBSON RC (22 HP) STD (DIA.-158.75MM) 3+2 (SAUDI SPECIAL)	ROBSON	RC (22 HP)	158.75		
P021R07020140N	PISTON BARE W/O PIN ROCKET OR COMET 3.5 H.P. (STD) DIA.-76.00MM (2+2)	ROCKET	3.5 H.P.	76.00		
P021R07020120N	PISTON BARE W/O PIN ROCKET OR COMET 3.5 H.P. (0.040") 2+2 (STD DIA.-76.00MM)	ROCKET	3.5 H.P.	76.00		
P021R07020140N	PISTON BARE W/O PIN ROCKET OR COMET 3.5 H.P. (STD) DIA.-76.00MM (2+2)	ROCKET	3.5 H.P.	76.00		
P021R10020145N	PISTON BARE W/O PIN RUMANIA D-15/17 (STD) DIA.-140.00MM (4+2)	RUMANIA	D-15/17	140.00		
P021R10050142N	PISTON BARE W/O PIN RUMANIA U-800 (STD) DIA.-110.00MM (3+1)	RUMANIA	U-800	110.00		
P021R10040143N	PISTON BARE W/O PIN RUMANIA UTB-500,UTB-650 (STD) DIA.-108.00MM (3+2)	RUMANIA	UTB-500,UTB-650	108.00	OEM # 10303110	

# AECO ENGINEERING CO.



P021R10020145N	PISTON BARE W/O PIN RUMANIA D-15/17 (STD) DIA.-140.00MM (4+2)	RUMANIA	D-15/17	140.00		
P021R10050142N	PISTON BARE W/O PIN RUMANIA U-800 (STD) DIA.-110.00MM (3+1)	RUMANIA	U-800	110.00		
P021R10040143N	PISTON BARE W/O PIN RUMANIA UTB-500,UTB-650 (STD) DIA.-108.00MM (3+2)	RUMANIA	UTB-500,UTB-650	108.00	OEM # 10303110	
P021R10020108N	PISTON BARE W/O PIN RUMANIA D-15/17 (0.080") DIA.-140.00MM (4+2)	RUSSIAN	D-15/17	140.00		
P021R11010143N	PISTON BARE W/O PIN RUSSIAN D-24 (6 H.P.) STD (DIA.-85.00MM) 3+2	RUSSIAN	D-24 (6 H.P.)	85.00		
P021R12020143N	PISTON BARE W/O PIN RUSSIAN T-62 (STD) DIA.-120.00MM (3+2)	RUSSIAN	T-62	120.00		
P021R12020144N	PISTON BARE W/O PIN RUSSIAN T-62 (STD) DIA.-120.00MM (4+1)	RUSSIAN	T-62	120.00		
P021R10020108N	PISTON BARE W/O PIN RUMANIA D-15/17 (0.080") DIA.-140.00MM (4+2)	RUSSIAN	D-15/17	140.00		
P021R11010143N	PISTON BARE W/O PIN RUSSIAN D-24 (6 H.P.) STD (DIA.-85.00MM) 3+2	RUSSIAN	D-24 (6 H.P.)	85.00		
P021R12020110N	PISTON BARE W/O PIN RUSSIAN T-62 (0.020") 3+2 (STD DIA.-120.00MM)	RUSSIAN	T-62	120.00		
P021R12020111N	PISTON BARE W/O PIN RUSSIAN T-62 (0.020") 4+1 (STD DIA.-120.00MM)	RUSSIAN	T-62	120.00		
P021R12020122N	PISTON BARE W/O PIN RUSSIAN T-62 (0.040") 3+2 (STD DIA.-120.00MM)	RUSSIAN	T-62	120.00		
P021R12020123N	PISTON BARE W/O PIN RUSSIAN T-62 (0.040") 4+1 (STD DIA.-120.00MM)	RUSSIAN	T-62	120.00		
P021R12020134N	PISTON BARE W/O PIN RUSSIAN T-62 (0.060") 3+2 (STD DIA.-120.00MM)	RUSSIAN	T-62	120.00		
P021R12020143N	PISTON BARE W/O PIN RUSSIAN T-62 (STD) DIA.-120.00MM (3+2)	RUSSIAN	T-62	120.00		
P021R12020144N	PISTON BARE W/O PIN RUSSIAN T-62 (STD) DIA.-120.00MM (4+1)	RUSSIAN	T-62	120.00		
P021R13000145N	PISTON BARE W/O PIN RUSSIAN BELARUS (STD) DIA.-105.00MM (4+2)	RUSSIAN BELARUS		105.00		
P021R13010153N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-50 (STD) DIA.-110.00MM (3+2) FLAT TYPE	RUSSIAN BELARUS	MTZ-50	110.00		
P021R13010156N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-50 (STD) DIA.-110.00MM (3+2) FLAT TYPE (SS)	RUSSIAN BELARUS	MTZ-50	110.00		
P021R13040154N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-80 (MODIFIED USSR) STD (DIA.-110.00MM) 3+2 (CAVITY TYPE)	RUSSIAN BELARUS	MTZ-80	110.00		
P021R13030154N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-80 (STD) DIA.-110.00MM (3+2) CAVITY TYPE	RUSSIAN BELARUS	MTZ-80	110.00		
P021R13000145N	PISTON BARE W/O PIN RUSSIAN BELARUS (STD) DIA.-105.00MM (4+2)	RUSSIAN BELARUS		105.00		



# AECO ENGINEERING CO.



P021R13010153N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-50 (STD) DIA.-110.00MM (3+2) FLAT TYPE	RUSSIAN BELARUS	MTZ-50	110.00		
P021R13010156N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-50 (STD) DIA.-110.00MM (3+2) FLAT TYPE (SS)	RUSSIAN BELARUS	MTZ-50	110.00		
P021R13040154N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-80 (MODIFIED USSR) STD (DIA.-110.00MM) 3+2 (CAVITY TYPE)	RUSSIAN BELARUS	MTZ-80	110.00		
P021R13030154N	PISTON BARE W/O PIN RUSSIAN BELARUS MTZ-80 (STD) DIA.-110.00MM (3+2) CAVITY TYPE	RUSSIAN BELARUS	MTZ-80	110.00		
P021R14430143N	PISTON BARE W/O PIN RUSTON VSH (STD) DIA.-114.30MM (3+2)	RUSTON	VSH	114.30		
P021R14450144N	PISTON BARE W/O PIN RUSTON VTH (STD) DIA.-101.60MM (4+1)	RUSTON	VTH	101.60		
P021R14470143N	PISTON BARE W/O PIN RUSTON YB (STD) DIA.-88.90MM (3+2)	RUSTON	YB	88.90		
P021R14500143N	PISTON BARE W/O PIN RUSTON YDA MK-I (STD) DIA.-111.176MM (3+2)	RUSTON	YDA (MARK-I)	111.176		
P021R14510143N	PISTON BARE W/O PIN RUSTON YDA MK-II (STD) DIA.-111.176MM (3+2)	RUSTON	YDA (MARK-II)	111.176		
P021R14530143N	PISTON BARE W/O PIN RUSTON YWA MK-I (STD) DIA.-101.60MM (3+2)	RUSTON	YWA (MARK-I)	101.60		
P021R14540143N	PISTON BARE W/O PIN RUSTON YWA MK-II (STD) DIA.-101.60MM (3+2)	RUSTON	YWA (MARK-II)	101.60		
P021R14580143N	PISTON BARE W/O PIN RUSTON YWA MK-V (STD) DIA.-104.775MM (3+2)	RUSTON	YWA MK-V	104.775		
P021R14430143N	PISTON BARE W/O PIN RUSTON VSH (STD) DIA.-114.30MM (3+2)	RUSTON	VSH	114.30		
P021R14450144N	PISTON BARE W/O PIN RUSTON VTH (STD) DIA.-101.60MM (4+1)	RUSTON	VTH	101.60		
P021R14470110N	PISTON BARE W/O PIN RUSTON YB (0.020") 3+2 (STD DIA.-88.90MM)	RUSTON	YB	88.90		
P021R14470122N	PISTON BARE W/O PIN RUSTON YB (0.040") 3+2 (STD DIA.-88.90MM)	RUSTON	YB	88.90		
P021R14470143N	PISTON BARE W/O PIN RUSTON YB (STD) DIA.-88.90MM (3+2)	RUSTON	YB	88.90		
P021R14500122N	PISTON BARE W/O PIN RUSTON YDA MK-I (0.040") 3+2 (STD DIA.-111.176MM)	RUSTON	YDA (MARK-I)	111.176		
P021R14500143N	PISTON BARE W/O PIN RUSTON YDA MK-I (STD) DIA.-111.176MM (3+2)	RUSTON	YDA (MARK-I)	111.176		
P021R14510122N	PISTON BARE W/O PIN RUSTON YDA MK-II (0.040") 3+2 (STD DIA.-111.176MM)	RUSTON	YDA (MARK-II)	111.176		
P021R14510143N	PISTON BARE W/O PIN RUSTON YDA MK-II (STD) DIA.-111.176MM (3+2)	RUSTON	YDA (MARK-II)	111.176		
P021R14530110N	PISTON BARE W/O PIN RUSTON YWA MK-I (0.020") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK-I)	101.60		

P021R14530116N	PISTON BARE W/O PIN RUSTON YWA MK-I (0.030") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK I)	101.60		
P021R14530122N	PISTON BARE W/O PIN RUSTON YWA MK-I (0.040") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK I)	101.60		
P021R14530134N	PISTON BARE W/O PIN RUSTON YWA MK-I (0.060") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK I)	101.60		
P021R14530143N	PISTON BARE W/O PIN RUSTON YWA MK-I (STD) DIA.-101.60MM (3+2)	RUSTON	YWA (MARK I)	101.60		
P021R14540110N	PISTON BARE W/O PIN RUSTON YWA MK-II (0.020") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK II)	101.60		
P021R14540116N	PISTON BARE W/O PIN RUSTON YWA MK-II (0.030") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK II)	101.60		
P021R14540122N	PISTON BARE W/O PIN RUSTON YWA MK-II (0.040") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK II)	101.60		
P021R14540134N	PISTON BARE W/O PIN RUSTON YWA MK-II (0.060") 3+2 (STD DIA.-101.60MM)	RUSTON	YWA (MARK II)	101.60		
P021R14540143N	PISTON BARE W/O PIN RUSTON YWA MK-II (STD) DIA.-101.60MM (3+2)	RUSTON	YWA (MARK II)	101.60		
P021R14580143N	PISTON BARE W/O PIN RUSTON YWA MK-V (STD) DIA.-104.775MM (3+2)	RUSTON	YWA MK-V	104.775		
P021S19070139Y	PISTON BARE W/O PIN SAMCO PST-2000 (STD) DIA.-95.10MM (2+1 RINGS GROOVE)	SAMCO	PST-2000	95.10		
P021S19200139Y	PISTON BARE W/O PIN SAMCO PST-2-2 (STD) DIA.-100.00MM (2+1)	SAMCO	PST-2-2	100.00		
P021S19040141N	PISTON BARE W/O PIN SAMCO PST-70-180 (STD) DIA.-92.87MM (2 RINGS GROOVE)	SAMCO	PST-70-180	92.87		
P021S19050141N	PISTON BARE W/O PIN SAMCO PST-7044 (STD) DIA.-87.31MM (2 RINGS GROOVE)	SAMCO	PST-7044	87.31		
P021S19080141N	PISTON BARE W/O PIN SAMCO PST-7218 (STD) DIA.-92.95MM (2 RINGS GROOVE)	SAMCO	PST-7218	92.95		
P021S19090139N	PISTON BARE W/O PIN SAMCO PST-7318 (STD) DIA.-92.95MM (2+1 RINGS GROOVE)	SAMCO	PST-7318	92.95		
P021S19110141N	PISTON BARE W/O PIN SAMCO PST-84 (STD) DIA.-95.25MM (2 RINGS GROOVE)	SAMCO	PST-84	95.25		
P021S19140141N	PISTON BARE W/O PIN SAMCO PST-8500 (STD) DIA.-74.00MM (2 RINGS GROOVE)	SAMCO	PST-8500	74.00		
P021S19150141N	PISTON BARE W/O PIN SAMCO PST-8501 (STD) DIA.-69.00MM (2 RINGS GROOVE)	SAMCO	PST-8501	69.00		
P021S19070139Y	PISTON BARE W/O PIN SAMCO PST-2000 (STD) DIA.-95.10MM (2+1 RINGS GROOVE)	SAMCO	PST-2000	95.10		
P021S19200139Y	PISTON BARE W/O PIN SAMCO PST-2-2 (STD) DIA.-100.00MM (2+1)	SAMCO	PST-2-2	100.00		

P021S19040141N	PISTON BARE W/O PIN SAMCO PST-70-180 (STD) DIA.-92.87MM (2 RINGS GROOVE)	SAMCO	PST-70-180	92.87		
P021S19050141N	PISTON BARE W/O PIN SAMCO PST-7044 (STD) DIA.-87.31MM (2 RINGS GROOVE)	SAMCO	PST-7044	87.31		
P021S19080141N	PISTON BARE W/O PIN SAMCO PST-7218 (STD) DIA.-92.95MM (2 RINGS GROOVE)	SAMCO	PST-7218	92.95		
P021S19090139N	PISTON BARE W/O PIN SAMCO PST-7318 (STD) DIA.-92.95MM (2+1 RINGS GROOVE)	SAMCO	PST-7318	92.95		
P021S19110141N	PISTON BARE W/O PIN SAMCO PST-84 (STD) DIA.-95.25MM (2 RINGS GROOVE)	SAMCO	PST-84	95.25		
P021S19140141N	PISTON BARE W/O PIN SAMCO PST-8500 (STD) DIA.-74.00MM (2 RINGS GROOVE)	SAMCO	PST-8500	74.00		
P021S19150141N	PISTON BARE W/O PIN SAMCO PST-8501 (STD) DIA.-69.00MM (2 RINGS GROOVE)	SAMCO	PST-8501	69.00		
P021S02020142Y	PISTON BARE W/O PIN SAME - ENG. 1053P TO 1056P (DIESEL) BUFFALO/TIGER/DRAGO/LEOPARD/SATURNO (STD) DIA.-105.00MM (3+1)	SAME	ENG.-1053P TO 1056P (DIESEL) BUFFALO/TIGER/DRAGO/LEOPARD/SATURNO	105.00		SRI # KB676 & FM/AE # 350646
P021S02020142Y	PISTON BARE W/O PIN SAME - ENG. 1053P TO 1056P (DIESEL) BUFFALO/TIGER/DRAGO/LEOPARD/SATURNO (STD) DIA.-105.00MM (3+1)	SAME	ENG.-1053P TO 1056P (DIESEL) BUFFALO/TIGER/DRAGO/LEOPARD/SATURNO	105.00		SRI # KB676 & FM/AE # 350646
P021S05020139N	PISTON BARE W/O PIN SAVIEM 102 (STD) DIA.-102.00MM (2+1) NON-MAGNETIC ALFIN TYPE RING	SAVIEM	102	102.00		
P021S05070139N	PISTON BARE W/O PIN SAVIEM 797-20/21/23/26 (6 CYL.) STD (DIA.-102.00MM) 2+1 (NON-MAGNETIC ALFIN TYPE RING)	SAVIEM	797 - 20/21/23/26 (6 CYL.) Ø 102.00MM			AE # PI0062200
P021S05010142N	PISTON BARE W/O PIN SAVIEM 98 (STD) DIA.-98.00MM (3+1) NON-MAGNETIC ALFIN TYPE RING	SAVIEM	98	98.00		
P021S05020139N	PISTON BARE W/O PIN SAVIEM 102 (STD) DIA.-102.00MM (2+1) NON-MAGNETIC ALFIN TYPE RING	SAVIEM	102	102.00		
P021S05070139N	PISTON BARE W/O PIN SAVIEM 797-20/21/23/26 (6 CYL.) STD (DIA.-102.00MM) 2+1 (NON-MAGNETIC ALFIN TYPE RING)	SAVIEM	797 - 20/21/23/26 (6 CYL.) Ø 102.00MM			AE # PI0062200
P021S05010142N	PISTON BARE W/O PIN SAVIEM 98 (STD) DIA.-98.00MM (3+1) NON-MAGNETIC ALFIN TYPE RING	SAVIEM	98	98.00		

P021S06250339Y	PISTON BARE W/O PIN SCANIA 124 (OLD) DIA.-127.00MM (2+1) EN-19 + ALUMINIUM BODY W/O BRASS BUSHES	SCANIA	124 (OLD)	127.00		
P021S06170139Y	PISTON BARE W/O PIN SCANIA D8,DT82 (NEW) STD (DIA.-115.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	SCANIA	D8,DT82 (NEW)	115.00		KS # 93152600 (115125)
P021S06180139Y	PISTON BARE W/O PIN SCANIA DC11,114 (NEW) STD (DIA.-127.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	SCANIA	DC11,114 (NEW)	127.00		KS # 99353600 (127026)
P021S06100142N	PISTON BARE W/O PIN SCANIA DS-11 (STD) DIA.-127.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	SCANIA	DS-11	127.00		MAHLE # 0612700
P021S06150139Y	PISTON BARE W/O PIN SCANIA DS11,DSC11 (M113,P113,R113,T113) STD (DIA.-127.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	SCANIA	DS11,DSC11	127.00		MAHLE # 0614700 (127L25)
P021S06060139Y	PISTON BARE W/O PIN SCANIA DS11,DSC11 (STD) DIA.-127.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	SCANIA	DS11,DSC11	127.00		KS # 90759600 (127010)
P021S06090139Y	PISTON BARE W/O PIN SCANIA DS9,DSC9 (STD) DIA.-115.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	SCANIA	DS9,DSC9	115.00		MAHLE # 0616400 (115L82)
P021S06000139Y	PISTON BARE W/O PIN SCANIA OR WESTINGHOUSE WB-15 (AIR COMP.) STD (DIA.-75.00MM) 2+1	SCANIA		75.00		
P021S06250339Y	PISTON BARE W/O PIN SCANIA 124 (OLD) DIA.-127.00MM (2+1) EN-19 + ALUMINIUM BODY W/O BRASS BUSHES	SCANIA	124 (OLD)	127.00		
P021S06170139Y	PISTON BARE W/O PIN SCANIA D8,DT82 (NEW) STD (DIA.-115.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	SCANIA	D8,DT82 (NEW)	115.00		KS # 93152600 (115125)
P021S06180139Y	PISTON BARE W/O PIN SCANIA DC11,114 (NEW) STD (DIA.-127.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	SCANIA	DC11,114 (NEW)	127.00		KS # 99353600 (127026)
P021S06100142N	PISTON BARE W/O PIN SCANIA DS-11 (STD) DIA.-127.00MM (3+1) ANTI-MAGNETIC ALFIN TYPE RING	SCANIA	DS-11	127.00		MAHLE # 0612700
P021S06150139Y	PISTON BARE W/O PIN SCANIA DS11,DSC11 (M113,P113,R113,T113) STD (DIA.-127.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING)	SCANIA	DS11,DSC11	127.00		MAHLE # 0614700 (127L25)
P021S06060139Y	PISTON BARE W/O PIN SCANIA DS11,DSC11 (STD) DIA.-127.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	SCANIA	DS11,DSC11	127.00		KS # 90759600 (127010)
P021S06090139Y	PISTON BARE W/O PIN SCANIA DS9,DSC9 (STD) DIA.-115.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	SCANIA	DS9,DSC9	115.00		MAHLE # 0616400 (115L82)

P021S06000101N	PISTON BARE W/O PIN SCANIA OR WESTINGHOUSE WB-15 (AIR COMP.) 0.25MM (2+1) STD DIA.-75.00MM	SCANIA		75.00		
P021S06000107N	PISTON BARE W/O PIN SCANIA OR WESTINGHOUSE WB-15 (AIR COMP.) 0.50MM (2+1) STD DIA.-75.00MM	SCANIA		75.00		
P021S06000139Y	PISTON BARE W/O PIN SCANIA OR WESTINGHOUSE WB-15 (AIR COMP.) STD (DIA.-75.00MM) 2+1	SCANIA		75.00		
P021S07030145N	PISTON BARE W/O PIN SENDLING DM-15 (STD) DIA.-118.00MM (4+2)	SENDLING	DM-15	118.00		
P021S07030145N	PISTON BARE W/O PIN SENDLING DM-15 (STD) DIA.-118.00MM (4+2)	SENDLING	DM-15	118.00		
P021S09010142N	PISTON BARE W/O PIN SIFENG S-1100 OR JINMAR S-1100 OR CHANGCHAI S-1100 (STD) DIA.-100.00MM (3+1)	SIFENG	S-1100	100.00		
P021S09010142N	PISTON BARE W/O PIN SIFENG S-1100 OR JINMAR S-1100 OR CHANGCHAI S-1100 (STD) DIA.-100.00MM (3+1)	SIFENG	S-1100	100.00		
P021S11010145N	PISTON BARE W/O PIN SKODA S-110 (STD) DIA.-110.00MM (4+2)	SKODA	S-110			
P021S11010145N	PISTON BARE W/O PIN SKODA S-110 (STD) DIA.-110.00MM (4+2)	SKODA	S-110			
P021S12010142N	PISTON BARE W/O PIN SLAVIA D-12 (STD) DIA.-145.00MM (3+1)	SLAVIA	D-12	145.00		
P021S12020142N	PISTON BARE W/O PIN SLAVIA D-15 (STD) DIA.-155.00MM (3+1)	SLAVIA	D-15	155.00		
P021S12030143N	PISTON BARE W/O PIN SLAVIA D-5 (STD) DIA.-100.00MM (3+2)	SLAVIA	D-5	100.00		
P021S12010142N	PISTON BARE W/O PIN SLAVIA D-12 (STD) DIA.-145.00MM (3+1)	SLAVIA	D-12	145.00		
P021S12020121N	PISTON BARE W/O PIN SLAVIA D-15 (0.040") 3+1 (STD DIA.-155.00MM)	SLAVIA	D-15	155.00		
P021S12020133N	PISTON BARE W/O PIN SLAVIA D-15 (0.060") 3+1 (STD DIA.-155.00MM)	SLAVIA	D-15	155.00		
P021S12020142N	PISTON BARE W/O PIN SLAVIA D-15 (STD) DIA.-155.00MM (3+1)	SLAVIA	D-15	155.00		
P021S12030143N	PISTON BARE W/O PIN SLAVIA D-5 (STD) DIA.-100.00MM (3+2)	SLAVIA	D-5	100.00		
P021S15000141N	PISTON BARE W/O PIN STIHL (STD) DIA.-58.00MM (2 RINGS)	STIHL		58.00		
P021S15000141N	PISTON BARE W/O PIN STIHL (STD) DIA.-58.00MM (2 RINGS)	STIHL		58.00		
P021S18180139N	PISTON BARE W/O PIN SUZUKI S-150 (STD) DIA.-63.00MM (2+1)	SUZUKI	S-150	63.00		
P021S18210141N	PISTON BARE W/O PIN SUZUKI ST-20 (STD) DIA.-61.00MM (2 RINGS)	SUZUKI	ST-20	61.00		
P021S18180107N	PISTON BARE W/O PIN SUZUKI S-150 (0.020") 2+1 (STD DIA.-63.00MM)	SUZUKI	S-150	63.00		
P021S18180139N	PISTON BARE W/O PIN SUZUKI S-150 (STD) DIA.-63.00MM (2+1)	SUZUKI	S-150	63.00		



# AECO ENGINEERING CO.



P021S18210141N	PISTON BARE W/O PIN SUZUKI ST-20 (STD) DIA.-61.00MM (2 RINGS)	SUZUKI	ST-20	61.00		
P021T06020139N	PISTON BARE W/O PIN TOYOTA 14B (STD) DIA.-102.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (PISTON FULLY TIN PLATED) G. PIN O.D.-32.00MM	TOYOTA	14B	102.00	OEM # 1310158040	ARCO # PTT0410205DA
P021T06020196N	PISTON BARE W/O PIN TOYOTA 14B (STD) DIA.-102.00MM (2+1) W/O ANTI-MAGNETIC ALFIN TYPE RING & W/O INSIDE STEEL STRIP (PISTON FULLY TIN PLATED) G. PIN O.D.-32.00MM	TOYOTA	14B	102.00	OEM # 1310158040	ARCO # PTT0410205DA
P021T06950139N	PISTON BARE W/O PIN TOYOTA 15B (STD) DIA.-108.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	TOYOTA	15B	108.00	OEM # 1310158080 & 1310158090	ARCO # PTT0410801DA
P021T06830139Y	PISTON BARE W/O PIN TOYOTA 1HZ,1PZ (STD) DIA.-94.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	TOYOTA	1HZ,1PZ	94.00	OEM # 1310117010 & 1310117100	ARCO # PTT0509401DA & PTT0609401DA
P021T06930139N	PISTON BARE W/O PIN TOYOTA 1NZ (STD) DIA.-75.00MM (2+1)	TOYOTA	1NZ	75.00	OEM # 1310121030	
P021T06870139N	PISTON BARE W/O PIN TOYOTA 2C (II) STD (DIA.-86.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING) PISTON PIN O.D.-27.00MM X TL.-61.00MM	TOYOTA	2C	86.00	OEM # 1310164121 & 1310164120	
P021T06910139N	PISTON BARE W/O PIN TOYOTA 2C (NEW) STD (2+1) DIA.-86.00MM (PISTON PIN DIA.-27.00 & TL-58.00MM)	TOYOTA	2C (NEW)	86.00	OEM # 1310164141 & 1310164110	ARCO # PTT0408602D
P021T06860139N	PISTON BARE W/O PIN TOYOTA 2C (STD) DIA.-86.00MM (2+1) PISTON PIN DIA.-27.00MM & TL.-58.00MM	TOYOTA	2C	86.00	OEM # 1310164090	ARCO # PTT0408605D
P021T06200143N	PISTON BARE W/O PIN TOYOTA 2D (STD) DIA.-105.00MM (3+2)	TOYOTA	2D	105.00		
P021T06800139N	PISTON BARE W/O PIN TOYOTA 2E (STD) DIA.-73.00MM (2+1) FULLY TIN PLATED	TOYOTA	2E	73.00	OEM # 1310111030, 1310111040 & 1310111050 (STD)	AE # RP80028
P021T06130139N	PISTON BARE W/O PIN TOYOTA 2L (STD) DIA.-92.00MM (2+1) PISTON PIN O.D.-27.00MM	TOYOTA	2L	92.00	OEM # 1310154060	AE # 350487 & ARCO # PTT0409201D
P021T06940139N	PISTON BARE W/O PIN TOYOTA 3C (STD) DIA.-86.00MM (2+1) W/O COOLING GALLERY	TOYOTA	3C	86.00	OEM # 1310164151 & 1310164210	ARCO # PTT0408607D0
P021T06940195N	PISTON BARE W/O PIN TOYOTA 3C (STD) DIA.-86.00MM (2+1) WITH COOLING GALLERY	TOYOTA	3C	86.00	OEM # 1310164151 & 1310164210	ARCO # PTT0408607D0
P021T06790139N	PISTON BARE W/O PIN TOYOTA 3L (STD) DIA.-96.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	TOYOTA	3L	96.00	OEM # 1310154100 & 1310154101	ARCO # PTT0409601DA & AE # A350958

P021T06790196N	PISTON BARE W/O PIN TOYOTA 3L (STD) DIA.-96.00MM (2+1) W/O ANTI-MAGNETIC ALFIN TYPE RING & W/O INSIDE STEEL STRIP (PISTON FULLY TIN PLATED)	TOYOTA	3L	96.00	OEM # 1310154100 & 1310154101	ARCO # PTT0409601DA & AE # A350958
P021T06920139N	PISTON BARE W/O PIN TOYOTA 4E,5E (STD) DIA.-74.00MM (2+1)	TOYOTA	4E,5E	74.00	OEM # 1310111101	
P021T06390139N	PISTON BARE W/O PIN TOYOTA 4Y (STD) DIA.-91.00MM (2+1) WITH INSIDE STEEL STRIP	TOYOTA	4Y	91.00		AE # RP80026 & 23938
P021T06820139N	PISTON BARE W/O PIN TOYOTA 5L (STD) DIA.-99.50MM (2+1) ANTI-MAGNETIC ALFINE TYPE RING WITH OIL COOLING GALLERY (FULLY TIN PLATED)	TOYOTA	5L	99.50	OEM # 1310154120	ARCO # PTT0409951DB & AE # RP80722
P021T06500139N	PISTON BARE W/O PIN TOYOTA B,BU30 (STD) DIA.-95.00MM (2+1)	TOYOTA	B,BU30	95.00		AE # 350429 (350356 OLD #), RP80709
P021T06020139N	PISTON BARE W/O PIN TOYOTA 14B (STD) DIA.-102.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (PISTON FULLY TIN PLATED) G. PIN O.D.-32.00MM	TOYOTA	14B	102.00	OEM # 1310158040	ARCO # PTT0410205DA
P021T06020196N	PISTON BARE W/O PIN TOYOTA 14B (STD) DIA.-102.00MM (2+1) W/O ANTI-MAGNETIC ALFIN TYPE RING & W/O INSIDE STEEL STRIP (PISTON FULLY TIN PLATED) G. PIN O.D.-32.00MM	TOYOTA	14B	102.00	OEM # 1310158040	ARCO # PTT0410205DA
P021T06950139N	PISTON BARE W/O PIN TOYOTA 15B (STD) DIA.-108.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	TOYOTA	15B	108.00	OEM # 1310158080 & 1310158090	ARCO # PTT0410801DA
P021T06830139Y	PISTON BARE W/O PIN TOYOTA 1HZ,1PZ (STD) DIA.-94.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	TOYOTA	1HZ,1PZ	94.00	OEM # 1310117010 & 1310117100	ARCO # PTT0509401DA & PTT0609401DA
P021T06930139N	PISTON BARE W/O PIN TOYOTA 1NZ (STD) DIA.-75.00MM (2+1)	TOYOTA	1NZ	75.00	OEM # 1310121030	
P021T06860107N	PISTON BARE W/O PIN TOYOTA 2C (0.50MM) 2+1 (STD DIA.-86.00MM) PISTON PIN DIA.-27.00MM & TL.-58.00MM	TOYOTA	2C	86.00	OEM # 1310164090 (0.50MM)	ARCO # PTT0408605D
P021T06870107N	PISTON BARE W/O PIN TOYOTA 2C (II) 0.50MM (2+1) STD DIA.-86.00MM (ANTI-MAGNETIC ALFIN TYPE RING) PISTON PIN O.D.-27.00MM X TL.-61.00MM	TOYOTA	2C	86.00	OEM # 1310164121 & 1310164120 (0.50MM)	
P021T06870139N	PISTON BARE W/O PIN TOYOTA 2C (II) STD (DIA.-86.00MM) 2+1 (ANTI-MAGNETIC ALFIN TYPE RING) PISTON PIN O.D.-27.00MM X TL.-61.00MM	TOYOTA	2C	86.00	OEM # 1310164121 & 1310164120	
P021T06910139N	PISTON BARE W/O PIN TOYOTA 2C (NEW) STD (2+1) DIA.-86.00MM (PISTON PIN DIA.-27.00 & TL-58.00MM)	TOYOTA	2C (NEW)	86.00	OEM # 1310164141 & 1310164110	ARCO # PTT0408602D

P021T06860139N	PISTON BARE W/O PIN TOYOTA 2C (STD) DIA.-86.00MM (2+1) PISTON PIN DIA.-27.00MM & TL.-58.00MM	TOYOTA	2C	86.00	OEM # 1310164090	ARCO # PTT0408605D
P021T06200143N	PISTON BARE W/O PIN TOYOTA 2D (STD) DIA.-105.00MM (3+2)	TOYOTA	2D	105.00		
P021T06800107N	PISTON BARE W/O PIN TOYOTA 2E (0.020") 2+1 (STD DIA.-73.00MM) FULLY TIN PLATED	TOYOTA	2E	73.00	OEM # 1310111030, 1310111040 & 1310111050 (0.020")	AE # RP80028
P021T06800113N	PISTON BARE W/O PIN TOYOTA 2E (0.030") 2+1 (STD DIA.-73.00MM) FULLY TIN PLATED	TOYOTA	2E	73.00	OEM # 1310111030, 1310111040 & 1310111050 (0.030")	AE # RP80028
P021T06800119N	PISTON BARE W/O PIN TOYOTA 2E (0.040") 2+1 (STD DIA.-73.00MM) FULLY TIN PLATED	TOYOTA	2E	73.00	OEM # 1310111030, 1310111040 & 1310111050 (0.040")	AE # RP80028
P021T06800139N	PISTON BARE W/O PIN TOYOTA 2E (STD) DIA.-73.00MM (2+1) FULLY TIN PLATED	TOYOTA	2E	73.00	OEM # 1310111030, 1310111040 & 1310111050 (STD)	AE # RP80028
P021T06130107N	PISTON BARE W/O PIN TOYOTA 2L (0.50MM) 2+1 (STD DIA.-92.00MM) PISTON PIN O.D.-27.00MM	TOYOTA	2L	92.00	OEM # 1310154060 (0.50MM)	AE # 350487 & ARCO # PTT0409201D
P021T06130139N	PISTON BARE W/O PIN TOYOTA 2L (STD) DIA.-92.00MM (2+1) PISTON PIN O.D.-27.00MM	TOYOTA	2L	92.00	OEM # 1310154060	AE # 350487 & ARCO # PTT0409201D
P021T06840107N	PISTON BARE W/O PIN TOYOTA 2TR (0.50MM) 2+1 (STD DIA.-95.00MM)	TOYOTA	2TR	95.00	OEM # 1310175130	AE # RP80050
P021T06940139N	PISTON BARE W/O PIN TOYOTA 3C (STD) DIA.-86.00MM (2+1) W/O COOLING GALLERY	TOYOTA	3C	86.00	OEM # 1310164151 & 1310164210	ARCO # PTT0408607D0
P021T06940195N	PISTON BARE W/O PIN TOYOTA 3C (STD) DIA.-86.00MM (2+1) WITH COOLING GALLERY	TOYOTA	3C	86.00	OEM # 1310164151 & 1310164210	ARCO # PTT0408607D0
P021T06790107N	PISTON BARE W/O PIN TOYOTA 3L (0.50MM) 2+1 (STD DIA.-96.00MM) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	TOYOTA	3L	96.00	OEM # 1310154100 & 1310154101	ARCO # PTT0409601DA & AE # A350958
P021T06790139N	PISTON BARE W/O PIN TOYOTA 3L (STD) DIA.-96.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING WITH INSIDE STEEL STRIP (FULLY TIN PLATED)	TOYOTA	3L	96.00	OEM # 1310154100 & 1310154101	ARCO # PTT0409601DA & AE # A350958

P021T06790196N	PISTON BARE W/O PIN TOYOTA 3L (STD) DIA.-96.00MM (2+1) W/O ANTI-MAGNETIC ALFIN TYPE RING & W/O INSIDE STEEL STRIP (PISTON FULLY TIN PLATED)	TOYOTA	3L	96.00	OEM # 1310154100 & 1310154101	ARCO # PTT0409601DA & AE # A350958
P021T06920139N	PISTON BARE W/O PIN TOYOTA 4E,5E (STD) DIA.-74.00MM (2+1)	TOYOTA	4E,5E	74.00	OEM # 1310111101	
P021T06390107N	PISTON BARE W/O PIN TOYOTA 4Y (0.50MM) 2+1 (STD DIA.-91.00MM) WITH INSIDE STEEL STRIP	TOYOTA	4Y	91.00		AE # RP80026 & 23938
P021T06390113N	PISTON BARE W/O PIN TOYOTA 4Y (0.75MM) 2+1 (STD DIA.-91.00MM) WITH INSIDE STEEL STRIP	TOYOTA	4Y	91.00		AE # RP80026 & 23938
P021T06390119N	PISTON BARE W/O PIN TOYOTA 4Y (1.00MM) 2+1 (STD DIA.-91.00MM) WITH INSIDE STEEL STRIP	TOYOTA	4Y	91.00		AE # RP80026 & 23938
P021T06390131N	PISTON BARE W/O PIN TOYOTA 4Y (1.50MM) 2+1 (STD DIA.-91.00MM) WITH INSIDE STEEL STRIP	TOYOTA	4Y	91.00		AE # RP80026 & 23938
P021T06390139N	PISTON BARE W/O PIN TOYOTA 4Y (STD) DIA.-91.00MM (2+1) WITH INSIDE STEEL STRIP	TOYOTA	4Y	91.00		AE # RP80026 & 23938
P021T06820139N	PISTON BARE W/O PIN TOYOTA 5L (STD) DIA.-99.50MM (2+1) ANTI-MAGNETIC ALFINE TYPE RING WITH OIL COOLING GALLERY (FULLY TIN PLATED)	TOYOTA	5L	99.50	OEM # 1310154120	ARCO # PTT0409951DB & AE # RP80722
P021T06500139N	PISTON BARE W/O PIN TOYOTA B,BU30 (STD) DIA.-95.00MM (2+1)	TOYOTA	B,BU30	95.00		AE # 350429 (350356 OLD #), RP80709
P021V05030142N	PISTON BARE W/O PIN V.M.ENGINE SUN MODEL (A/C) N.T. (STD) DIA.-105.00MM (3+1)	V.M.ENGINE	SUN MODEL (A/C) N.T.	105.00		
P021V05030109N	PISTON BARE W/O PIN V.M.ENGINE SUN MODEL (A/C) N.T. (0.020") 3+1 (STD DIA.-105.00MM)	V.M.ENGINE	SUN MODEL (A/C) N.T.	105.00		
P021V05030142N	PISTON BARE W/O PIN V.M.ENGINE SUN MODEL (A/C) N.T. (STD) DIA.-105.00MM (3+1)	V.M.ENGINE	SUN MODEL (A/C) N.T.	105.00		
P021V01020139Y	PISTON BARE W/O PIN VALMET TRACTOR OR VALTRA (STD) DIA.-108.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING GROOVE (FULLY BLACK FINISH)	VALMET TRACTOR		108.00		
P021V01020139Y	PISTON BARE W/O PIN VALMET TRACTOR OR VALTRA (STD) DIA.-108.00MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING GROOVE (FULLY BLACK FINISH)	VALMET TRACTOR		108.00		
P021V02010139N	PISTON BARE W/O PIN VAZ (STD) DIA.-92.00MM (2+1)	VAZ		92.00		
P021V02010139N	PISTON BARE W/O PIN VAZ (STD) DIA.-92.00MM (2+1)	VAZ		92.00		

P021V06010139N	PISTON BARE W/O PIN VOLKSWAGEN-AUDI GOLF 1.8, JETTA 1800 GLI, PASSAT CL. (STD) DIA.-81.00MM (2+1) WITH STEEL STRIP	VOLKSWAGEN	GOLF 1.8, JETTA 1800 GLI, PASSAT CL.	81.00	OEM # 30680631	AE # RP83030 & KS # 92249
P021V06010139N	PISTON BARE W/O PIN VOLKSWAGEN-AUDI GOLF 1.8, JETTA 1800 GLI, PASSAT CL. (STD) DIA.-81.00MM (2+1) WITH STEEL STRIP	VOLKSWAGEN	GOLF 1.8, JETTA 1800 GLI, PASSAT CL.	81.00	OEM # 30680631	AE # RP83030 & KS # 92249
P021V07040143N	PISTON BARE W/O PIN VOLVO D42 OR BOLINDER MUNKTELL 650 (STD) DIA.-105.57MM (3+2)	VOLVO	D42	105.57		
P021V07050143N	PISTON BARE W/O PIN VOLVO D47 (STD) DIA.-95.25MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	D47	95.25		
P021V07060143N	PISTON BARE W/O PIN VOLVO D50 (STD) DIA.-95.25MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	D50	95.25		
P021V07180139Y	PISTON BARE W/O PIN VOLVO D60,DUMBER 860 (AIR COMP.) STD (DIA.-63.50MM) 2+1	VOLVO	D60,DUMBER 860 (AIR COMP.)	63.50		
P021V07350143N	PISTON BARE W/O PIN VOLVO MD70,TD70A,TD70B (STD) DIA.-104.775MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	MD70,TD70A,TD70B	104.775		
P021V07340139N	PISTON BARE W/O PIN VOLVO TD60A (STD) DIA.-98.425MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	TD60A	98.425		KS # 93154600 (098080) & MAHLE # 0374300 (98L39)
P021V07380139Y	PISTON BARE W/O PIN VOLVO TD63E,TD63ES (STD) DIA.-98.425MM (2+1)	VOLVO	TD63E,TD63ES	98.425		
P021V07040143N	PISTON BARE W/O PIN VOLVO D42 OR BOLINDER MUNKTELL 650 (STD) DIA.-105.57MM (3+2)	VOLVO	D42	105.57		
P021V07050143N	PISTON BARE W/O PIN VOLVO D47 (STD) DIA.-95.25MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	D47	95.25		
P021V07060143N	PISTON BARE W/O PIN VOLVO D50 (STD) DIA.-95.25MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	D50	95.25		
P021V07180139Y	PISTON BARE W/O PIN VOLVO D60,DUMBER 860 (AIR COMP.) STD (DIA.-63.50MM) 2+1	VOLVO	D60,DUMBER 860 (AIR COMP.)	63.50		
P021V07350143N	PISTON BARE W/O PIN VOLVO MD70,TD70A,TD70B (STD) DIA.-104.775MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	MD70,TD70A,TD70B	104.775		
P021V07340139N	PISTON BARE W/O PIN VOLVO TD60A (STD) DIA.-98.425MM (2+1) ANTI-MAGNETIC ALFIN TYPE RING	VOLVO	TD60A	98.425		KS # 93154600 (098080) & MAHLE # 0374300 (98L39)
P021V07380139Y	PISTON BARE W/O PIN VOLVO TD63E,TD63ES (STD) DIA.-98.425MM (2+1)	VOLVO	TD63E,TD63ES	98.425		



# AECO ENGINEERING CO.



P021W03000143N	PISTON BARE W/O PIN WESTINGHOUSE OR WABCO (A/C) COMPRESSOR (STD) DIA.-85.00MM (3+2 RINGS)	WESTINGHOUSE		85.00		
P021W03010139N	PISTON BARE W/O PIN WESTINGHOUSE OR WABCO- 187P4/79P4 (COMPRESSOR) STD (DIA.- 60.00MM) 2+1	WESTINGHOUSE	187P4/79P4 (COMPRESSOR)	60.00		KS # 91362600 & MAHLE # 2051801
P021W03000143N	PISTON BARE W/O PIN WESTINGHOUSE OR WABCO (A/C) COMPRESSOR (STD) DIA.-85.00MM (3+2 RINGS)	WESTINGHOUSE		85.00		
P021W03010139N	PISTON BARE W/O PIN WESTINGHOUSE OR WABCO- 187P4/79P4 (COMPRESSOR) STD (DIA.- 60.00MM) 2+1	WESTINGHOUSE	187P4/79P4 (COMPRESSOR)	60.00		KS # 91362600 & MAHLE # 2051801
P021Y01000141N	PISTON BARE W/O PIN YAMAHA - OUTBOARD MOTOR / SPEED BOAT (STD) 78.00MM (2 RINGS) FULLY TIN PLATED	YAMAHA		78.00		OEM # 6F611630095 & M040511B
P021Y01140141N	PISTON BARE W/O PIN YAMAHA SUPER RS-125 (STD) DIA.-56.00MM (2 RINGS)	YAMAHA	SUPER RS- 125	56.00		
P021Y01180141N	PISTON BARE W/O PIN YAMAHA YB- 100 (STD) DIA.-52.00MM (2 RINGS)	YAMAHA	YB-100	52.00		
P021Y01000141N	PISTON BARE W/O PIN YAMAHA - OUTBOARD MOTOR / SPEED BOAT (STD) 78.00MM (2 RINGS) FULLY TIN PLATED	YAMAHA		78.00		OEM # 6F611630095 & M040511B
P021Y01140141N	PISTON BARE W/O PIN YAMAHA SUPER RS-125 (STD) DIA.-56.00MM (2 RINGS)	YAMAHA	SUPER RS- 125	56.00		
P021Y01180162N	PISTON BARE W/O PIN YAMAHA YB- 100 (0.25MM) 1+1 (STD DIA.-52.00MM)	YAMAHA	YB-100	52.00		
P021Y01180163N	PISTON BARE W/O PIN YAMAHA YB- 100 (0.50MM) 1+1 (STD DIA.-52.00MM)	YAMAHA	YB-100	52.00		
P021Y01180164N	PISTON BARE W/O PIN YAMAHA YB- 100 (0.75MM) 1+1 (STD DIA.-52.00MM)	YAMAHA	YB-100	52.00		
P021Y01180165N	PISTON BARE W/O PIN YAMAHA YB- 100 (1.00MM) 1+1 (STD DIA.-52.00MM)	YAMAHA	YB-100	52.00		
P021Y01180141N	PISTON BARE W/O PIN YAMAHA YB- 100 (STD) DIA.-52.00MM (2 RINGS)	YAMAHA	YB-100	52.00		
P021Y02020143N	PISTON BARE W/O PIN YANMAR 2F (STD) DIA.-80.00MM (3+2) ALFIN TYPE RING	YANMAR	2F	80.00		
P021Y02030143N	PISTON BARE W/O PIN YANMAR 2S (STD) DIA.-85.00MM (3+2)	YANMAR	2S	85.00		OEM # 12421022421
P021Y02130143N	PISTON BARE W/O PIN YANMAR 2T,3T (STD) DIA.-95.00MM (3+2) MAGNETIC ALFIN TYPE RING	YANMAR	2T,3T	95.00		
P021Y02070143N	PISTON BARE W/O PIN YANMAR 3EH15 (STD) DIA.-91.50MM (3+2) ANTI- MAGNETIC ALFIN TYPE RING	YANMAR	3EH15	91.50		
P021Y02060143N	PISTON BARE W/O PIN YANMAR 3EKD/4EKD (STD) DIA.-130.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	3EKD/4EKD	130.00		

P021Y02080143N	PISTON BARE W/O PIN YANMAR 3ES (STD) DIA.-115.00MM (3+2)	YANMAR	3ES	115.00		
P021Y02090142N	PISTON BARE W/O PIN YANMAR 3L15 (STD) DIA.-91.50MM (3+1)	YANMAR	3L15	91.50		
P021Y02100143N	PISTON BARE W/O PIN YANMAR 3LK (STD) DIA.-85.00MM (3+2)	YANMAR	3LK	85.00		
P021Y02110143N	PISTON BARE W/O PIN YANMAR 3M15 (STD) DIA.-91.50MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	3M15	91.50		
P021Y02960142Y	PISTON BARE W/O PIN YANMAR 3T84/YM-3300 (STD) DIA.-84.00MM (3+1)	YANMAR	3T84/YM-3300	84.00		
P021Y02180143N	PISTON BARE W/O PIN YANMAR 4KL (STD) DIA.-140.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	4KL	140.00		
P021Y02200143N	PISTON BARE W/O PIN YANMAR 6BN (STD) DIA.-155.00MM (3+2)	YANMAR	6BN	155.00		
P021Y02980142Y	PISTON BARE W/O PIN YANMAR 6HA-HT (2 VALVES) STD (DIA.-130.00MM) 3+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY)	YANMAR	6HA-HT	130.00		
P021Y02230143N	PISTON BARE W/O PIN YANMAR D-10/F-10 (STD) DIA.-100.00MM (3+2)	YANMAR	D-10/F-10	100.00		
P021Y02240143N	PISTON BARE W/O PIN YANMAR D-4/F-4 (STD) DIA.-70.00MM (3+2)	YANMAR	D-4/F-4	70.00		
P021Y02250143N	PISTON BARE W/O PIN YANMAR D-5/F-5 (STD) DIA.-75.00MM (3+2)	YANMAR	D-5/F-5	75.00		
P021Y02260142N	PISTON BARE W/O PIN YANMAR D-6/F-6 (STD) DIA.-80.00MM (3+1)	YANMAR	D-6/F-6	80.00		
P021Y02270142N	PISTON BARE W/O PIN YANMAR D-7/F-7 (STD) DIA.-85.00MM (3+1)	YANMAR	D-7/F-7	85.00		
P021Y02280142N	PISTON BARE W/O PIN YANMAR D-8/F-8 (STD) DIA.-90.00MM (3+1)	YANMAR	D-8/F-8	90.00		
P021Y02290143N	PISTON BARE W/O PIN YANMAR ES (STD) DIA.-110.00MM (3+2) MAGNETIC ALFIN TYPE RING	YANMAR	ES	110.00		
P021Y02300143N	PISTON BARE W/O PIN YANMAR ESD (STD) DIA.-120.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	ESD	120.00		
P021Y02310142N	PISTON BARE W/O PIN YANMAR F-9 (STD) DIA.-95.00MM (3+1)	YANMAR	F-9	95.00		
P021Y02320143N	PISTON BARE W/O PIN YANMAR G2 (STD) DIA.-145.00MM (3+2)	YANMAR	G2	145.00		
P021Y02340143N	PISTON BARE W/O PIN YANMAR KD/4KD (STD) DIA.-145.00MM (3+2)	YANMAR	KD	145.00		
P021Y02350243N	PISTON BARE W/O PIN YANMAR LD/4LD (STD) DIA.-140.00MM (3+2) C.I. PISTON	YANMAR	LD/4LD	140.00		
P021Y02360244N	PISTON BARE W/O PIN YANMAR LDF (STD) DIA.-140.00MM (4+1) C.I. PISTON	YANMAR	LDF	140.00		
P021Y02370143N	PISTON BARE W/O PIN YANMAR MD/4MD (STD) DIA.-100.00MM (3+2)	YANMAR	MD	100.00		
P021Y02380142N	PISTON BARE W/O PIN YANMAR N15Y (STD) DIA.-110.00MM (3+1)	YANMAR	N15Y	110.00		
P021Y02380143N	PISTON BARE W/O PIN YANMAR N15Y (STD) DIA.-110.00MM (3+2)	YANMAR	N15Y	110.00		

# AECO ENGINEERING CO.



P021Y02390142N	PISTON BARE W/O PIN YANMAR N22Y (STD) DIA.-140.00MM (3+1)	YANMAR	N22Y	140.00	OEM # 10320222090	
P021Y02390143N	PISTON BARE W/O PIN YANMAR N22Y (STD) DIA.-140.00MM (3+2)	YANMAR	N22Y	140.00		
P021Y02400142N	PISTON BARE W/O PIN YANMAR N28Y (STD) DIA.-145.00MM (3+1)	YANMAR	N28Y	145.00		
P021Y02400143N	PISTON BARE W/O PIN YANMAR N28Y (STD) DIA.-145.00MM (3+2)	YANMAR	N28Y	145.00		
P021Y02410143N	PISTON BARE W/O PIN YANMAR ND-140 (STD) DIA.-96.00MM (3+2)	YANMAR	ND-140	96.00		
P021Y02420142N	PISTON BARE W/O PIN YANMAR NP-16 (STD) DIA.-110.00MM (3+1)	YANMAR	NP-16	110.00		
P021Y02940142Y	PISTON BARE W/O PIN YANMAR NP-30 (STD) DIA.-155.00MM (3+1)	YANMAR	NP-30	155.00		
P021Y02950142Y	PISTON BARE W/O PIN YANMAR NP-35 (STD) DIA.-170.00MM (3+1)	YANMAR	NP-35	170.00		
P021Y02440142N	PISTON BARE W/O PIN YANMAR NS-10/TS-120 (STD) DIA.-88.00MM (3+1) PIN DIA.-28.00	YANMAR	NS-10/TS-120	88.00		
P021Y02430142N	PISTON BARE W/O PIN YANMAR NS-10B (STD) DIA.-88.00MM (3+1) PIN DIA. 30.00MM	YANMAR	NS-10B	88.00		
P021Y02450144N	PISTON BARE W/O PIN YANMAR NT-110 (STD) DIA.-110.00MM (4+1)	YANMAR	NT-110	110.00	OEM # 10310022090	
P021Y02460144N	PISTON BARE W/O PIN YANMAR NT-65 (STD) DIA.-65.00MM (4+1)	YANMAR	NT-65	65.00		
P021Y02470144N	PISTON BARE W/O PIN YANMAR NT-70 (STD) DIA.-70.00MM (4+1)	YANMAR	NT-70	70.00		
P021Y02480144N	PISTON BARE W/O PIN YANMAR NT-75 (STD) DIA.-75.00MM (4+1)	YANMAR	NT-75	75.00		
P021Y02490144N	PISTON BARE W/O PIN YANMAR NT-80 (STD) DIA.-80.00MM (4+1)	YANMAR	NT-80	80.00		
P021Y02500144N	PISTON BARE W/O PIN YANMAR NT-85 (STD) DIA.-85.00MM (4+1)	YANMAR	NT-85	85.00		
P021Y02510143N	PISTON BARE W/O PIN YANMAR NT-95 (STD) DIA.-95.00MM (3+2)	YANMAR	NT-95	95.00		
P021Y02540142N	PISTON BARE W/O PIN YANMAR S85 (STD) DIA.-82.00MM (3+1)	YANMAR	S85	82.00		
P021Y02120143N	PISTON BARE W/O PIN YANMAR SM3/SM4 (STD) DIA.-105.00MM (3+2)	YANMAR	SM	105.00		
P021Y02630142Y	PISTON BARE W/O PIN YANMAR TA-100/SA-100 (STD) DIA.-88.00MM (3+1)	YANMAR	TA-100/SA-100	88.00		
P021Y02640142N	PISTON BARE W/O PIN YANMAR TA-120/SA-120 (STD) DIA.-90.00MM (3+1)	YANMAR	TA-120/SA-120	90.00		
P021Y02610142Y	PISTON BARE W/O PIN YANMAR TA-70/SA-70 (STD) DIA.-80.00MM (3+1)	YANMAR	TA-70/SA-70	80.00		
P021Y02620142N	PISTON BARE W/O PIN YANMAR TA-80/SA-80 (STD) DIA.-84.00MM (3+1)	YANMAR	TA-80/SA-80	84.00		
P021Y02670142N	PISTON BARE W/O PIN YANMAR TF-105/TF-110 (STD) DIA.-88.00MM (3+1)	YANMAR	TF-105/TF-110	88.00	OEM # 10550022090	
P021Y02680142N	PISTON BARE W/O PIN YANMAR TF-115/TF-120 (STD) DIA.-92.00MM (3+1)	YANMAR	TF-115/TF-120	92.00	OEM # 10560022090	

# AECO ENGINEERING CO.



P021Y02690142N	PISTON BARE W/O PIN YANMAR TF-135/TF-140 (STD) DIA.-96.00MM (3+1)	YANMAR	TF-135/TF-140	96.00		
P021Y02700142N	PISTON BARE W/O PIN YANMAR TF-155/TF-160 (STD) DIA.-102.00MM (3+1)	YANMAR	TF-155/TF-160	102.00		
P021Y02710139N	PISTON BARE W/O PIN YANMAR TF-50 (STD) DIA.-74.00MM (2+1)	YANMAR	TF-50	74.00	OEM # 10509022090	
P021Y02720142N	PISTON BARE W/O PIN YANMAR TF-55/TF-60 (STD) DIA.-75.00MM (3+1)	YANMAR	TF-55/TF-60	75.00	OEM # 10510022090	
P021Y02730142N	PISTON BARE W/O PIN YANMAR TF-65/TF-70 (STD) DIA.-78.00MM (3+1)	YANMAR	TF-65/TF-70	78.00	OEM # 10520022090	
P021Y02740142N	PISTON BARE W/O PIN YANMAR TF-75/TF-80 (STD) DIA.-80.00MM (3+1)	YANMAR	TF-75/TF-80	80.00	OEM # 10530022190	
P021Y02750142N	PISTON BARE W/O PIN YANMAR TF-85/TF-90 (STD) DIA.-85.00MM (3+1)	YANMAR	TF-85/TF-90	85.00	OEM # 10540022190 (STD)	
P021Y02800142N	PISTON BARE W/O PIN YANMAR TH-10/TS-155 (STD) DIA.-95.00MM (3+1)	YANMAR	TH-10/TS-155	95.00	OEM # 10470022091	
P021Y02810143N	PISTON BARE W/O PIN YANMAR TH-13/TS-180 (STD) DIA.-102.00MM (3+2)	YANMAR	TH-13/TS-180	102.00	OEM # 10480022091 (STD)	
P021Y02840142N	PISTON BARE W/O PIN YANMAR TH-3/TS-50 (STD) DIA.-70.00MM (3+1)	YANMAR	TH-3/TS-50	70.00	OEM # 10410022090	
P021Y02850142N	PISTON BARE W/O PIN YANMAR TH-4/TS-60 (STD) DIA.-75.00MM (3+1)	YANMAR	TH-4/TS-60	75.00	OEM # 10420022090	
P021Y02860142N	PISTON BARE W/O PIN YANMAR TH-5/TS-70,TH-6/TS-80 (STD) DIA.-80.00MM (3+1)	YANMAR	TH-5/TS-70,TH-6/TS-80	80.00	OEM # 10430022090	
P021Y02770142N	PISTON BARE W/O PIN YANMAR TH-7/TS-105 (STD) DIA.-85.00MM (3+1)	YANMAR	TH-7/TS-105	85.00	OEM # 10450022090 (STD)	
P021Y02790142N	PISTON BARE W/O PIN YANMAR TH-8/TS-130 (STD) DIA.-92.00MM (3+1)	YANMAR	TH-8/TS-130	92.00	OEM # 10460022091	
P021Y02820142N	PISTON BARE W/O PIN YANMAR TS-190 (STD) DIA.-110.00MM (3+1)	YANMAR	TS-190	110.00	OEM # 10589022010 (STD)	
P021Y02830142N	PISTON BARE W/O PIN YANMAR TS-230 (STD) DIA.-112.00MM (3+1)	YANMAR	TS-230	112.00		
P021Y02880142N	PISTON BARE W/O PIN YANMAR YM-1500,YM-2500 (STD) DIA.-80.00MM (3+1)	YANMAR	YM-1500,YM-2500	80.00	OEM # 12416022090	
P021Y02890142N	PISTON BARE W/O PIN YANMAR YM-2000 (STD) DIA.-88.00MM (3+1)	YANMAR	YM-2000	88.00	OEM # 12475022090	
P021Y02900142N	PISTON BARE W/O PIN YANMAR YM-2200,YM-2700 (STD) DIA.-90.00MM (3+1)	YANMAR	YM-2200,YM-2700	90.00		
P021Y02020143N	PISTON BARE W/O PIN YANMAR 2F (STD) DIA.-80.00MM (3+2) ALFIN TYPE RING	YANMAR	2F	80.00		
P021Y02030143N	PISTON BARE W/O PIN YANMAR 2S (STD) DIA.-85.00MM (3+2)	YANMAR	2S	85.00	OEM # 12421022421	

P021Y02130143N	PISTON BARE W/O PIN YANMAR 2T,3T (STD) DIA.-95.00MM (3+2) MAGNETIC ALFIN TYPE RING	YANMAR	2T,3T	95.00		
P021Y02070143N	PISTON BARE W/O PIN YANMAR 3EH15 (STD) DIA.-91.50MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	3EH15	91.50		
P021Y02060143N	PISTON BARE W/O PIN YANMAR 3EKD/4EKD (STD) DIA.-130.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	3EKD/4EKD	130.00		
P021Y02080143N	PISTON BARE W/O PIN YANMAR 3ES (STD) DIA.-115.00MM (3+2)	YANMAR	3ES	115.00		
P021Y02090142N	PISTON BARE W/O PIN YANMAR 3L15 (STD) DIA.-91.50MM (3+1)	YANMAR	3L15	91.50		
P021Y02100143N	PISTON BARE W/O PIN YANMAR 3LK (STD) DIA.-85.00MM (3+2)	YANMAR	3LK	85.00		
P021Y02110143N	PISTON BARE W/O PIN YANMAR 3M15 (STD) DIA.-91.50MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	3M15	91.50		
P021Y02960142Y	PISTON BARE W/O PIN YANMAR 3T84/YM-3300 (STD) DIA.-84.00MM (3+1)	YANMAR	3T84/YM-3300	84.00		
P021Y02180143N	PISTON BARE W/O PIN YANMAR 4KL (STD) DIA.-140.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	4KL	140.00		
P021Y02200143N	PISTON BARE W/O PIN YANMAR 6BN (STD) DIA.-155.00MM (3+2)	YANMAR	6BN	155.00		
P021Y02980142Y	PISTON BARE W/O PIN YANMAR 6HA-HT (2 VALVES) STD (DIA.-130.00MM) 3+1 (ANTI-MAGNETIC ALFIN TYPE RING WITH OIL COOLING GALLERY)	YANMAR	6HA-HT	130.00		
P021Y02230143N	PISTON BARE W/O PIN YANMAR D-10/F-10 (STD) DIA.-100.00MM (3+2)	YANMAR	D-10/F-10	100.00		
P021Y02240143N	PISTON BARE W/O PIN YANMAR D-4/F-4 (STD) DIA.-70.00MM (3+2)	YANMAR	D-4/F-4	70.00		
P021Y02250143N	PISTON BARE W/O PIN YANMAR D-5/F-5 (STD) DIA.-75.00MM (3+2)	YANMAR	D-5/F-5	75.00		
P021Y02260142N	PISTON BARE W/O PIN YANMAR D-6/F-6 (STD) DIA.-80.00MM (3+1)	YANMAR	D-6/F-6	80.00		
P021Y02270142N	PISTON BARE W/O PIN YANMAR D-7/F-7 (STD) DIA.-85.00MM (3+1)	YANMAR	D-7/F-7	85.00		
P021Y02280142N	PISTON BARE W/O PIN YANMAR D-8/F-8 (STD) DIA.-90.00MM (3+1)	YANMAR	D-8/F-8	90.00		
P021Y02290143N	PISTON BARE W/O PIN YANMAR ES (STD) DIA.-110.00MM (3+2) MAGNETIC ALFIN TYPE RING	YANMAR	ES	110.00		
P021Y02300143N	PISTON BARE W/O PIN YANMAR ESD (STD) DIA.-120.00MM (3+2) ANTI-MAGNETIC ALFIN TYPE RING	YANMAR	ESD	120.00		
P021Y02310142N	PISTON BARE W/O PIN YANMAR F-9 (STD) DIA.-95.00MM (3+1)	YANMAR	F-9	95.00		
P021Y02320143N	PISTON BARE W/O PIN YANMAR G2 (STD) DIA.-145.00MM (3+2)	YANMAR	G2	145.00		
P021Y02340143N	PISTON BARE W/O PIN YANMAR KD/4KD (STD) DIA.-145.00MM (3+2)	YANMAR	KD	145.00		
P021Y02350243N	PISTON BARE W/O PIN YANMAR LD/4LD (STD) DIA.-140.00MM (3+2) C.I. PISTON	YANMAR	LD/4LD	140.00		



# AECO ENGINEERING CO.



P021Y02360244N	PISTON BARE W/O PIN YANMAR LDF (STD) DIA.-140.00MM (4+1) C.I. PISTON	YANMAR	LDF	140.00		
P021Y02370143N	PISTON BARE W/O PIN YANMAR MD/4MD (STD) DIA.-100.00MM (3+2)	YANMAR	MD	100.00		
P021Y02380142N	PISTON BARE W/O PIN YANMAR N15Y (STD) DIA.-110.00MM (3+1)	YANMAR	N15Y	110.00		
P021Y02380143N	PISTON BARE W/O PIN YANMAR N15Y (STD) DIA.-110.00MM (3+2)	YANMAR	N15Y	110.00		
P021Y02390122N	PISTON BARE W/O PIN YANMAR N22Y (1.00MM) 3+2 (STD DIA.-140.00MM)	YANMAR	N22Y	140.00		
P021Y02390142N	PISTON BARE W/O PIN YANMAR N22Y (STD) DIA.-140.00MM (3+1)	YANMAR	N22Y	140.00	OEM # 10320222090	
P021Y02390143N	PISTON BARE W/O PIN YANMAR N22Y (STD) DIA.-140.00MM (3+2)	YANMAR	N22Y	140.00		
P021Y02400142N	PISTON BARE W/O PIN YANMAR N28Y (STD) DIA.-145.00MM (3+1)	YANMAR	N28Y	145.00		
P021Y02400143N	PISTON BARE W/O PIN YANMAR N28Y (STD) DIA.-145.00MM (3+2)	YANMAR	N28Y	145.00		
P021Y02410143N	PISTON BARE W/O PIN YANMAR ND-140 (STD) DIA.-96.00MM (3+2)	YANMAR	ND-140	96.00		
P021Y02420142N	PISTON BARE W/O PIN YANMAR NP-16 (STD) DIA.-110.00MM (3+1)	YANMAR	NP-16	110.00		
P021Y02940142Y	PISTON BARE W/O PIN YANMAR NP-30 (STD) DIA.-155.00MM (3+1)	YANMAR	NP-30	155.00		
P021Y02950142Y	PISTON BARE W/O PIN YANMAR NP-35 (STD) DIA.-170.00MM (3+1)	YANMAR	NP-35	170.00		
P021Y02440142N	PISTON BARE W/O PIN YANMAR NS-10/TS-120 (STD) DIA.-88.00MM (3+1) PIN DIA.-28.00	YANMAR	NS-10/TS-120	88.00		
P021Y02430142N	PISTON BARE W/O PIN YANMAR NS-10B (STD) DIA.-88.00MM (3+1) PIN DIA. 30.00MM	YANMAR	NS-10B	88.00		
P021Y02450144N	PISTON BARE W/O PIN YANMAR NT-110 (STD) DIA.-110.00MM (4+1)	YANMAR	NT-110	110.00	OEM # 10310022090	
P021Y02460144N	PISTON BARE W/O PIN YANMAR NT-65 (STD) DIA.-65.00MM (4+1)	YANMAR	NT-65	65.00		
P021Y02470144N	PISTON BARE W/O PIN YANMAR NT-70 (STD) DIA.-70.00MM (4+1)	YANMAR	NT-70	70.00		
P021Y02480144N	PISTON BARE W/O PIN YANMAR NT-75 (STD) DIA.-75.00MM (4+1)	YANMAR	NT-75	75.00		
P021Y02490144N	PISTON BARE W/O PIN YANMAR NT-80 (STD) DIA.-80.00MM (4+1)	YANMAR	NT-80	80.00		
P021Y02500144N	PISTON BARE W/O PIN YANMAR NT-85 (STD) DIA.-85.00MM (4+1)	YANMAR	NT-85	85.00		
P021Y02510143N	PISTON BARE W/O PIN YANMAR NT-95 (STD) DIA.-95.00MM (3+2)	YANMAR	NT-95	95.00		
P021Y02540142N	PISTON BARE W/O PIN YANMAR S85 (STD) DIA.-82.00MM (3+1)	YANMAR	S85	82.00		
P021Y02120143N	PISTON BARE W/O PIN YANMAR SM3/SM4 (STD) DIA.-105.00MM (3+2)	YANMAR	SM	105.00		
P021Y02630142Y	PISTON BARE W/O PIN YANMAR TA-100/SA-100 (STD) DIA.-88.00MM (3+1)	YANMAR	TA-100/SA-100	88.00		
P021Y02640142N	PISTON BARE W/O PIN YANMAR TA-120/SA-120 (STD) DIA.-90.00MM (3+1)	YANMAR	TA-120/SA-120	90.00		

# AECO ENGINEERING CO.



P021Y02610142Y	PISTON BARE W/O PIN YANMAR TA-70/SA-70 (STD) DIA.-80.00MM (3+1)	YANMAR	TA-70/SA-70	80.00		
P021Y02620142N	PISTON BARE W/O PIN YANMAR TA-80/SA-80 (STD) DIA.-84.00MM (3+1)	YANMAR	TA-80/SA-80	84.00		
P021Y02670142N	PISTON BARE W/O PIN YANMAR TF-105/TF-110 (STD) DIA.-88.00MM (3+1)	YANMAR	TF-105/TF-110	88.00	OEM # 10550022090	
P021Y02680142N	PISTON BARE W/O PIN YANMAR TF-115/TF-120 (STD) DIA.-92.00MM (3+1)	YANMAR	TF-115/TF-120	92.00	OEM # 10560022090	
P021Y02690142N	PISTON BARE W/O PIN YANMAR TF-135/TF-140 (STD) DIA.-96.00MM (3+1)	YANMAR	TF-135/TF-140	96.00		
P021Y02700142N	PISTON BARE W/O PIN YANMAR TF-155/TF-160 (STD) DIA.-102.00MM (3+1)	YANMAR	TF-155/TF-160	102.00		
P021Y02710139N	PISTON BARE W/O PIN YANMAR TF-50 (STD) DIA.-74.00MM (2+1)	YANMAR	TF-50	74.00	OEM # 10509022090	
P021Y02720142N	PISTON BARE W/O PIN YANMAR TF-55/TF-60 (STD) DIA.-75.00MM (3+1)	YANMAR	TF-55/TF-60	75.00	OEM # 10510022090	
P021Y02730142N	PISTON BARE W/O PIN YANMAR TF-65/TF-70 (STD) DIA.-78.00MM (3+1)	YANMAR	TF-65/TF-70	78.00	OEM # 10520022090	
P021Y02740142N	PISTON BARE W/O PIN YANMAR TF-75/TF-80 (STD) DIA.-80.00MM (3+1)	YANMAR	TF-75/TF-80	80.00	OEM # 10530022190	
P021Y02750109N	PISTON BARE W/O PIN YANMAR TF-85/TF-90 (0.020") 3+1 (STD DIA.-85.00MM)	YANMAR	TF-85/TF-90	85.00	OEM # 10540022190 (0.020")	
P021Y02750142N	PISTON BARE W/O PIN YANMAR TF-85/TF-90 (STD) DIA.-85.00MM (3+1)	YANMAR	TF-85/TF-90	85.00	OEM # 10540022190 (STD)	
P021Y02800142N	PISTON BARE W/O PIN YANMAR TH-10/TS-155 (STD) DIA.-95.00MM (3+1)	YANMAR	TH-10/TS-155	95.00	OEM # 10470022091	
P021Y02810110N	PISTON BARE W/O PIN YANMAR TH-13/TS-180 (0.020") 3+2 (STD DIA.-102.00MM)	YANMAR	TH-13/TS-180	102.00	OEM # 10480022091 (0.020")	
P021Y02810143N	PISTON BARE W/O PIN YANMAR TH-13/TS-180 (STD) DIA.-102.00MM (3+2)	YANMAR	TH-13/TS-180	102.00	OEM # 10480022091 (STD)	
P021Y02840142N	PISTON BARE W/O PIN YANMAR TH-3/TS-50 (STD) DIA.-70.00MM (3+1)	YANMAR	TH-3/TS-50	70.00	OEM # 10410022090	
P021Y02850142N	PISTON BARE W/O PIN YANMAR TH-4/TS-60 (STD) DIA.-75.00MM (3+1)	YANMAR	TH-4/TS-60	75.00	OEM # 10420022090	
P021Y02860142N	PISTON BARE W/O PIN YANMAR TH-5/TS-70,TH-6/TS-80 (STD) DIA.-80.00MM (3+1)	YANMAR	TH-5/TS-70,TH-6/TS-80	80.00	OEM # 10430022090	
P021Y02770109N	PISTON BARE W/O PIN YANMAR TH-7/TS-105 (0.020") 3+1 (STD DIA.-85.00MM)	YANMAR	TH-7/TS-105	85.00	OEM # 10450022090 (0.020")	
P021Y02770142N	PISTON BARE W/O PIN YANMAR TH-7/TS-105 (STD) DIA.-85.00MM (3+1)	YANMAR	TH-7/TS-105	85.00	OEM # 10450022090 (STD)	

# AECO ENGINEERING CO.



P021Y02790142N	PISTON BARE W/O PIN YANMAR TH-8/TS-130 (STD) DIA.-92.00MM (3+1)	YANMAR	TH-8/TS-13	92.00	OEM # 10460022091	
P021Y02820109N	PISTON BARE W/O PIN YANMAR TS-190 (0.020") 3+1 (STD DIA.-110.00MM)	YANMAR	TS-190	110.00	OEM # 10589022010 (0.020")	
P021Y02820142N	PISTON BARE W/O PIN YANMAR TS-190 (STD) DIA.-110.00MM (3+1)	YANMAR	TS-190	110.00	OEM # 10589022010 (STD)	
P021Y02830109N	PISTON BARE W/O PIN YANMAR TS-230 (0.020") 3+1 (STD DIA.-112.00MM)	YANMAR	TS-230	112.00		
P021Y02830142N	PISTON BARE W/O PIN YANMAR TS-230 (STD) DIA.-112.00MM (3+1)	YANMAR	TS-230	112.00		
P021Y02880142N	PISTON BARE W/O PIN YANMAR YM-1500,YM-2500 (STD) DIA.-80.00MM (3+1)	YANMAR	YM-1500,YM-2500	80.00	OEM # 12416022090	
P021Y02890142N	PISTON BARE W/O PIN YANMAR YM-2000 (STD) DIA.-88.00MM (3+1)	YANMAR	YM-2000	88.00	OEM # 12475022090	
P021Y02900142N	PISTON BARE W/O PIN YANMAR YM-2200,YM-2700 (STD) DIA.-90.00MM (3+1)	YANMAR	YM-2200,YM-2700	90.00		
P021Z01010139N	PISTON BARE W/O PIN ZETOR 100 (STD) DIA.-100.00MM (2+1)	ZETOR	100	100.00	OEM # 62010303, 67010331 & 67010335	
P021Z01010142N	PISTON BARE W/O PIN ZETOR 100 (STD) DIA.-100.00MM (3+1)	ZETOR	100	100.00	OEM # 59010382 & 59010362	
P021Z01010143N	PISTON BARE W/O PIN ZETOR 100 (STD) DIA.-100.00MM (3+2)	ZETOR	100	100.00		
P021Z01020139N	PISTON BARE W/O PIN ZETOR 102 (STD) DIA.-102.00MM (2+1)	ZETOR	102	102.00	OEM # 72010303	KS # 94631600 & MAHLE # 5951200
P021Z01020142N	PISTON BARE W/O PIN ZETOR 102 (STD) DIA.-102.00MM (3+1)	ZETOR	102	102.00	OEM # 69010374	
P021Z01020143N	PISTON BARE W/O PIN ZETOR 102 (STD) DIA.-102.00MM (3+2)	ZETOR	102	102.00		
P021Z01030145N	PISTON BARE W/O PIN ZETOR 105 (ZETOR 50,HINDUSTAN 50,SUPER 25) STD (DIA.-105.00MM) 4+2	ZETOR	105	105.00	OEM # 1050240	
P021Z01040139N	PISTON BARE W/O PIN ZETOR 110 OR URSUS TRACTOR C-385T (STD) DIA.-110.00MM (2+1) ANTI-MAGNETIC ALFIN RING	ZETOR	110	110.00	OEM # 89003912	
P021Z01040142N	PISTON BARE W/O PIN ZETOR 110 OR URSUS TRACTOR C-385W (STD) DIA.-110.00MM (3+1)	ZETOR	110	110.00	OEM # 80003021	
P021Z01060143N	PISTON BARE W/O PIN ZETOR 25A,25K (STD) DIA.-105.00MM (3+2)	ZETOR	25A,25K	105.00		
P021Z01080143Y	PISTON BARE W/O PIN ZETOR 80 H.P. (STD) DIA.-111.00MM (3+2)	ZETOR	80 H.P.	111.00		
P021Z01090143N	PISTON BARE W/O PIN ZETOR 95 (2001/2011/3001/3011/4001) OR URSUS TRACTOR C-360 (STD) DIA.-95.00MM (3+2)	ZETOR	95 (2001/2011/3001/3011/4001)	95.00	OEM # 50503070, 55010334 & 55010305	

P021Z01010139N	PISTON BARE W/O PIN ZETOR 100 (STD) DIA.-100.00MM (2+1)	ZETOR	100	100.00	OEM # 62010303, 67010331 & 67010335	
P021Z01010142N	PISTON BARE W/O PIN ZETOR 100 (STD) DIA.-100.00MM (3+1)	ZETOR	100	100.00	OEM # 59010382 & 59010362	
P021Z01010143N	PISTON BARE W/O PIN ZETOR 100 (STD) DIA.-100.00MM (3+2)	ZETOR	100	100.00		
P021Z01020139N	PISTON BARE W/O PIN ZETOR 102 (STD) DIA.-102.00MM (2+1)	ZETOR	102	102.00	OEM # 72010303	KS # 94631600 & MAHLE # 5951200
P021Z01020142N	PISTON BARE W/O PIN ZETOR 102 (STD) DIA.-102.00MM (3+1)	ZETOR	102	102.00	OEM # 69010374	
P021Z01020143N	PISTON BARE W/O PIN ZETOR 102 (STD) DIA.-102.00MM (3+2)	ZETOR	102	102.00		
P021Z01030124N	PISTON BARE W/O PIN ZETOR 105 (ZETOR 50,HINDUSTAN 50,SUPER 25) 0.040" (4+2) STD DIA.-105.00MM	ZETOR	105	105.00		
P021Z01030145N	PISTON BARE W/O PIN ZETOR 105 (ZETOR 50,HINDUSTAN 50,SUPER 25) STD (DIA.-105.00MM) 4+2	ZETOR	105	105.00	OEM # 1050240	
P021Z01040139N	PISTON BARE W/O PIN ZETOR 110 OR URSUS TRACTOR C-385T (STD) DIA.-110.00MM (2+1) ANTI-MAGNETIC ALFIN RING	ZETOR	110	110.00	OEM # 89003912	
P021Z01040142N	PISTON BARE W/O PIN ZETOR 110 OR URSUS TRACTOR C-385W (STD) DIA.-110.00MM (3+1)	ZETOR	110	110.00	OEM # 80003021	
P021Z01060143N	PISTON BARE W/O PIN ZETOR 25A,25K (STD) DIA.-105.00MM (3+2)	ZETOR	25A,25K	105.00		
P021Z01080143Y	PISTON BARE W/O PIN ZETOR 80 H.P. (STD) DIA.-111.00MM (3+2)	ZETOR	80 H.P.	111.00		
P021Z01090122N	PISTON BARE W/O PIN ZETOR 95 (2001/2011/3001/3011/4001) OR URSUS TRACTOR C-360 (1.00MM) 3+2 (STD DIA.-95.00MM)	ZETOR	95 (2001/2011/3001/3011/4001)	95.00	OEM # 50503070, 55010334 & 55010305 (1.00MM)	
P021Z01090143N	PISTON BARE W/O PIN ZETOR 95 (2001/2011/3001/3011/4001) OR URSUS TRACTOR C-360 (STD) DIA.-95.00MM (3+2)	ZETOR	95 (2001/2011/3001/3011/4001)	95.00	OEM # 50503070, 55010334 & 55010305	
P021C18010139N	PISTON BARE W/O PIN AIR COMPRESSOR (STD) DIA.-100.00MM (2+1)			100.00		PART # 31240020212
P021P08010139N	PISTON BARE W/O PIN AIR COMPRESSOR (STD) DIA.-62.00MM (2+1)					
P021Y03030142Y	PISTON BARE W/O PIN CHINESE ENGINE (STD) DIA.-130.00MM (3+1)			130.00		
P021M23020141N	PISTON BARE W/O PIN TL33 (STD) DIA.-36.00MM (2 RINGS) THIS PISTON USED FOR GRASS CUTTING MACHINE					

# AECO ENGINEERING CO.



P021M23020176N	PISTON BARE W/O PIN TL36 (STD) DIA.-36.00MM (2 RINGS) THIS PISTON USED FOR GRASS CUTTING MACHINE					
P021Y03040139N	PISTON BARE W/O PIN (STD) DIA.-58.00MM (2+1)			58.00		
P021C18010139N	PISTON BARE W/O PIN AIR COMPRESSOR (STD) DIA.-100.00MM (2+1)			100.00		PART # 31240020212
P021P08010139N	PISTON BARE W/O PIN AIR COMPRESSOR (STD) DIA.-62.00MM (2+1)					
P021Y03030142Y	PISTON BARE W/O PIN CHINESE ENGINE (STD) DIA.-130.00MM (3+1)			130.00		
P021M23020141N	PISTON BARE W/O PIN TL33 (STD) DIA.-36.00MM (2 RINGS) THIS PISTON USED FOR GRASS CUTTING MACHINE					
P021M23020176N	PISTON BARE W/O PIN TL36 (STD) DIA.-36.00MM (2 RINGS) THIS PISTON USED FOR GRASS CUTTING MACHINE					